P. A. 1257 - TE 111-14

The second of th

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

## CAUTION

Harmful If awallowed or absorbed through skin. Do not breathe spray mists. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Do not permit children or pets onto treated areas until aprays have dried:

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish, equatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water except as specified on this label. Do not contaminate water when disposing of equipment washwaters. Do not apply where run-off is likely to occur. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

CHEMICAL AND PHYSICAL HAZARDS Do not use, pour, spill or store near heat or open flame.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistant with its label.

ORNAMENTAL LAWNS AND TURF: For control of ground pearls in lawns, apply this insecticide concentrate at the rate of 3 to 4 quarts per acre in 100 gallons of water. Make full coverage application to soil surface when ground pearl nymphs are in the pink, "crawler" or active stage, and immediately wash into the soil by additional watering. Do not apply this product through any type of irrigation system.

To control fleas, ticks, chiggers, leafhoppers and grass scale, dilute 1 quart of insecticide concentrate with 100 gallons of water. Spray to thoroughly cover all foliage when insects of damage are first noticed. Sprinkle lightly to wash insecticide into the crown of the plants. Do not water for several days, then water to wash insecticide off plants. Repeat if

For ent mounds, dilute 1% pints of this insecticide concentrate to 100 gallons of water. Spray ant hills thoroughly so that they are well soaked. For other small ants in flower beds, lawns, around trees, spray lightly in the infested areas. Repeat in 10-15 days if ents return.

# **EMULSIFIABLE** INSECTICIDE

## **CONCENTRATE MA**

#### **ACTIVE INGREDIENTS:**

Malathion: 0,0 diethyl phosphorodithioate	
of diethyl mercaptosuccinate	57 0%
INERT INGREDIENTS	43.0%
TOTAL ,	.100.0%

EPA Reg. No. 10088-56-EPA Est. No. 10088-WI-1

### **KEEP OUT OF REACH OF CHILDREN** CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Remove contaminated clothing and launder before re use. Wash thoroughly with soap and water. IF IN EYES: Flush eyes and under eyelids with plenty of water for at least 15 minutes. Call physician immediately. IF SWALLOWED: Do not induce vomiting. Obtain Immediate medical attention, NOTE TO PHYSICIAN: Malathion is a cholinesterase inhibitor. Atropine is antidotal, 2 PAM may be an effective adjunct to Atropine. See side panel for additional precautionary statements.

Manufactured by: ATHEA LABORATORIES, INC. P.O. Box 23926 Milwaukee, WI 53223



OUTDOOR ORNAMENTAL FLOYDERS, SURUBS, AND TREES: To control aphids, spider mites, theips, face by lined leaf bug, cereal leaf heetle, thrips, mealybugs, w European pine shoot moth, rose leathopper, potato per, tarnished plant bug and adult Japanese beetli 1½ pints in 100 gallous ef-vater 11 teaspoor per ga spray plant foliage thoroughly.

To control tent caterpillar, bagworms, birch leaf mi wood leaf miner, oak kermes, Florida red scale, fletch juniper, azalea, and magnolia scale, dilute 2 pint: gallons of water (2 teaspoons per gallon) and spi foliage thoroughly. Injury may occur on ferns. viburnum, lantana, Crassula and canareti juniper.

TO CONTROL ADULT MOSQUITOES, FLIES, GNATS MIDGES, MOTHS AND SMALL FLYING INSECTS in non-crop areas: Use this insecticide concentrate as appay or fog when diluted as follows:

WATER SOLUTION: 1 part concentrate to 28 part OIL SOLUTION: 1 part insecticide concentrate to of a mixture consisting of 4 parts kerosene to 1 part Avoid applying oil based sprays to valuable ornamen as injury may occur.

MOSQUITO LARVAE IN STANDING WATER Unter flooded area, stagnant water, temporary rain pools 13 fluid ounces of this insecticide concentrate mixed in sufficient water or oil to obtain even covera applied by air or ground spraying equipment. Spray foundations, shrubs, low trees, and lawn areas.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by stor disposal. Open dumping is prohibited.

STORAGE: If container is damaged, stop leaks by tioning container or by patching or repairing leaks. I up spills, wear protective gear to prevent contact pesticide or vapors. Cover spill with absorbent in such as sand, sawdust or clay Sweep up and place ed, labeled container for disposal. Scrub contain area with bluach, then rinse with water. Keep coclosed when not in use

PESTICIDE DISPOSAL: Wastes resulting from the this product may be disposed of on site or at an a

ed waste disposal facility.

CONTAINER DISPOSAL: Triple rinse for equivalent offer for recycling or reconditioning, or punctu dispose of in sanitary landfill, or by other proc approved by state and local authorities.

60002409

#### **NET CONTENTS:**

71: 15 15 11: 10

/c<sup>-</sup>

13/

Ba. Reviewed (New Marks) of notice of the WMN of the Control of the Control of 2 of the Grade 2 of the Active to Deed on Active to Deed on Active to Marks of the Control of the Science of the Control of the Science of the Control o

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

**CAUTION** 

Harmful if swallowed or absorbed through skin. Do not breathe apray mists. Wear pesticide respirator jointly approved by the Mine Safety and Health Administration and the National Institute for Occupational Safety and Health under 30 CFR Part 11. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling and launder contaminated clothing before reuse. Keep all unprotected persons out of treatment area.

**ENVIRONMENTAL HAZARDS** 

This pesticide is toxic to fish, birds, aquatic invertebrates, aquatic life stages of emphibians, and other wildlife. Do not apply directly to water except as specified on this label. Do not conteminate water when disposing of equipment washwaters. Do not apply where run-off is likely to occur. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

CHEMICAL AND PHYSICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistant with its label.

TO CONTROL ADULT MOSQUITOES, FLES, GNATS, BITING MIDGES AND MOTHS on non-crop outdoor steas: Dilute 1 gallon of insecticide concentrate with 25 gallons of fuel oil (for thermal fogging) or water (for mist blowers and pressure sprayers). Apply this mixture as a thermal fog or serosol space spray at the rate of 5 to 10 gallons per acre. For severe infestations and heavy insect populations, use 2 gallons of concentrate to 25 gallons of water or fuel oil. Thermal fogging is most effective in early morning or late evening, and when winds are less than 5 miles per hour.

# OUTDOOR INSECTICIDE

ACTIVE INGREDIENTS: "Methoxychlor, Technical Malathion: 0.0 diethyl phosphorodithioate of	. 17.50%
diethyl mercaptosúccinaté	. 70 80%

\*Equivalent to 15.41% 2,2 bis (p methoxyphenyl) 1,1,1trichlorethane and 2.1% other isomers and related compounds.

EPA Reg. No. 10088-75-EPA Est. No. 10088-WI-1

# KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching back of throat with a finger, or by giving 1 to 2 tahlespoons of syrup of ipecac in 2 or 3 ounces of water. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. NOTE TO PHYSICIAN: Solvent presents aspiration hazard. Gastric lavage is indicated if swallowed. If symptoms of cholinesterase inhibition are present, atrophie sulfate and 2 Parn are antidotal.

IF INHALED: Remove person to fresh eir. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash skin immediately with soap and water.

IF IN FYES: Fkish immediately with plenty of water. Call a physician immediately.

See side panel for additional precautionary statements.

Manufactured by:

ATHEA LABORATORIES, INC. P.O. Box 23926 Milwaukee, WJ 53223



TO CONTROL MOSQUITT LARVAE IN WISTAMII FLOODED AREAS, stegrent water, temporary ra sloughs and log ponds: Mix one pint of this in concentrate with 10 gallons of water or fuel oil to acre. Apply with mist blower or power sprayer to the wet the surface of all areas where mosquitoes and if or congregate, such as garbage dumps, refuse he sides of buildings, low damp areas and around under the stagnant water. Repeat applications when ne

FOR CONTROL OF ROACH AND ANY POPULAT outdoor non-crop areas: Mix 1 gallon of this produgallons of water. Apply as a wet spray, thoroughly the insides of manholes and sewer lines. Also garbage dumps, refuse containers and cans, and building foundations. Repeat as necessary.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by sto disposal. Open dumping is prohibited. STORAGE: If this container is damaged, stop I repositioning container or by patching or repairing To clean up spills, wear protective gear to prave tact with pesticide or vapors. Cover spill with ab material such as sand, sawdust or clay. Sweep place in closed, labeled container for disposal. So contaminated area with bleach, then rinse with wat container closed when not in use. Keep from frestored in cold or freezing temperatures, warm temperature and stir thoroughly before using. PESTICIDE DISPOSAL: Pesticide wastes are toxic I disposal of excess pesticide, spray mixture or ri a violation of Federal law. If these wastes cadisposed of or used according to label instri

nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Triple rinse for equivalration for recycling or reconditioning, or punct dispose of in a sanitary landfill, or by other approvand local procedures.

contact your state Pesticide or Environmental

agency, or the hazardous waste representative

40282409

**NET CONTENTS:**