

ACCEPTED**JUN 1 1990**

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 10088-75

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Do not breathe spray mists. Wear pesticide respirator jointly approved by the Mine Safety and Health Administration and the National Institute for Occupational Safety and Health under 30 CFR Part 11. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling and launder contaminated clothing before reuse. Keep all unprotected persons out of treatment area.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, birds, aquatic invertebrates, aquatic life stages of amphibians, and other wildlife. Do not apply directly to water except as specified on this label. Do not contaminate water when disposing of equipment washwaters. Do not apply where run-off is likely to occur. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

CHEMICAL AND PHYSICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label.

TO CONTROL ADULT MOSQUITOES, FLIES, GNATS, BITING MIDGES AND MOTHS on non-crop outdoor areas: Dilute 1 gallon of insecticide concentrate with 25 gallons of fuel oil (for thermal fogging) or water (for mist blowers and pressure sprayers). Apply this mixture as a thermal fog or aerosol space spray at the rate of 5 to 10 gallons per acre. For severe infestations and heavy insect populations, use 2 gallons of concentrate to 25 gallons of water or fuel oil. Thermal fogging is most effective in early morning or late evening, and when winds are less than 5 miles per hour.

OUTDOOR INSECTICIDE

ACTIVE INGREDIENTS:

Heavy Aromatic Naphtha	65.18%
Methoxychlor, Technical	17.50%
Malathion: O,O-diethyl phosphorodithioate of diethyl mercaptosuccinate	11.70%
INERT INGREDIENTS:	5.62%
TOTAL	100.00%

*Equivalent to 15.41% 2,2 bis (p methoxyphenyl)-1,1,1-trichloroethane and 2.1% other isomers and related compounds.

EPA Reg. No. 10088-75-

EPA Est. No. 10088-WI-1

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching back of throat with a finger, or by giving 1 to 2 tablespoons of syrup of ipecac in 2 or 3 ounces of water. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **NOTE TO PHYSICIAN:** Solvent presents aspiration hazard. Gastric lavage is indicated if swallowed. If symptoms of cholinesterase inhibition are present, atropine sulfate and 2-Pam are antidotal.

IF INHALED: Remove person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash skin immediately with soap and water.

IF IN EYES: Flush immediately with plenty of water. Call a physician immediately.

See side panel for additional precautionary statements.

Manufactured by:

ATHEA LABORATORIES
P.O. Box 23926
Milwaukee, WI 53223

KILLS MOSQUITOS, FLIES AND COCKROACHES

IMMEDIATE KNOCKDOWN

TO CONTROL MOSQUITO LARVAE IN INTERMITTENTLY FLOODED AREAS, stagnant water, temporary rain pools, sloughs and log ponds: Mix one pint of this insecticide concentrate with 10 gallons of water or fuel oil to treat one acre. Apply with mist blower or power sprayer to thoroughly wet the surface of all areas where mosquitoes and flies breed or congregate, such as garbage dumps, refuse heaps, out-sides of buildings, low damp areas and around undergrowth near stagnant water. Repeat applications when necessary.

FOR CONTROL OF ROACH AND ANT POPULATIONS in outdoor non-crop areas: Mix 1 gallon of this product to 10 gallons of water. Apply as a wet spray, thoroughly treating the insides of manholes and sewer lines. Also apply to garbage dumps, refuse containers and cans, and around building foundations. Repeat as necessary.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If this container is damaged, stop leaks by repositioning container or by patching or repairing leaks. To clean up spills, wear protective gear to prevent contact with pesticide or vapors. Cover spill with absorbent material such as sand, sawdust or clay. Sweep up and place in closed, labeled container for disposal. Scrub the contaminated area with bleach, then rinse with water. Keep container closed when not in use. Keep from freezing. If stored in cold or freezing temperatures, warm to room temperature and stir thoroughly before using.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of or used according to label instructions, contact your state Pesticide or Environmental Control agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

40281808

NET CONTENTS:

Mr. Thomas J. Schmit
Agricultural Chemicals, Inc.
P.O. Box 2100
Moline, IL 61201

Dear Mr. Schmit:

Subject: Revised labeling deletion of Dichloron
from formulation
Dichloron Insecticide
EPA Registration No. 10000-75
Your submission of February 14, 1976

The labeling of your product, submitted in connection with
registration under the Federal Insecticide, Fungicide, and
Rodenticide Act, is hereby approved, and the label is being placed
on file for your records.

The revised labeling of your product of February 14, 1976, is
being placed on file for your records.

Sincerely yours,

John H. Schmit

John H. Schmit, Jr.
Product Manager (12)
Insecticide Division Branch
Registration Division (17012)

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

ACCEPTED

JUN 1 1990

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 10088-75

**KILLS MOSQUITOS, F
IMMEDIATE**

**TO CONTROL MOSQUITO
FLOODED AREAS,** stagnant
sloughs and log ponds: Mix
concentrate with 10 gallons
acre. Apply with mist blower
wet the surface of all areas
or congregate, such as gar
sides of buildings, low damp
near stagnant water. Repeat

**FOR CONTROL OF ROAC
outdoor non-crop areas:** Mix
gallons of water. Apply as
the insides of manholes a
garbage dumps, refuse co
building foundations. Repeat

OUTDOOR INSECTICIDE

ACTIVE INGREDIENTS:

Heavy Aromatic Naphtha	65.18%
Methoxychlor, Technical	17.50%
Malathion: O,O-diethyl phosphorodithioate of diethyl mercaptosuccinate	11.70%
INERT INGREDIENTS:	5.62%
TOTAL	100.00%

*Equivalent to 15.41% 2,2 bis (p-methoxyphenyl)-1,1,1-trichloroethane and 2.1% other isomers and related compounds.

EPA Reg. No. 10088-75-

EPA Est. No. 10088-WI-1

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching back of throat with a finger, or by giving 1 to 2 tablespoons of syrup of Ipecac in 2 or 3 ounces of water. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **NOTE TO PHYSICIAN:** Solvent presents aspiration hazard. Gastric lavage is indicated if swallowed. If symptoms of cholinesterase inhibition are present, atropine sulfate and 2-Pam are antidotal.

IF INHALED: Remove person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash skin immediately with soap and water.

IF IN EYES: Flush immediately with plenty of water. Call a physician immediately.

See side panel for additional precautionary statements.

Manufactured by:

ATHEA LABORATORIES

P.O. Box 23926

Milwaukee, WI 53223

STORAGE

Do not contaminate water disposal. Open dumping. **STORAGE:** If this container repositioning container or To clean up spills, wear contact with pesticide or vapor material such as sand, place in closed, labeled contaminated area with ble container closed when no stored in cold or freezing temperature and stir thos **PESTICIDE DISPOSAL:** Per disposal of excess pesticide a violation of Federal law disposed of or used or contact your state Pesticide agency or the hazardous nearest EPA Regional Office **CONTAINER DISPOSAL:** offer for recycling or re dispose of in a sanitary land and local procedures.

40281808

NET CONTENTS:

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Do not breathe spray mists. Wear pesticide respirator jointly approved by the Mine Safety and Health Administration and the National Institute for Occupational Safety and Health under 30 CFR Part 11. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling and launder contaminated clothing before reuse. Keep all unprotected persons out of treatment area.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, birds, aquatic invertebrates, aquatic life stages of amphibians, and other wildlife. Do not apply directly to water except as specified on this label. Do not contaminate water when disposing of equipment washwaters. Do not apply where run-off is likely to occur. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

CHEMICAL AND PHYSICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label.

TO CONTROL ADULT MOSQUITOES, FLIES, GNATS, BITING MIDGES AND MOTHS on non-crop outdoor areas:

Dilute 1 gallon of insecticide concentrate with 25 gallons of fuel oil (for thermal fogging) or water (for mist blowers and pressure sprayers). Apply this mixture as a thermal fog or aerosol space spray at the rate of 5 to 10 gallons per acre. For severe infestations and heavy insect populations, use 2 gallons of concentrate to 25 gallons of water or fuel oil. Thermal fogging is most effective in early morning or late evening, and when winds are less than 5 miles per hour.