

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

APR 15 2003

Troy Munson
Athea Laboratories
P.O. Box 240014
Milwaukee, WI 53224

Dear Mr. Munson:

Subject: Label Revision Amendment
Granular Weed Control
EPA Reg. No. 10088-76
Submission dated January 21, 2003

The labeling, referred to above, submitted in connection with the application under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, provided that you make the following changes:

1. Under "Personal Protective Equipment";
 - c. Replace "dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C)." with "dust filtering respirator with NIOSH approval number prefix TC-84A."
 - d. It is recommended that you require that respirator wearers be trained in the use, maintenance, limitations, and fit testing of the respirator.
2. Under "Directions for Use";
 - a. Add the following statements on application restrictions:
"Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application." and "Do not enter or allow others to enter treated area until dusts have settled."
 - b. Add "Do not use in residential area." to the second paragraph of this section.


Page 2
EPA Reg. No. 10088-76

3. Under "Directions";

The maximum application rate under the EPA Reregistration Eligibility Decision (RED) document for the Bromacil is 12 pounds per acre. Your proposed application rate of 1.0 lb. per 100 ft² is equal to 17 lbs. per acre. Reduce the application rate to 11 oz per 100 ft².

The amended label supersedes all previously accepted labels. A stamped copy of the revised label is enclosed for your records. Please submit one copy of your final printed label before you release the product for shipment.

Sincerely yours,



Jim Tompkins
Product manager (25)
Herbicide Branch
Registration Division (7505C)

Enclosure

CONCURRENCES

SYMBOL >	7505C							
SURNAME >	C.Bien							
DATE >								

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION

Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing of dust.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: Long-sleeved shirt and long pants, butyl gloves, or nitrile gloves, or other gloves that glove selection charts or guidance indicate are chemical-resistant to the pesticide for the period of time required to perform the task, shoes plus socks, protective eyewear, and a dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C).

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378. For information on product, usage, etc., call 1-800-743-6417.

ENVIRONMENTAL HAZARDS:

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply on or near valuable woody or herbaceous plants or on areas where their roots extend, because of possible injury to such plants. Thoroughly clean spreading equipment with a suitable chemical cleaner before using for other purposes (or do not use same spreading equipment for other purposes). Do not contaminate water when disposing of equipment washwaters.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

STORAGE: Store in dry area. Keep inner liner closed when not in use. Do not store near food, feed, seed or fertilizer.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner and drum in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GRANULAR WEED CONTROL

**NON-SELECTIVE HERBICIDE FOR
CONTROLLING A WIDE RANGE OF
ANNUAL AND PERENNIAL
WEEDS AND GRASSES**

**FOR USE ON NON-CROPLAND
AREAS SUCH AS
FENCEROWS, STORAGE YARDS
AND INDUSTRIAL AREAS**

ACTIVE INGREDIENTS:

Bromacil (5-bromo-3-sec-butyl-6-methyluracil)	4.00%
INERT INGREDIENTS:	96.00%
TOTAL	100.00%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for additional precautionary statements.

EPA REG. NO. 10088-76

EPA EST. NO. 10088-WI-1

APR 15 2003

Manufactured By:

Athea Laboratories, Inc.
P.O. Box 240014
Milwaukee, WI 53224

ACCEPTED
with COMMENTS
in EPA Letter Dated
Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

10088-76

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This granular non-selective herbicide is used for controlling a wide range of annual and perennial weeds and grasses. It is recommended only for non-cropland areas, such as railroad rights-of-ways and industrial areas. The application of 200 to 300 pounds of this product per acre usually results in a nonproductive condition for a period of a year or more. The duration of nonproductivity is dependent upon rainfall, type of soil and other conditions.

DIRECTIONS

Apply product as furnished using a seed spreader, fertilizer spreader, shaker type applicator or any equipment which will distribute this product over the area to be treated.

To control annual and most perennial weeds and grasses, apply at a rate of 200 to 300 pounds per acre; on smaller plots, 0.5 to 1.0 pound per 100 square feet. Repeat spot treatment may be required when deep rooted perennial weeds are present. To obtain best results, apply to the ground where it will be absorbed by the roots. Applications early in the season have been found to give results superior to applications made later in the season. This product may, however, be applied at any time of the year. Maximum effectiveness in arid regions is obtained when application is made just prior to the rainy season.

Users should consult State Agricultural Experimental Stations or Extension Service Weed specialists for recommendations as to use of this product in their particular area.

IMPORTANT: Do not apply on or near valuable woody or herbaceous plants or in areas where their roots may extend, because of possible injury to such plants. Thoroughly clean spreading equipment with a suitable chemical cleaner before using for other purposes (or do not use same spreading equipment for other purposes).

0316.031303
NET CONTENTS:

25 Lbs.

50 Lbs.

100 Lbs.

6
2
W