

4 OCT 1984

301 / 130210
17 / 2

Mr. Eugene Dziadulewicz
Athea Laboratories
630 East Keefe Ave.
Milwaukee, WI 53212

Dear Mr. Dziadulewicz:

Subject: Amendment - Revised Updated Label
Mosquito and Fly Control and Larvicide
EPA Registration No. 1008c-77
Your Application received August 9, 1984

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable, provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. Add "Only for retail sale to, use and storage by pest control operators or other servicepersons." This was requested in our last letter.
2. Delete "General Classification" as this product has not been classified.
3. Revise the bee precaution on the right panel in the environmental hazards so it reads as follows:

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

4. In the statement of Practical Treatment, insert the following as the second sentence in the if swallowed section: "If possible, vomiting should be induced under medical supervision." Then revise the next sentence to read, "Drink one or two glasses of water and induce vomiting by touching back of throat with a finger."
5. Also in the statement of practical treatment add the following after the if in eyes section.

CONCURRENCES

SYMBOL	SURNAME	DATE						
	T Parakley	9/26/84						

Note to Physician - Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-Pam is also antidotal and may be administered in conjunction with atropine.

b. Your company name and address must appear on the label.

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

EPA:LaRocca:DCR-50422:WANG-0607K:wec:Raven:479-2013:9/21/84

DIRECTIONS FOR USE - GENERAL CLASSIFICATION: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To control Mosquitoes, Horseflies, Deerflies, Stableflies and Houseflies, and other small flying insects, mix one part of Mosquito & Fly Control with 12 gallons of water or fuel oil. Spray water dilutions at the rate of 50 gallons per acre. The use of thermal combustion fogging machines for fuel oil dilutions and mistblowers for water dilutions will increase the effectiveness and reduce the amount required per acre.

To control mosquito larvae in intermittently flooded areas, mix 2.5 gallons of Mosquito & Fly Control and Larvicide with 50 gallons of diesel fuel to treat one acre. Around garbage dumps, refuse heaps, outside of buildings, low damp areas, and undergrowth near stagnant water. Dilute 1 gallon with 5 gallons of water, apply in a wet spray. Repeat when necessary.

To control roaches, dilute 1 gallon with 5 gallons of water, apply in a wet spray, thoroughly treating the inside of manholes and sewage lines. Apply to garbage racks and cans and to wet garbage dumps and refuse areas. Repeat when necessary.

KEEP FROM FREEZING If this product is stored in cold or freezing weather it may separate or thicken. This will not harm the performance. Before using, warm to room temperature and stir thoroughly.

ACCEPTED
with COMMENTS
by EPA Field District

OCT 18 1984

File,
Ack
Date
No.

in red

10088-77

MOSQUITO AND FLY CONTROL AND LARVICIDE

CONTROLS FLIES, MOSQUITOES AND THEIR LARVAE
CAN BE DILUTED WITH WATER
AND SPRAYED OR MISTED.

DILUTE WITH FUEL OIL FOR THERMAL COMBUSTION FOGGING
ACTIVE INGREDIENTS:

	BY WEIGHT
Heavy Aromatic Naphtha	85.74%
*Methoxychlor, Technical	4.69
**Malathion	3.14
2,2 dichlorovinyl dimethyl phosphate	1.17
Related compounds	0.9
INERT INGREDIENTS:	5.17
	100.00%

*Equivalent to 4.11% 2,2 bis (p-methoxyphenyl)
1,1,1 trichloroethane and 0.58% other isomers
and related compounds.

**0,0 dimethyl dithiophosphate of diethyl mercaptosuccinate

E.P.A. REG. NO. 10088-77

E.P.A. EST. NO. 10088-WI-1

KEEP OUT OF REACH OF CHILDREN

DANGER -



POISON



STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting immediately by having victim drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Vomiting may also be induced by giving one to two tablespoons of syrup of ipecac in 2 or 3 ounces of water. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Wash immediately with soap and water. Remove all contaminated clothing.

IF IN EYES: Flush immediately with plenty of water. SEE A PHYSICIAN IMMEDIATELY.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NET CONTENTS:

PRO
HAZARDS TO

DAN

Poisonous if swallowed, vapors or spray mist. W Safety and Health Admin Safety and Health under eyes or clothing. Wear handling. In case of cont Wash hands, arms and fa terminated clothing with protected persons out of ENVIRONMENTAL HAZ birds, and other wildlife marshes, and estuaries terminate water by clean crabs may be killed at where these are importa not apply to areas wher Protective information m tension services. PHYSICAL OR CHEMIC Name.

STORA

PESTICIDE DISPOSAL disposal. Open dumping improper disposal of ec Federal law. If these w instructions, contact yo the hazardous waste re guidance. CONTAINER DISPOSA reconditioning, or dispos and local procedures.