## ACCEPTED

OCT 28 1997

Under the Federal Insecticide. Fungicide, and Rodenticide Act.

# VEGETATION

CONTROL

#### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful or fatal if swallowed or absorbed through skin. Causes eve irritation. Causes skin irritation. Do not breathe vapors or mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol. NOTE TO PHYSICIAN: May pose an aspiration pneumonia hazard.

IF ON SKIN: Remove contaminated clothing and launder before re-use. Wash skin with soap and

IF IN EYES: Flush eyes and under eyelids with water for at least 15 minutes, and obtain medical attention.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, birds, and other wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply to areas where roots of desirable plants will come into contact, as injury may result. Avoid spray drift to susceptible plants. Do not apply when conditions favor drift from area treated. Coarse sprays are less likely to drift. Avoid contamination of water used for domestic or irrigation purposes. Do not store near foodstuffs.

PHYSICAL AND CHEMICAL HAZARDS: Contains petroleum distillate. Do not store or use near heat or open flame.

**ACTIVE INGREDIENTS:** Bromacil: (5-Bromo-3-sec-butyl-6-methyluracil) . 0.98 %

INERT INGREDIENTS ......99.02 % TOTAL .....100.00%

Contains petroleum distillates, xylene, or xylene range aromatic solvent.

EPA Reg. No. 10088-88-EPA Est. No. 10088-WI-1

### KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for further precautions and first aid instructions.

Sold By:

SPECIMEN

ACCEPTED

Under the Federal Insociicide. Fungicide, and Rodenticide Act. as amended for 'he posticide registered

#### **DIRECTIONS FOR USE:**

It is a violation of Federal Jaw to use this product in a manner inconsistent with its label.

To control most weeds and grasses for extended periods on non-cropland areas such as industrial plant sites, parking lots, loading ramps and around storage buildings and similar non-crop areas, apply 1 to 4 gallons of VEGETATION CONTROL per 1000 square feet. Apply this herbicide after the most predominant weeds have emerged. No agitation is required. VEGETATION CONTROL can be applied with standard spray equipment. For treating small areas, a tank type hand sprayer or sprinkling can may be used.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep container tightly closed when not in use. If container is damaged or leaking, contain all spillage; Soak up spilled material with sand or other inert absorbent, and place in a closed, labeled container for proper disposal.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse empty container with water, then offer for reconditioning or puncture and dispose of in sanitary landfill or by other procedures approved by State and local authorities.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess posticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions contact your state pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

31990127

**NET CONTENTS:** 

10088 3