### **PRECAUTIONARY STATEMENTS** HAZARDS TO HUMANS AND DOMESTIC ANIMALS

# WARNING

Causes skin irritation. Harmful if absorbed through skin. Causes moderate eve irritation. Do not get on skin or on clothing. Avoid contact with eyes. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: Coveralls over short-sleeved shirt and short pants, chemicalresistant gloves (such as, barrier laminate, ≥ 14 mils and viton ≥ 12 mils), chemical resistant footwear plus socks. Follow manufacturer's instructions cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### **USERS SAFETY RECOMMENDATIONS**

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothina.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Avoid spray drift to susceptible plants. Do not apply when conditions favor drift from area treated. Coarse sprays are less likely to drift. Avoid contamination of water used for domestic or irrigation purposes.

#### PHYSICAL AND CHEMICAL HAZARDS

Contains petroleum distillate. Combustible. Do not use or store the product near heat or open flame.

# **VEGETATION** CONTROL

## READY TO USE SOLVENT BASE NON-SELECTIVE RESIDUAL HERBICIDE

#### **ACTIVE INGREDIENTS:**

Bromacil: (5-Bromo-3-sec-butyl-6-methyluracil) ... 0.98% Contains 0.078 pounds of Bromacil per gatton. Contains petroleum distillates, xylene, or xylene range aromatic solvent.

## **KEEP OUT OF REACH OF CHILDREN** WARNING

FIRST AID: IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

For information on product, usage, etc., call 1-800-XXX-XXXX.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. The product contains petroleum distillate, which may pose aspiration pneumonia hazard.

EPA REG. NO. 10088-88

EPA EST. NO. 10088-WI-1

Manufactured by: A C GEPTE Athea Laboratories. Inc. P.O. Box 240014

registered under

Milwaukee, WI 53224 0319.080703

Wader the Policies Independent NET CONTENTS:

Tungfelds, and Coderbleble Act.

1

BPA Rog. No. 1 UTO ST

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its label.

#### **GENERAL INFORMATION**

To control most weeds and grasses for extended periods on non-cropland areas such as industrial plant sites, parking lots, loading ramps and around storage buildings and similar noncrop areas. Apply this herbicide after the most predominant weeds have emerged. No agitation is required. VEGETATION CONTROL can be applied with standard spray equipment. For treating small areas, a tank type hand sprayer or sprinkling-can may be used.

#### **APPLICATION INSTRUCTIONS**

Apply 1 to 3.56 gallons of VEGETATION CONTROL per 1000 square feet.

#### **GENERAL PRECAUTIONS AND RESTRICTIONS**

Aerial applications are prohibited. Not to be used in any recreational area or in or around homes. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in area during application.

ENTRY RESTRICTIONS: Do not enter or allow others to enter the treated area until sprays have dried.

Do not apply to areas where roots of desirable plants will come into contact, as injury may result,

The maximum application rates must be not more than 12 lbs. ai/A per year for all uses except the under surface treatment for toxic waste holding ponds.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep container tightly closed when not in use. If container is damaged or leaking, contain all spillage. Soak up spilled material with sand or other inert absorbent, and place in a closed, labeled container for proper disposal.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse empty container with water, then offer for reconditioning or puncture and dispose of in sanitary landfill or by other procedures approved by State and local authorities.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a Molation of federal law. If these wastes cannot be disposed of by use according to label instructions contact your state pesticide of Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

☐ 55 GALLONS