
10088-93 5/14/2003





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

MAY 1 4 2003

Mr. Troy Munson Athea Laboratories, Inc. P.O. Box 240014 Milwaukee, WI 53224

Subject:

Amendment Updating First Aid per PR Notice 2001-1

Powdered Insecticide EPA Reg. No. 10088-93

Your Submission Dated February 26, 2003

Dear Mr. Munson:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments below. Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the label is enclosed for your records.

- 1. Revise the beginning of the first sentence of the "NON-FOOD/NON-FEED AREAS" section at the bottom of the left-hand column to read: "Non-food/non-feed areas of food/feed handling establishments are areas such as ..."
- 2. By October 1, 2003, you are required to revise the Disposal instructions in accordance with the Agency's latest guidance in PR Notice 2001-6 for residential/household use products. This PR Notice is available on the Office of Pesticide Program's Internet site (http://www.epa.gov/opppmsd1/PR_Notices/). Although not required to revise the disposal instructions until the 2003 compliance date, you may revise them now. The disposal instructions for products in non-pressurized containers are as follows:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or [insert a toll free number which meets the criteria in paragraph II.E. of PR Notice 2001-6] for disposal instructions. Never place unused product down any indoor or outdoor drain.

[Note: If you do not have another toll free number to recommend, you may use 1-800-CLEANUP.]

If you have any questions regarding this action, please contact Susan Stanton of my team at (703) 305-5218.

Sincerely,

Susan L. Starton for George T. LaRocca

Product Manager (13) Insecticide Branch

Registration Division (7505C)

Enclosure

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin, Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Avoid contamination of food and feedstuffs

ENVIRONMENTAL HAZARDS:

Do not confaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame

POWDERED INSECTICIDE contains the quick killing botanical insecticide, pyrethrum, an extract of the chrysanthemum flower, which provides effective control of insects upon direct contact with an added benefit of flushing these insects to aid in a more complete kill. The silicon dioxide, in this product, provides long term control through a desiccating (drying) action. Put the powder down and insects walking on it will continue to die for up to 6 months KILLS INSECTS ON CONTACT SUCH AS: Ants. Carpenter Ants [Eastern(Western)].
Fire Ants. Plarach Ants. Bedbugs, Bedles, Confused Flow Beetle, Dermestusty(Carpet
Beetles), Red Flow Beetle, Booklieu, Boxelder Bugs, Carpenter Bees, Campipedes,
Cockroachs, Anerican Cockroach, Asian Cockroach, Australian Cockroach, Brown
Banded Cockroach, German Cockroach, Oriental Cockroach, Smokey Brown Cockroach, Chkkets, Earwigs, Firebrat, Fleas, Homets, Lice, Milippedes, Mites, Cheese Mites, Dust Mites, Palmetro Bugs, Pilibugs, Scorpions, Silverfish, Sowbugs, Spiders, Foraging Drywood Termites, American Dog Tick, Brown Dog Tick, Gulf Coast Tick, Lone Star Tick, Yellow Jackets, Wasps, Waterbugs. GRANARY INSECTS: Rat Grain Beetle, Cadelle, Cigarette Beetle, Lesser Grain Borer,

Dark Meahworm, Rice Weevill STOREO PROBUCT PESTS: Bees, Drugstore Beetle, Flour Beetle, Merchant Grain Beetle, Sawtoothed Grain Beetle, Warehouse Beetle, Grain Mites, Grain Weevill, Yellow Makalworm, Weevills. Mealworm, Weevils.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its

READ ALL DIRECTIONS COMPLETELY BEFORE USE

Not for use in Federally inspected Meat and Poultry Plants. Do not apply this product in hospital patient rooms while occupied by the elderty or infirm. Do not apply in classfrooms while in use. Do not apply in institutions (including libraries, sport facilities, etc.) in the immediate areas when occupants are present

warehouses, bakeries, beverage and bottling plants, restaurants, schools, kitchens, supermarkets, meat and poultry processing plants, hotels, motels, hospitals, milking areas, meat, poultry and other ivestock areas, ilmit to crack and crevice treatment APPLICATIONS WITHIN FOOD/FEED AREAS: In food/feed processing plants and

Using a bulbous, mechanical or other electric duster apply a small amount of material directly into cracks and crevices such as expansion joints between different where listed insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of motor housing, junction boxes or switch boxes, conduits or hollow equipment legs elements of construction or between equipment bases and the floor, wall voids, food or food processing surfaces. APPLICATION OF THIS PRODUCT IN FOOD/FEED AREAS OF FOOD/FEED HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED. NON-FODD,NON-FEED AREAS. Non-tood/non-feed areas of food/feed areas are areas such as qarbage rooms, lawatories, floor drains, offices, locker rooms, machine rooms, boller rooms, garages, mop closets and storage.

PROVIDES QUICK CONTROL

6 MONTHS WHEN UNDISTURBED KEEPS ON WORKING FOR UP TO

CONTAINS THE BOTANICAL INSECTICIDE PYRETHRUM. AN EXTRACT OF THE CHRYSANTHEMUM FLOWER

ACTIVE INGREDIENTS:

TOTAL 100.00% (butvicarbityl)(6-propyloiperonyl) ether and		. =	. 60	 . 5		. 6	62	. 0	. 0	. 2	. 0	. 5	. 0	(0)	. =	. =	. €	. 4	. 60	. 0	. ≥	. 5	- 5		. %	. 0	. 0	. 00	. 0	-	- ***	. 60	. 77	. >	, 3	. 0	-J m	K	- *	0	-	1000	
INERT INGREDIENTS:29.00%					2																					in	03	=	-	-	0	LL2	Œ	CD	=	=	_	m	111	=	=		
60.00%	*																											-	=	-=	~	.=	0	_	=	8	=	75	0,1				
.10.00%				- 0												_	D	2	=	=	0	0	_	432	D	-=	8	=	=	-	=	=	0	Sec.	9	므	Д.		•				
Pyrethrins1.00%															*		*				*			12								S	=	-	与	a	-	5	bake.				

KEEP OUT OF REACH OF CHILDREN

2.00% related compounds.

CAUTION

FIRST AID: IF SWALLOWED: Gall a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vorniting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a polson control center or doctor for treatment

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide information Center at 1-800-858-7378. For information on product, usage, etc., call 1-800-743-6417.

EPA Est. No. 10088-WI-1 EPA Reg. No. 10088-93

NET COMENTS: \$\omega\$ 3.5 oz\$. \$\omega\$ 6 ozs. \$\omega\$ lbs. Manufactured By: \$\omega\$ Laboratories Inc. Milwaukee, Wi 53224 P.O. Box 240014

COCKROACHES, Waterlugs, Palmetto Bugs, Crickets, Frebrat, Silverfish, Booklice, Scorpions, Spiders, Centipedes, Sowbugs, Pilibugs, Earwigs, Clover Miles, Lice and Militipedes: Distribute this product at the rate of 1.5 ounces per 100 square feet of surface area. Apply a continuous visible film to hiding places such as cracks and crevices, bethind and beneath sinks, stoves, religivations, around optrable cans, cabinets, along baseboards, door sills, channes and floors, around drains, piers, plumbin, behind bookcases, storage and other utility installation. For severe intestations apply behind cabinets and walls, in craw spaces and attics at a rate of 12. ounces per 1000 square feet. Repeat as necessary.

FOR USE ON STORED PRODUCTS

EXPOSED STAGES of Flour Beetles, Cadelles, Rice Weevils, Fat Grain Bretles, Cigarette Beetles, Confused Flour Beetles, Drugstore Beetles, Lesser Grain Borer, Merchanf Grain Beetles, Santhouthed Grain Beetles, Grain Weevils, Warthouse Beetles, Red Flour Beetles, Grain goods. Remove all other items from pantry, shelves and drawers. Thoroughly treat floors, walls and other surfaces in bins, storage and handling areas, shelves, drawers, cabinets, processing and handling equipment, around cartons or containers and other areas where these Mites, Cheesemites, Granary Insects and Mealworms. Find and destroy infested package insects tend to congregate. Repeat as necessary.

ships, mills, bin hoppets, elevators and conveying equipment and other listed stees as a clean up prior to using them for storage. In mills and elevators, all grain infested accumulations should be removed from the hoppers. All storage and conveying equipment should be thoroughly cleaned by sweeping but the waste, All storage and other depties from the walls and ratters as well as on the floor and door frames with special attention to material obged in the cracks and creviors. All of the debris should be removed and disposed of in outside trash. FOR USE IN STORAGE SITES: This product can be used in warehouse bins and trucks, cargo Repeat as necessary. ANTS, PHARAOH ANTS, CARPENTER ANTS: Treat doors, around window frames, ant trails and hills, cracks and crevices and other areas of entry. Repeat as necessary.

applying this product. Do not water after application. Depending on the size of the mound, if may take up to once week to file file ants. Therefore, want seem days before reapplying this product. Repeat application only if ants reappear, it should not be used as a barrier treatment of as a prophylactic measure. That new mounts as they appear. FIRE ANTS: Sprinkle 2 tablespoons over fire ant mounds less than one foot in diameter and 3 tablespoons over mounds greater than one foot in diameter. For best results, apply when ants are active and avoid treatments in heavy dew or before rainfall. Do not disturb ants while

duster, distribute this product through an entry, crawl hole into attic and crawl space of building, at a rate of 12 ounces per 1000 square feet. All vents and blowers on the windward side should be closed. Contact all wood surfaces, in case of localized infestations, probe to locate galleries and drill holes to inject this product into the galleries. If a responsible heavy DRYWOOD TERMITES: To protect against entrance, using an electric or hand operated rotary infestation is suspected, professional treatment should be employed. Repeat as necessary. BEES, HORNETS, YELLOW JACKETS AND WASPS: It is generally advisable to treat nests in the evening when insects are less active and have returned to the nest. Using hand or power entrance and surrounding areas where insects alight. Mests in wall voids can be located by placing your are against the wall. To threat, diffit a blot is in the area. For best results check nesss carefully one or two days after treatment to ensure complete kill. Then remove and destroy nest to prevent emergence of newly falched insects. If removal is not fassible, retreat the duster or other suitable means, with extension tubes, if necessary, thoroughly dust nest and nest, if necessary. Do not use this product to treat overhead nests. Repeat as necessary

per 200 feet of line should be treated. Treatments are made by removing the manhole cover and reglacing with a disc of phywood breat or necelve the usual faculte host from portable to truck monuted ventilating equipment. 4,5 ounces of this product is introduced into the ventilating air to be dispersed quickly and throughly through the system. Repeat as SEWER TREATMENTS: Cockroach infestations in sanitary sewers may be treated with ately 4.5 ounces of this product per manhole. When treating sewers, one manhole

STORAGE: Store in a fightly closed of the purposed in the store of the control of the store of t

MAY 1 4

0604.022603

Under the Federal Insecticide, Functicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

3 7 3