

100888-96

5/11/2010

10 of 4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES  
AND TOXIC SUBSTANCES

Mr. Adam Swader  
Athea Laboratories, Inc.  
P.O. Box 240014  
Milwaukee, WI 53224

MAY 11 2010

Subject: Label Notification(s) for Pesticide Registration 2007-4

Dear Mr. Swader:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated for March 25, 2010

**EPA Registration Number: 10088-96      Contact Insecticide**

The Registration Division (RD) has conducted a review of this request for applicability Under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please re reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact Melody Banks on 703 305-5413.

Sincerely,

Richard Gebken  
Product Manager  
Insecticide Branch  
Registration Division (7504P)

20f4

Please read instructions on reverse before completing form.

Form Approved

OMB No. 2070-0080

Print Form



United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 10088-96	2. EPA Product Manager	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Contact Insecticide	PM# 10	
5. Name and Address of Applicant (Include ZIP Code) Athea Laboratories, Inc. P.O. Box 240014 Milwaukee, WI 53224 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: <input checked="" type="checkbox"/> EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application. <b>NOTIFICATION</b>
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below. <b>MAY 11 2010</b>

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of minor label changes per PR Notice 2007-4. See attached cover letter

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container	<input type="checkbox"/> Glass
					<input type="checkbox"/> Paper
					Other (Specify) _____
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container N/A		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input checked="" type="checkbox"/> Other Silkscreened		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Adam Swader	Title Regulatory Comp Spec.	Telephone No. (Include Area Code) 414-354-6417
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received  (Stamped)  
2. Signature 	3. Title Regulatory Comp Spec.	
4. Typed Name Adam Swader	5. Date Mar 25, 2010	

3014



March 25, 2010

Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7504P)  
U.S. Environmental Protection Agency  
1200 Pennsylvania Ave., NW  
Washington, DC 20460-0001

**Subject: Storage and Disposal Update  
Contact Insecticide  
EPA Registration No. 10088-96**

To Whom It May Concern:


Please find the enclosed one label marked with changes and Form 8570-1 stating the following:

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. SEC. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If there are any questions in regards to this notification please contact me at 414-354-6417 ext. 215 or email me at [aswader@athea.com](mailto:aswader@athea.com).

Thank You,

Adam Swader  
Regulatory Compliance Specialist  
Enclosures




**NOTIFICATION**  
**MAY 11 2010**

# CONTACT INSECTICIDE

<b>ACTIVE INGREDIENTS:</b>	
Pyrethrins	0.10%
* Piperonyl Butoxide, Technical	1.00%
<b>INERT INGREDIENTS:</b>	98.90%
<b>TOTAL</b>	<b>100.00%</b>
* Equivalent to min. 0.8% (butoxycarbonyl)(6-propylpiperonyl) ether and 0.2% related compounds.	

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See side panel for first aid instructions and additional precautionary statements.

EPA Reg. No. 10088-96  
 10088-WI-1

**NET CONTENTS:**  
**(Insert container size here, expressed in gallons/ounces, with the option to add the metric equivalent.)**

Manufactured by:  
**Athea Laboratories Inc**  
PO Box 240014  
Milwaukee, WI 53224

**DIRECTIONS FOR USE**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**GENERAL USE DIRECTIONS**

**INDOOR APPLICATION:**  
The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly washed with an effective cleaning compound followed by a potable water rinse before using.

Vacate treated areas and ventilate before reoccupying.

For maximum effectiveness, a combination of spot, surface treatment and fogging is recommended.

**SURFACE SPRAYING:** To control *Cockroaches*, *Palmetto Bugs*, *Ants*, *Silverfish*, *Spiders*, *Crickets*, *Clovermites*, *Cheese Mites*, *Earwigs*, *Scowbugs*, *Boxelder Bugs*, *Centipedes*, *Granary Weevils*, *Rice Weevils*, *Confused Flour Beetles*, *Rust Red Flour Beetles*, *Sawtoothed Grain Beetles*, *Spider Beetles*, *Cigarette Beetles*, *Dungstar Beetles*, *Meal Worms*, *Grain Mites* and *Cadelles*: Use a good sprayer adjusted to a coarse wet spray. Direct the spray into hiding places, cracks and crevices, under pallets, around containers of stored foods, around the base of machinery, behind shelves and drawers, behind and beneath sinks, stoves, refrigerators and cabinets, along baseboards, around door and window frames, into dark corners and in and around garbage compactors, garbage chutes and cans. For *Silverfish*, spray bookcases. For *Ants*, spray trails, nests and points of entry. If surface application only is to be used, spray floors and other surfaces applying at a rate of 1 gallon to 750 square feet of surface.

In case of infested foods in cabinets, dispose of the infested material. Remove all contents and clean thoroughly. Spray interior surfaces of empty cabinets thoroughly. After spray has dried, cover shelves with paper or otherwise protect foods from direct contact with sprayed surfaces.

**TO CONTROL CARPET BEETLES:** Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment as needed.

**TO CONTROL BEDBUGS:** Spray mattresses lightly, particularly around tufts and

seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors. Repeat treatment as needed.

**TO CONTROL CLOTHES MOTHS:** Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly keeping nozzle at least three feet from fabric to avoid staining.

**SPACE SPRAYING:** Close doors, windows and transoms and shut off ventilating systems. Apply with a good machine adjusted to deliver a fine mist or fog. For rapid control of *House Flies*, *Fruit Flies*, *Gnats*, *Mosquitoes*, *Skinner Flies*, *Wasps*, *Hornets*, *Angoumois Grain Moths*, *Mediterranean Flour Moths*, *Indianmeal Moths* and *Tobacco Moths*, direct spray at an upward angle distributing it uniformly throughout the entire area at a rate of 3-6 ounces per 1000 cubic feet of space. Do not remain in treated areas. If insects have not dropped to floor in 3 minutes, repeat spraying as quantity sprayed was insufficient. Ventilate the area after treatment is completed. To aid in the prevention of breeding, spray on standing water and in garbage pails.

**FOGGING:** To kill exposed or accessible stages of the above named crawling insects, use a rate of 1 gallon to 20,000 to 40,000 cubic feet of space. Contact insects directly whenever possible.

**ON LIVESTOCK:** To protect cattle, horses and hogs from *Horn Flies*, *House Flies*, *Mosquitoes* and *Gnats* apply a light mist sufficient to wet the surface of the hair.

**TO CONTROL STABLE FLIES, HORSE FLIES AND DEER FLIES:** apply at a rate of 2 ounces per adult animal sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection.

**TO CONTROL BLOOD-SUCKING LICE:** apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 2 to 3 weeks if required.

**TO CONTROL POULTRY LICE:** spray roost, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

**FOR CONTROL OF BEDBUGS AND MITES** in poultry houses, spray crevices of roost poles, cracks in walls, and cracks in nests where bedbugs and mites hide.

**ADULT MOSQUITO CONTROL:** Apply as a fine mist to thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat shrubbery or vegetation where *Mosquitoes* may rest (low, marshy places, stagnant pools or ponds and shore lines). Use a rate of 2.5 pints per acre (0.1 ounce per 100 square feet). Using a mounted conventional misting equipment such as Rotomist® models 51C, 91 or 100HT traveling at 5 m.p.h. to treat a 300 foot swath calibrate equipment to deliver 0.9 gallon per minute.

**OUTDOORS:** (Camping, fishing, hunting) - Spray outer clothing and surroundings. Repels *Biting Flies*, *Mosquitoes*, *Midges* and *Gnats*. If sprayed every hour or so, will aid in keeping surroundings free from *Mosquitoes*. If in rare cases skin irritation results, avoid continued contact. Do not pour or squirt - use a good sprayer which will throw a heavy fine mist.

**GARDEN INSECTS ON HOUSE PLANTS AND ORNAMENTAL PLANTS OUTDOORS:** Direct spray so that upper and lower leaf surfaces are contacted. To control *Aphids*, *Bagworms*, *Thrips*, *Fire Beetles*, *Japanese Beetles*, *Lace Bugs*, *Leaf Hoppers*, *Leafhoppers*, *Mimosa Webworm Larvae*, *Plant Bugs* and *Whiteflies* use a fine mist spray about 18 to 24 inches from infested plants. Use caution on new growth and tender foliage. Repeat treatment as necessary. Avoid spraying plants when temperature exceeds 85°F. Spray when air is still. Avoid heavy wetting.

**FLEAS AND TICKS ON DOGS AND CATS:** Start spraying at the animal's head, avoiding the eyes, nose and mouth as you spray. Make sure the animal's entire body is covered including the legs, under-body and tail. While spraying, fluff the hair so that the spray will penetrate the skin. Make sure spray wets thoroughly. Avoid contact with genitalia. Repeat as necessary.

**PET AREAS:** To control *Flies* and *Brown Dog Ticks* on premises: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals is recommended. Repeat treatment as needed.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

**(STORAGE AND DISPOSAL)**

Do not contaminate water, food, or feed by storage or disposal. Storage: Store in original container. Do not store in areas used for food, feed, or livestock. Disposal: Empty into metal container and apply label. Do not use. Do not dump or discharge into waterways, drainage ditches, or streams. Do not dump or discharge into the ground, except in areas designated for such purposes. Do not dump or discharge into the air. Do not dump or discharge into any body of water. Do not dump or discharge into any well. Do not dump or discharge into any sink, toilet, or drain. Do not dump or discharge into any container used for food, feed, or livestock. Do not dump or discharge into any container used for hazardous materials. Do not dump or discharge into any container used for volatile organic compounds. Do not dump or discharge into any container used for flammable liquids. Do not dump or discharge into any container used for corrosive materials. Do not dump or discharge into any container used for toxic materials. Do not dump or discharge into any container used for radioactive materials. Do not dump or discharge into any container used for infectious materials. Do not dump or discharge into any container used for biological materials. Do not dump or discharge into any container used for chemical waste. Do not dump or discharge into any container used for pharmaceutical waste. Do not dump or discharge into any container used for medical waste. Do not dump or discharge into any container used for sharps waste. Do not dump or discharge into any container used for pathology waste. Do not dump or discharge into any container used for research waste. Do not dump or discharge into any container used for animal waste. Do not dump or discharge into any container used for human waste. Do not dump or discharge into any container used for blood and blood components. Do not dump or discharge into any container used for tissues, organs, or body fluids. Do not dump or discharge into any container used for anatomical specimens. Do not dump or discharge into any container used for diagnostic specimens. Do not dump or discharge into any container used for research specimens. Do not dump or discharge into any container used for teaching specimens. Do not dump or discharge into any container used for collection specimens. Do not dump or discharge into any container used for preservation specimens. Do not dump or discharge into any container used for herbarium specimens. Do not dump or discharge into any container used for type specimens. Do not dump or discharge into any container used for reference specimens. Do not dump or discharge into any container used for voucher specimens. Do not dump or discharge into any container used for neotype specimens. Do not dump or discharge into any container used for lectotype specimens. Do not dump or discharge into any container used for epitype specimens. Do not dump or discharge into any container used for syntype specimens. Do not dump or discharge into any container used for holotype specimens. Do not dump or discharge into any container used for paratype specimens. Do not dump or discharge into any container used for allotype specimens. Do not dump or discharge into any container used for neotype specimens. Do not dump or discharge into any container used for lectotype specimens. Do not dump or discharge into any container used for epitype specimens. Do not dump or discharge into any container used for syntype specimens. Do not dump or discharge into any container used for holotype specimens. Do not dump or discharge into any container used for paratype specimens. Do not dump or discharge into any container used for allotype specimens.

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed. Avoid contamination of feed and foodstuffs. Remove pets, birds and cover fish aquaria before space spraying or surface application.

**FIRST AID: IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF IN EYES:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. For terrestrial use, do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of waste.

4814