LODE 08 80

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Avoid contamination of food and feedstuffs.

Do not use in commercial food/feed processing, preparation, food/feed storage or serving areas. In the home, all food/feed processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food/feed must be covered or removed.

Remove pets and birds and cover fish aquariums before spraying

FIRST AID	
IF IN EYES:	 Hold eye open and rinse slowly and genity with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN Or Clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	 Immediately call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any fiquid to the person. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

NOTE TO PHYSICIAN

Contains petroleum distillate - vomiting may cause aspiration pneumoria.

ENVIRONMENTA', HAZARDS

This product is toxic to rish and other aquatic invertabrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSIC'AL CR CHEMICAL HAZARDS [LAIJMABLE. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture orincinerate container. Exposure to temperatures above 130°F may cause bursting.

Wasp and Hornet Killer


THIS PRODUCT CAN BE USED BOTH INDOORS (ATTICS AND OTHER PLACES WHERE NESTS ARE BUILT AND WHERE FOOD OR FEED ARE NOT EXPOSED) AND OUTDOORS ON WASP, HORNET, AND YELLOW JACKET NESTS.

> KILLS WASPS, YELLOW JACKETS, AND HORNETS ON CONTACT

GIVES RAPID KNOCKDOWN AND KILL OF WASPS, YELLOW JACKETS, AND HORNETS

DIELECTRIC BREAKDOWN VOLTAGE: 41.0 KV by ASTM Test Method D-877-87

*Contains petroleum distillate.



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR CONTROL OF NESTS OF WASPS, YELLOW JACKETS AND HORNETS: The best time to spray the nest is in the early morning or early evening, when air temperature is cooler and most insects are in the nest and little activity is observed around the nest opening. Spray only if the air is still. Stand at a safe distance from the nest, not directly under it. Hold container upright at arms length, point the actuator at the nest and spray in the opening of the nest first. Then spray the rest of the nest until it is saturated. Treated insects may fall out of the nest and die. Wait 48 hours before removing the nest. Hose off foliage of desirable plants that were contacted with spray.

This product may stain or adversely affect vinyl, painted, and plastic surfaces. Avoid application to asphalt roofing shingles as staining may occur. Before using in areas where spray may contact these surfaces, test in an inconspicuous area and re-check in a few hours.