



10088-118

04-26-2007

1/7

 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 401 "M" St., S.W. Washington, D.C. 20460</p> <p>NOTICE OF PESTICIDE: <u> x </u> Registration <u> </u> Reregistration</p> <p>(under FIFRA, as amended)</p>	EPA Reg. Number:	Date of Issuance:
	10088-118	APR 26 2007
	Term of Issuance: UnConditional	
Name of Pesticide Product: Non-Selective Weed Killer Concentrate		
Name and Address of Registrant (include ZIP Code): ATHEA Laboratories, Inc. P.O. Box 240014 Milwaukee, WI 53224		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is registered in accordance with FIFRA sec. 3(c)(5) provided that you:</p> <ol style="list-style-type: none"> 1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product. 2. Add the phrase "EPA Registration No. 10088-118" 3. You are required to submit the results of the one-year study for both Corrosion and Storage Stability upon completion, or 18 months from the date of this letter. 		
Signature of Approving Official: 		Date: 4-26-07

Page 2
10088-118

4. Under the heading Personal Protective Equipment (PPE) revise to read as follows:

Chemical resistant gloves made of any waterproof material \geq mils.

5. Under the heading Environmental Hazards, revise to read as follows:

Do not contaminate water when **cleaning equipment** or disposing of equipment washwaters or rinsate

6. Under the heading General Precautions and Restrictions, revise the fourth paragraph to include the following text:

Note: For effective brush control...to the treated areas. Do not use along ditch banks.

7. On page 4, revise to read as follows:

For all applications, do not apply more than 109 gallons, of this product per acre per year (replace 109 ½ with 109).

8. Under the heading Directions for Use add the following subheading:

Entry Restrictions: Do not enter or allow others to enter the treated area until sprays have dried.

Application Restrictions:

Do not apply more than the maximum application which is 12 lbs ai/A

Do not apply this product in ...handlers may be in the area during application.

9. Under the heading **User Safety Recommendations**, revise to include the following: .

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing.

Page 3
10088-118

10. Under the heading First Aid, add the following statement:

First Aid

If On Skin:..
If In Eyes:
If Swallowed:..
If Inhaled:..

Have product container...or going for treatment.

This product may cause skin sensitization reactions in some people.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Submit three (3) copies of your final printed labeling before you release the product for shipment.

Enclosed for your records is a copy of your label stamped "Accepted with Comments".

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Causes moderate eye irritation. Do not get on skin or clothing. Avoid contact with eyes, skin or clothing.

FIRST AID

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to by poison control center or doctor.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: Chemical-resistant gloves (such as any water-proof material), long sleeved shirt and long pants, shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash thoroughly with soap and water after handling and before eating or smoking.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Keep out of lakes, streams or ponds. Do not contaminate water when disposing of equipment washwaters.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Avoid contamination of feed and foodstuff. Store in a dry area. Keep inner liner closed when not in use. Do not store near food, feed, seed or fertilizer.

PESTICIDE DISPOSAL: Open dumping is prohibited. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse container then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**NON-SELECTIVE
WEED KILLER
CONCENTRATE**

NON-SELECTIVE HERBICIDE FOR CONTROLLING A
WIDE RANGE OF ANNUAL AND PERENNIAL WEEDS
AND GRASSES ON NON-CROPLAND AREAS

ACTIVE INGREDIENTS

Lithium salt of Bromacil
(5-bromo-3-sec-butyl-6-methyluracil) 1.20%
INERT INGREDIENTS 98.80%
TOTAL 100.00%

This product contains lithium salt of bromacil at 0.11 pounds per gallon.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for additional precautionary statements.

EPA Reg. No. 10088-XX
EPA Est. No. 10088-WI-1

Sold By:

**ACCEPTED
with COMMENTS
In EPA Letter Dated:
APR 26 2007**

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.**

10088-118

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label.

GENERAL PRECAUTIONS AND RESTRICTIONS

Do not apply this product in such a way that it will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not enter or allow others to enter the treated area until sprays have dried.

Not to be used in any recreational areas or in or around homes.

Do not use aluminum spray nozzles. Do not apply when the ground is frozen. Do not apply, drain or flush equipment on or near valuable trees or other desirable plants or on areas where their roots may extend, or where the chemical may be washed or moved into contact with their roots. Do not use on lawns, walks, driveways, tennis courts or similar areas. Prevent spray drift to desirable plants. **NOTE:** For effective brush control and to prevent damage to desirable vegetation: do not apply to brush in standing water; do not use on rights-of-way or other sites where desirable trees or shrubs are immediately adjacent to the treated areas.

This product is an effective total kill herbicide for use on non-crop areas for control of many annual and perennial weeds and grasses. The degrees of control and duration of effect will vary with the amount of product applied, soil type, rainfall and other conditions.

Apply this product just before or during the period of active growth of plants to be controlled and when rainfall can be expected for soil activation. Because it works through the soil, results will be improved by removing dense vegetation growth before treatment. Effects are slow to appear and may not become apparent until the chemical has been carried into the root zone by moisture.

WEED CONTROL: To control most weeds for an extended period of time on non-cropland areas such as railroad, highway and pipeline rights-of-way, tank farms, lumber yards, fencerows, parking lots, storage areas and industrial sites.
0000.000000

NET CONTENTS:

☐ 1 ☐ 5 ☐ 6 ☐ 20 ☐ 30 ☐ 55
GALLONS

5
7

Words in italics are for reference only

Words in [] are alternative wording

Words in { } are optional wording

Directions for Use continued

The following applies to Option 1, 2 or 3

Dilute 1 gallon of Non-Selective Weed Killer Concentrate [this product] with 9 [10] gallons of water (total of 10 [11] gallons). This will assist in getting the product to the root zone. This solution may be applied by sprinkling or spraying. If sprayed, direct spray toward the base of the weed and adjust {nozzle} for a coarse spray to prevent drift.

Option 1

Annual weeds and grasses: Such as foxtail, ryegrass, wild oats, crabgrass, broomgrass, cheatgrass, ragweed, lambsquarters, puncturevine, orchardgrass, and tukey mullein. Apply 10 [11] gallons of diluted product per 800 square feet [ft²] {54-½ gallons/ [per] acre}.

Perennial weeds and grasses: Such as smooth brome, bahiagrass, bluegrass, purpletop, quackgrass, broomsedge, dogs fennel, aster, goldenrod, plantain, dandelion, and wild carrot. Apply 10 [11] gallons of diluted product per 400 square feet [ft²] {109-½ gallons/ [per] acre}.

Hard-to-kill perennials: Such as johnsongrass, nutgrass, bermudagrass, dalligrass, nutsedge, saltgrass, bouncingbet, bracken fern, dogbane and horsetail. Apply 10 [11] gallons of diluted product per 400 square feet [ft²] {109-½ gallons/ [per] acre}. Where limited rainfall (usually less than 4 inches) occurs during the active growth period, such as some areas of the west, this product will not provide satisfactory control of hard-to-kill, deep rooted perennial weeds such as johnsongrass. Use the higher application rates on absorptive soils (usually those high in organic matter or carbon).

Re-treatment: Apply 10 [11] gallons of the diluted product per 800 square feet when annual weeds and grasses reappear.

Option 2

Annual weeds and grasses: Such as foxtail, ryegrass, wild oats, crabgrass, broomgrass, cheatgrass, ragweed, lambsquarters, puncturevine, orchardgrass, and tukey mullein. Apply 10 [11] gallons of diluted product over an area between 800 to 3100 square feet [ft²] {13-½ to 54 ½ gallons/ [per] acre}.

Perennial weeds and grasses: Such as smooth brome, bahiagrass, bluegrass, purpletop, quackgrass, broomsedge, dogs fennel, aster, goldenrod, plantain, dandelion, and wild carrot. Apply 10 [11] gallons of diluted product over an area between 400 to 800 square feet [ft²] {54-½ to 109-½ gallons/ [per] acre}.

Hard-to-kill perennials: Such as johnsongrass, nutgrass, bermudagrass, dalligrass, nutsedge, saltgrass, bouncingbet, bracken fern, dogbane and horsetail. Apply 10 [11] gallons of diluted product over an area between 400 to 800 square feet [ft²] {54-½ to 109-½ gallons/ [per] acre}. Where limited rainfall (usually less than 4 inches) occurs during the active growth period, such as some areas of the west, this product will not provide satisfactory control of hard-to-kill, deep rooted perennial weeds such as johnsongrass. Use the higher application rates on absorptive soils (usually those high in organic matter or carbon).

Re-treatment: Apply 10 [11] gallons of the diluted product per 800 square feet when annual weeds and grasses reappear.

Words in italics are for reference only
Words in [] are alternative wording
Words in { } are optional wording

6
7

Option 3

Annual weeds and grasses: Such as foxtail, ryegrass, wild oats, crabgrass, broomgrass, cheatgrass, ragweed, lambsquarters, puncturevine, orchardgrass, and tukey mullein. Apply 10 [11] gallons of diluted product over an area up to 3100 square feet [ft²] {13-½ to 54-½ gallons/ [per] acre}.

Perennial weeds and grasses: Such as smooth brome, bahiagrass, bluegrass, purpletop, quackgrass, broomsedge, dogs fennel, aster, goldenrod, plantain, dandelion, and wild carrot. Apply 10 [11] gallons of diluted product over an area up to 800 square feet [ft²] {54-½ to 109-½ gallons/ [per] acre}.

Hard-to-kill perennials: Such as johnsongrass, nutgrass, bermudagrass, dalligrass, nutsedge, saltgrass, bouncingbet, bracken fern, dogbane and horsetail. Apply 10 [11] gallons of diluted product over an area up to 800 square feet [ft²] {54-½ to 109-½ gallons/ [per] acre}. Where limited rainfall (usually less than 4 inches) occurs during the active growth period, such as some areas of the west, this product will not provide satisfactory control of hard-to-kill, deep rooted perennial weeds such as johnsongrass. Use the higher application rates on absorptive soils (usually those high in organic matter or carbon).

Re-treatment: Apply 10 [11] gallons of the diluted product per 800 square feet when annual weeds and grasses reappear.

Option 4

To control annual weeds and grasses such as foxtail, ryegrass, wild oats, crabgrass, broomgrass, cheatgrass, ragweed, lambsquarters, puncturevine, orchardgrass, and tukey mullein: Apply 13-½ to 54-½ gallons [of this product] per acre diluted with sufficient water to allow for uniform application. {For small areas,} use 40 ounces in about 4 gallons of water to treat 250 square feet [ft²].

To control perennial weeds and grasses such as smooth brome, bahiagrass, bluegrass, purpletop, quackgrass, broomsedge, dogs fennel, aster, goldenrod, plantain, dandelion, and wild carrot: Apply 54-½ to 109-½ gallons [of this product] per acre diluted with sufficient water to allow for uniform application. {For small areas,} use 80 ounces in about 4 gallons of water to treat 250 square feet [ft²].

To control hard-to-kill perennial weeds and grasses such as johnsongrass, nutgrass, bermudagrass, dalligrass, nutsedge, saltgrass, bouncingbet, bracken fern, dogbane and horsetail: Apply 54-½ to 109-½ gallons [of this product] per acre diluted with sufficient water to allow for uniform application. Where limited rainfall (usually less than 4 inches) occurs during the active growth period, such as some areas of the west, this product will not provide satisfactory control of hard-to-kill, deep rooted perennial weeds such as johnsongrass. Use the higher application rates on absorptive soils (usually those high in organic matter or carbon).

For re-treatment on sites where weed growth has been controlled, apply 12 to 26-½ gallons per acre.

Words in italics are for reference only

Words in [] are alternative wording

Words in { } are optional wording

2
7

Brush Control: To control undesirable woody plants on non-cropland areas such as railroad rights-of-way, storage area and industrial sites.

Broadcast Treatment: Apply 54-½ to 109-½ gallons per acre to control oak, willow, sweet gum, pine, American elm, winged elm, hackberry, sumac and cottonwood. Use the higher application rates on absorptive soils (those high in organic matter or carbon).

Basil (Soil) Treatment: To control the woody plants shown above and maple, poplar, red bud and wild cherry, dilute 2 gallons [of this product] with 2 gallons of water and apply at the rate of 6 to 12 fluid ounces [oz] per stem 2" to 4" in basal diameter. Wet base of stem to run off.

The following two paragraphs are required text:

Before spraying, calibrate equipment to uniformly apply the herbicide. After mixing, agitation of the spray solution is not required. Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes or do not use the same spray equipment for other purposes.

For all applications, do not apply more than 109-½ gallons of this product per acre per year.