


Page 1 of 3

EXHIBIT A



INDIVIDUAL
SACK LABEL

The outer ply of this shipping sack has been treated with synergized pyrethrins to increase its resistance to penetration by insects under normal shipping, handling and storage conditions. Tight end closures and specially designed long-triangular end pockets in construction of the sack, providing the sack is otherwise intact. This sack has been registered with the United States Department of Agriculture under USDA Reg. No. _____.

PAGE 2 OF 3

ACCEPTED

APR 6 1970

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 44487-1. SUBJECT
TO ATTACHED COMMENTS.

EXHIBIT B

SKIDS OR BUNDLES OF
IRT SHIPPING SACKS

Active Ingredients

Pyrethrins .033%
*Piperonyl Butoxide .33 %
*(butylcarbityl) (6-propylpiperonyl) ether

Related Compounds .046%

Inert Ingredients

99.591%

Active ingredients above indicates residue after 5 months storage of IRT Sacks originally treated with 50 ± 10 mg/sq. ft. piperonyl butoxide, and 5 ± 1 mg/sq. ft. pyrethrins on the outer surface of the outer ply of basis weight 60 lb. per 4,000 sq. ft. ream. Treatment increases resistance to penetration by insects for a period of 9 to 12 months under normal shipping, handling and storage conditions. Tight end closures and specially designed longitudinal seam assist in protecting the contents, providing the sack is otherwise intact. For maximum effectiveness, IRT sacks must be filled within 5 months of the date of application.

Number of sacks and weight of contents _____

of _____ sacks.

Date of Sack Fabrication _____

EPA Registration No. _____

(Company Name and Address)

page 3 of 3




EXHIBIT C

ROLLS OF INSECT
RESISTANT TREATED
KRAFT PAPER

Active Ingredients

Pyrethrins	.033%
*Piperonyl butoxide	.33 %
*(butylcarbityl) (6-propylpiperonyl) ether	
Related Compounds	.046% ✓

Inert Ingredients

94.591%

Active ingredients above indicate residue after 5 months storage of insect repellent kraft paper originally treated with 50 ± 10 mg/sq. ft. piperonyl butoxide, and 5 ± 1 mg/sq. ft. pyrethrins on one surface of the paper. The treated side shall be indicated by the roll labeling. The treated side of the 60-lb./ream kraft paper shall form the outer surface of the finished package and be separated by at least two plies of untreated papers from the contents of the package. This treatment increases resistance to penetration by insects for a period of 9 to 12 months under normal shipping, handling and storage conditions. For maximum effectiveness, 1k kraft must be fabricated into the package within 5 months of the date of application.

Number and weight of rolls _____

Date of paper treatment _____

USDA Registration No. _____

(Company Name and Address)