


# Diazinon 6000 Granular

## TURF Insect Control



### Diazinon Controls:

- Chinch bugs
- Sod webworms
- Lawn moths
- Earwigs
- White grubs of:
  - Japanese beetles
  - European chafers
  - Southern chafers
- Billbugs
- and many others  
(See complete list attached)

### Active Ingredient:

O, O-diethyl O-(2-isopropyl-6-methyl-4-pyridinyl) phosphorothioate, . . . . . 5 per cent

Inert Ingredients: . . . . . 95 per cent  
total . . . . . 100 per cent

Contains 5 Percent Diazinon Insecticide

Ready-to-use. Contains 5 Percent Diazinon Insecticide

### Caution

Keep out of reach of children.

Keep children and pets off treated areas until the granules have been washed into the soil and granules dry.

EPA Reg. No. 101-113  
EPA Est. No. 200-100-1001

See label for complete directions. For use of this product, read the label carefully. Do not use if the label is missing or if the label is torn, faded, or otherwise illegible. Do not use if the container is damaged or if the contents are not as shown on the label.

Manufactured for:


HARRIS LABORATORIES, INC.  
2101 East 17th Street, Tulsa, Oklahoma 74116

Net Weight      Lbs.

### Diazinon Kill:

- Ants
- Armyworms
- Bermuda mites
- Billbugs
- Brown dog ticks
- Chiggers
- Chinch bugs
- Clover mites
- Crickets
- Cutworms
- Digger wasps
- Earwigs
- Fleas
- Lawn moths
- Leafhoppers
- Millipedes
- Springtails
- Sod webworms
- Sowbugs
- Ticks
- White grubs of:
  - Japanese beetle
  - European chafer
  - Southern chafer

See additional  
label statements  
on back panel.



# Diazinon 3000 lawn insect control

## Correct Lawn Application

Diazinon granules control the following lawn insects on both grass and Dichondra lawns:

Chinch Bugs - Earwigs - Ticks - Ants - Lawn Moths (Sod Webworms) - Bermuda Mites - Crickets - Armyworms - Brown Mites - Ticks - Chiggers - Clover Mites - Cutworms - Fleas - Fleas - Thoppers - Sowbugs - Millipedes - Springtails (Collembola)

Apply Diazinon Granules to your lawn at the rate of 1 lb. per 1000 sq. ft. (1/2 X 50') or 3 lbs. per 100 sq. ft. on areas of 10' X 10' or heavier lawns such as St. Augustine lawns. Application should be increased to 3 lbs. per 1000 sq. ft. or 4.5 lbs. per 100 sq. ft. on areas of heavy grass. Application should be made when grass is dry. Water lawn lightly after application. Repeat as necessary.

Apply Diazinon Granules to your lawn at the rate of 1 lb. per 1000 sq. ft. (1/2 X 50') or 3 lbs. per 100 sq. ft. on areas of 10' X 10' or heavier lawns such as St. Augustine lawns. Application should be increased to 3 lbs. per 1000 sq. ft. or 4.5 lbs. per 100 sq. ft. on areas of heavy grass. Application should be made when grass is dry. Water lawn lightly after application. Repeat as necessary.

Apply Diazinon Granules to your lawn at the rate of 1 lb. per 1000 sq. ft. (1/2 X 50') or 3 lbs. per 100 sq. ft. on areas of 10' X 10' or heavier lawns such as St. Augustine lawns. Application should be increased to 3 lbs. per 1000 sq. ft. or 4.5 lbs. per 100 sq. ft. on areas of heavy grass. Application should be made when grass is dry. Water lawn lightly after application. Repeat as necessary.

## Spot Treatment

ANTS: Apply 1 1/2 tea-spoons of Diazinon Granules over and around each individual ant hill.

BEEHIVE: Apply 1 1/2 tea-spoons of Diazinon Granules into each individual ground nest opening. Make the application both day and night when the bees are not active.

## Band Treatment Around Foundation

The following insects are commonly found around or near the foundation of houses, as well as in the lawn. Certain of these insects may even enter the house.

Ants  
Lawn Fleas  
Cutworms  
Chiggers  
Fleas  
Earwigs  
Millipedes  
Springtails  
(Collembola)

For control of the above insects, apply a five-foot band of Diazinon Granules next to the foundation of the house. Distribute the granules uniformly using a rate of 3/4 oz. for every foot of foundation to be treated.

## Caution:

Keep out of reach of children.

Harmful if swallowed. Avoid contamination of food and feed. Do not store near food or feed products. Avoid inhalation of dust. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. May be absorbed through skin.

Do not reuse container. Destroy it by burying or burning. Avoid smoke or flames.

## Fish and Wildlife Caution:

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by washing of equipment or disposal of wastes. Apply this product only as specified on this label.

## SPREADER SETTING NO. (per 1000 sq. ft.)

Spreader Model	Insects listed below*		
	Regular or Dichondra Lawn 2 lbs.	St. Augustine Lawn 3 lbs.	White Grubs Billbugs and Hyperodes Weevil 2 1/2 lbs.
Scott	5 1/2	6 1/2	5 1/2
Jack-on (1966-1970)	5	5 1/2	5 1/2
Sears Roeback Cress Country (1970)	6 1/2	6 1/2	6 1/2
Salem Micro Set (1970)	9 1/2	8 1/2	8 1/2
Cyclone Models 10, 15, 20	11	5 1/2	5 1/2
Model B-1	4	5	5 1/2
John Deere	6	5 1/2	6 1/2
Greenmount Model 100	4	5	5 1/2
Model 100	7	7 1/2	8
Chinch Bugs	Lawn Mites	Cricket	Grasshopper
Lawn Fleas	Armyworms	Cutworms	Scavengers
Ants	Chiggers	Chiggers	Chiggers
Bermuda Mites	Armyworms	Cutworms	Chiggers



\* For control of the above insects, apply a five-foot band of Diazinon Granules next to the foundation of the house. Distribute the granules uniformly using a rate of 3/4 oz. for every foot of foundation to be treated.