

10107-36

2/9/81

1/31

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO. 10107-36	DATE OF ISSUANCE 2/9/81
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	NAME OF PESTICIDE PRODUCT Cornbelt Chemical Company Co. Malathion Grain Insecticide Dust	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code) <div style="text-align: right; margin-right: 100px;">Best Available copy</div> <div style="text-align: right; margin-right: 50px;">29713</div> <div style="text-align: right; margin-right: 50px;">161</div> <div style="text-align: right; margin-right: 50px;">18</div> <div style="border: 1px solid black; padding: 5px; width: fit-content; margin-left: 100px;"> Cornbelt Chemical Company Box 410 McCook, NE 68001 </div>		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
This product is conditionally registered in accordance with the provisions of Section 2(c) (7) (A) of the Act, since you have agreed that you will submit and/or cite all data required for registration/reregistration of your product under FIFRA Section 2(c) (5) when the Agency requires all registrants of similar products to submit such data.		
If these conditions are not complied with, the registration will be subject to cancellation in accordance with Section 6(e) of the Act.		
William N. Miller Product Manager (JF) Insecticide-Fungicide Branch Registration Division (TS-767)		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL <i>William N. Miller</i>		DATE 2/9/81

CORNBELT

2/3

ACCEPTED

FEB 9 1981

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 10107-36

- 6% -

MALATHION

Grain Insecticide Dust

Active Ingredient:

Malathion, (O, O-Dimethyl dithosphosphate of diethyl mercaptosuccinate) 6.00%

Inert Ingredient (Wheat Flour) 94.00%
100.00%

Keep out of Reach of Children

CAUTION

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water; for eyes flush with water for 15 minutes. Get medical attention if irritation persists.

Note to Physician: Malathion is an acetyl cholinesterase inhibitor.
Atropine is antidotal.

See back panel for other precautions.

E.P.A. Reg. No. 10107-36

E.P.A. Est. No. 10107-NB-1

Protects stored grain against damage from: Confused Flour Beetle, Rice Weevil, Granary Weevil, Saw Toothed Grain Beetle, Flat Grain Beetle, Red Flour Beetle, Lesser Grain Borer, and Indian Meal Moth.

Treats approximately 5,000 bushels grain.

Net Weight 50 Lbs.

RECEIVED 107822
FEB 10 1981

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

May be harmful if swallowed. Avoid breathing of dust. Avoid contact with skin. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

GENERAL: Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

-- GENERAL INFORMATION --

PROTECTS AGAINST DAMAGE FROM: Confused Flour Beetle-Saw Toothed Grain Beetle-Rice Weevil-Flat Grain Beetle-Granary Weevil-Red Flour Beetle-Rusty Grain Beetle-Lesser Grain Borer-Indian Meal Moth.

USED ON STORED GRAINS: Corn-Wheat-Milo-Barley-Oats-Rye-Rice-Field Seeds-Garden Seeds.

-- DIRECTIONS --

Before use read caution and notice statements carefully.

Apply at the rate of 10 pounds of 6% grain insecticide dust per 1,000 bushels of grain as the grain is being loaded or turned into final storage.

INDIAN MEAL MOTH

Apply 5 pounds of 6% Malathion grain insecticide per 1,000 square feet of grain surface area. Apply evenly over the surface right after grain is put into storage and repeat as necessary. Can be used on clean or infested grains.

FIELD AND GARDEN SEEDS can be protected against grain pests with a dosage of 10 pounds of Malathion Grain Insecticide Dust per 1,000 bushels seeds.

-- EASY 3 STEP METHOD --

Apply the 6% Grain Insecticide Dust while grain is still in the wagon or truck before being put into the bin.

STEP # 1

Determine the amount of grain in the wagon or truck by multiplying the length by the width by the depth (all in feet), multiply this total by 0.8 to get the number of bushels in the wagon or truck.

STEP # 2

Measure out the correct amount of 6% Malathion Grain Insecticide and spread evenly over the grain surface (10 pounds per 1,000 bushels)

STEP # 3

Knife in with scoop shovel. The 6% Malathion Grain Insecticide is mixed as it is being dumped from the truck, and as it is augered or blown into the bin. Finally, mixing is completed as the grain and dust roll down the cone shaped tile in the bin.

IMPORTANT

Use of this product, as directed will be within the tolerance of 8 parts per million for Malathion. Treated grain is not subject to downgrading and can be milled into flour or feed using normal production methods.

NON-WARRANTY

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

RECEIVED 10 7 70
BACK OF BAG