

SEED SHIELD™

PROTOX SEED PROTECTANT (INSECTICIDE-FUNGICIDE)

With Graphite for Corn Seed, Mils, Beans. Also Repellent to Pheasants.

ACTIVE INGREDIENTS:	By Weight
Lindane—Gamma Isomer of Benzene Hexachloride	12.50%
*Captan	6.11%
Related Derivatives14%
INERT INGREDIENTS	81.25%
*N-(1-chloromethyl)N-(1-cyclohexene-1,2-dicarboximide)	
SEED SHIELD™ registered trademark of Cornbelt Chemical Co.	

**KEEP OUT OF REACH OF CHILDREN
DANGER**

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Call a physician if treatment. Drink promptly a large quantity of milk, egg whites, grease solution or, if these are not available, drink large quantities of water. Avoid alcohol. If inhaled: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention if on skin: Wash with plenty of soap and warm water. Get medical attention if abnormal reaction occurs.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 10107-120

EPA Est. No. 10107-001

NET CONTENTS TEN POUNDS

Manufactured for:
CORNBELT CHEMICAL CO
P.O. Box 410
McCook, NE 69001

DIRECTIONS FOR USE (Continued)

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seed beyond planting time. Exposed treated seeds may be hazardous to birds and other wildlife. Dispose of all excess treated seeds by burial away from body of water.

This is a special dry seed protectant containing graphite. It is a combination insecticide and fungicide for inhibiting certain soil-borne insects and disease on seed corn, beans, oats, soybeans, wheat, barley and sorghum. Protects germinating seeds against seed rot, damping-off diseases, kernel smut of sorghum, seed corn maggots, seed corn beetles and wireworms.

DIRECTIONS: Keep planter plates clean and free from grease or oil. Thoroughly mix correct amount of PROTOX Seed Protectant with seed in planter or drill box according to following chart.

Field Seeds	Ounces of Product per bushel or 100 lbs. of seed
Corn	8 ounces/bushel
Soybeans	4½ ounces/bushel
Wheat, Barley, Oats	6½ ounces/100 pounds
Beans	4 ounces/bushel
Sorghum	8 ounces/100 pounds

NOTE: 1 ounce is equivalent to 4 tablespoonsful

IF SOIL TEMPERATURE IS EXTREMELY HIGH (hot weather, midsummer planting, or other reasons) reduce recommended dosage by one-half. Avoid lengthy storage of treated seed to prevent loss of Lindane.

CONDITIONS OF SALE: 1. Cornbelt Chemical Company (Cornbelt) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Cornbelt neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Cornbelt's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Cornbelt under 1 above) resulting from handling and use of this material.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

AUG 23 1990

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

and clothing. Remove and separately launder clothing worn during use. Wash thoroughly with soap after handling and before eating or smoking. Routinely shower or bathe after work and wash with soap and hot water before reusing.

Environmental Hazards

This pesticide is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil.

NOTE TO PHYSICIANS: In case of emergency, call CHEMTREC (800) 424-9300.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE PRECAUTION

Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse.

A dust mask must be worn when mixing and loading this product. Mixers/loaders when mixing and loading this product must wear a long-sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves. Leather or fabric gloves are not acceptable.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If the container is damaged: Stop any leaks by repositioning the container or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear to prevent contact with the product or its vapors. Sweep the spill onto a shovel and put the sweepings into a salvage drum. Dispose of waste as directed below.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinseate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty can into application equipment then dispose of empty can in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.