	EPA REGISTRATION NO DATE OF ISSUANCE
US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON DC 20460	TERM OF ISSUANCE
NOTICE OF PESTICIDE: C. REGISTRATION	NAME OF PESTICIDE PRODUCT
(i) Some Federal (uses (c)d) Function in (Redent) (d) Act as intended)	
VINE AND THOUSING OF RECISTRANT (Include ZIP code)	
	- T
	1
-	
	e from that accepted in connection with this registration must here to use of the label in commerce. In any correspondence on number,
On the basise of into constitution furnished by the registrant, the feelers' Inconstructe, Fongicude, and Rodenticude Act	he above named pesticide is hereby Registered/Reregistered ur
A ope for language epted in connection with this l	
Registrational and way to be construed as an indorsem	ent or approval of this product by this Agency. In order to prote
	name in connection with the registration of a product under this I to exclusive use of the name or to its use if it has been cover
	, . • • •
· · ·	
من من کرد. در محمد کرد کرد در محمد کرد کرد	• • • • • • • • • • • • • • • • • •
Ale and the second s	No South Anna Anna Anna Anna Anna Anna Anna Ann
ان کې بربې د کې د د مېړ استان د د د د د د د د د د د د د د د د د د د	an frid the providence of the state of the second
	A with ETTON second and a second a
	ne seed for very recenter.
	There is Taulo
	Tre duct Huna ten 10th
	The gradienter brandle transformer The grant and the terms of the transformer
- •	
	BEST AVAILABLE COPY
ATTACHMENT IS APPLICABLE	
ATTACHMENT IS APPLICABLE	PATE 9/2C/89

ł

.

.

EGETATION

Killer

ACCEPTED

3.75%

Liquid Vegetation Killer

For total vegetation control

Prevents plant growth for up to one year.

One gallon covers up to 1200 square feet.

One Gallon Net Contents

Active Ingredient: Prometon: 2, 4-bis (isopropylamino)-6-methoxy-striazine 3.75% Inert Ingredients*: 96.25% Total: 100.00%

*Contains petroleum distillates

Manufactured for CORNBELT CHEMICAL COMPANY P.O. Box 410 / McCook, Nebraska 69001 Pramitol 3.75% contains 0.375 lbs. of prometon per gallon.

Keep Out of Reach of Children.

WARNING

See additional precautionary statements on back of container.

See directions for use on back of container.

. .

.......

EPA EST NO 10107-NB-1 NET CONTENTS



- EPA REG NO 10107-

.

DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY

IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product

Conditions of Sale and Warranty

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Grop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of **CIDAMOETCY** or the Seller. All such risks shall be assumed by the Buyer.

CIBAL CERFF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use subject to the inherent risks referred to above **OVDA-SENCT** makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall CIBA-OBIGY or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. Over and user accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of CIBA-OBIGY

GENERAL INFORMATION

For total weed control on certain areas around the home, the business, or workplace where no plant growth is desired, use as specified in label directions.

Controls bindweed, common mullein, and other hard-to-kill weeds

Prevents plant growth for up to one year.

Premitol 0.75% Exquid Vegotation Killor is a nonselective product intended for use after dilution with water, or an appropriate oil, or other approved carrier. For best results, apply to bare ground or when weed growth is just starting. Weeds taller than 4-6 inches should be hoed before treatment or it may be necessary to make a second application. A second application may be necessary to control deep-rooted perennial weeds. Use for bare ground vegetation control in driveways, brick walks, paths, patios, parking areas, play areas, along fences and curbs, around buildings, and under graveled pathways where plant growth has come through these surfaces.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For control of annual and susceptible perennial weeds such as downy bromegrass, oatgrass, goosegrass, quackgrass, puncturevine, goldenrod, and plaintain. To cover 100 sq. ft., add 10 - 16 fl. oz. by use of a sprinkling can or other watering or spraying device in sufficient water to get good coverage of the area (e.g., 2½ gals, in sprinkling can). For control of hard-to-kill perennial broadleaf and grass weeds such as bindweed and johnsongrass as well as the biennials common mullein and wild carrot, use 1½ - 1.8 gts, in sufficient water to get good coverage. Different grades of mineral oil, diesel fuel, petroleum-based oil, fuel oil, or kerosene may be substituted for water. When using sprinkling can, triple rinse and pour rinsate on area treated once application is completed. Mix only the quantity needed and use immediately. Do not store dilute solution once container is opened. To minimize lateral movement, sprinkle lightly with a watering can or similar sprinkler device isomediately after application.

1 - ETOTION Killer 3.75

PRECAUTIONS. (1) Apply when air is calm to avoid the possibility of drift onto desirable plants or grass. (2) Keep away from the roots of desirable plants and trees. (3) Use only in areas where complete control of all vegetation is desired. (4) **PRAMITOL 3.75% LIQUID VEGETATION WILLER** SHOULD NOT BE USED ON CULTIVATED AREAS, ON GROUND THAT IS TO BE CULTIVATED, IN GREENHOUSES, OR NEAR THE DRIP LINE OF TREES OR SHRUBS. (5) Do not use on stopes or in areas where runoff is likely to occur (apply only to ever surfaces). (6) Avoid using where adjacent desirable trees shrubs, or plants may be injured from leaching of the chemicar through the scil. (7) Keep children and animals off treated areas until these areas are dry

Storage and Disposal

 $\leq r$

Do not reuse empty container. Wrap container and put in trash collection

Precautionary Statements Hazards to Humans and Domestic Animals WARNING

Causes substantial but temporary eye injury. Do not get in eyes. Harmful if swallowed, inhaled or absorbed througa skin. Avoid contact with skin or clothing. Avoid breatning vapor or spray mist. Wear safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Statements of Practical Treatment

If in eyes: Hold eyelids open and flush with a steady, gentle stream of water. Get medical attention

If swallowed: Call a physician or Poison Control Center Give water if conscious. May present aspiration hazard DO NOT induce vomiting.

If on skin: Wash with plenty of soap and water. Get medical advice.

If inhaled: Remove victim to fresh air.

Notes to Physician

If swallowed, lavage stomach, taking care to avoid aspiration of stomach contents into the lungs

Environmental Hazards

Do not use on slopes or in areas where runoff is likely to occur (apply only to level surfaces). Do not contaminate water used for irrigation or domestic purposes. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water when disposing of equipment waste water when disposing of equipment waste water Apoly this product only as specified on this label.

Physical or Chemical Hazards

Do not use, pour, spill, or store near heat or open flame

Pramitol® trademark of CIBA-GEIGY for prometon

©1988 CIBA-GEIGY Corporation

Agriculture CIBA: Gree

geration Killer 2

2