


ACCEPTED

Jul-17-1968

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC CONTROL REGISTERED
UNDER NO. 16168-2

with comments

RED STAR

Registered  Trade Mark

Death to Moles

"DANGER" Keep Out of Reach of Children

POISON  **WARNING:** Convulsive Poison! Do not contaminate feed and foodstuffs. Keep away from children and domestic animals.

ANTIDOTE: If less than ten minutes has pass since the poison was taken, give a tablespoonful of salt in a glass of warm water. Have victim lie down in a quiet, darkened room and keep him warm. Call a Physician immediately.

DIRECTIONS For Bait Placement
The presence of moles is indicated either by a network of ridges in the turf or (when burrowing deeply) by a series of conical mounds of earth pushed up from below.

Surface Ridges: Runways in which moles are active may be found by collapsing the ridges at scattered points about the premises. The next day the active ridged-tunnels will be reconstructed. Carefully punch a hole in the top of active tunnels, drop in five tablets of bait, and carefully close the hole. Take care not to again collapse the tunnel or allow loose soil to cover the bait.

Deep Tunnels: Remove center plug from the conical mounds with aid of a long-handled spoon and drop five tablets of bait into the underground tunnel. Close opening with rock or sod.

USDA REG.

PACKAGED BY
RED STAR POISON CO.
Route 1, Box 70E
Woodburn, Oregon 97071

DEATH TO MOLES

ACTIVE INGREDIENTS:
Stychnine as Alkaloid 0.5%
INERT INGREDIENTS 99.5%

Net Contents 2 oz.