



NET WEIGHT 50 POUNDS
EPA REG. No. 10114-2
EPA EST. No. 33580-TN-1

DIRECTIONS

FOR USE ON NON-CROP LAND SUCH AS RAILROAD AND PIPELINE RIGHT-OF-WAY, INDUSTRIAL PLANTS, LUMBER YARDS, TANK FARMS, STORAGE AREAS AND PARKING LOTS for the control of most annual and perennial grasses and broadleaf weeds. Effects are slow to appear and will not become apparent until the chemical has been carried into the root zone of the weeds by moisture. Control will last for an extended period. The effectiveness and length of time control will last depend on type of soil, amount of rain and other conditions.

HOW TO APPLY: Use a mechanical spreader or other device which will spread the required amount evenly over the area to be treated. It may be applied when top growth is dense, but better control will be obtained when weeds are short or when excess growth is mowed and removed before applying.

WHEN TO APPLY: Best results will be obtained if applied shortly before or at the time plant growth begins. Rain or thorough watering after applications will cause the material to move to the root zone and thus speed up control. DO NOT use when ground is frozen.

GENERAL WEED CONTROL

ANNUAL WEEDS AND GRASSES: For foxtail, crabgrass, wild oat, bromegrass, ryegrass, pigweed, ragweed, turkey mullein, and lambquarters use 90 to 120 pounds per acre.

PERENNIAL WEEDS AND GRASSES: For quack grass, bluegrass, smooth brome, Bahiagrass, redtop, purpletop, bromesedge, cuter, plantain, dandelion, wild carrot, dog fennel, and goldenrod use 140 to 240 pounds per acre.

FOR HARD-TO-KILL WEEDS AND GRASSES such as Johnsongrass, Bermuda Grass, nutgrass, dallisgrass, Yellow grass, scribbler, hairy top, dogbane, bracken fern, and horsetail use 200 to 300 pounds per acre.

Use the higher rate if the ground is very hard or very moist.

Form XX-50 (2-77)



FOR GENERAL WEED CONTROL ON NON-CROP LANDS

ACTIVE INGREDIENT:
Bromach (3-bromo-3-sec-butyl-6-methylurea) . . . 4.6%
INERT INGREDIENTS 95.4%

CAUTION
KEEP OUT OF REACH OF CHILDREN

For Additional Caution Information See Right Panel

CAUTION

HARMFUL IF SWALLOWED!
MAY CAUSE IRRITATION OF EYES,
NOSE, THROAT AND SKIN!
AVOID BREATHING DUST OR VAPOR.

Do Not get on skin, in eyes or on clothing. In case of contact, immediately wash skin with plenty of water; for eyes, wash with water for at least 15 minutes and get medical attention.

NOTE: Do Not apply where it will drift or drain or flush equipment onto or near croplands, lawns, trees or other desirable plants or to areas where their roots may extend. Do Not contaminate irrigation or domestic water supplies. Do Not allow contact with fertilizers, insecticides, fungicides or seeds. Application equipment should be thoroughly cleaned after use. Equipment which has been used to apply this product should not be used for applying insecticides, fungicides, fertilizers or other agricultural chemicals as plant injury may result.

This product is toxic to fish. Keep out of any body of water. Apply this product only as specified on the label.

DESTROY CONTAINER WHEN EMPTY

Destroy container so that it may not be used again for any purpose and dispose of it at some location where no attempt to salvage will be made.

FOLLOW DIRECTIONS CAREFULLY. TIMING AND METHOD OF APPLICATION, WEATHER AND CROP CONDITIONS, MIXTURES WITH OTHER CHEMICALS NOT SPECIFICALLY RECOMMENDED, AND OTHER INFLUENCING FACTORS IN THE USE OF THIS PRODUCT ARE BEYOND THE CONTROL OF THE SELLER. BUYER ASSUMES ALL RISKS OF USE, STORAGE OR DISPOSAL OF THIS MATERIAL. NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH.

Made in U.S.A.

Printed in U.S.A.

Expressly for:
ASPLUNDH TREE EXPORT CO.
Blair Mill Road, Willow Grove, Pa. 19090

BEST AVAILABLE COPY

ACCEPTED
DEC - 9 1982
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 10114-2