

44-244

07-07-68

CERFOG

REGISTERED TRADEMARK

ACTIVE INGREDIENTS	100%
N-octyl bicyclohexane dicarboximide	0.33%
Piperonyl Butoxide Technical*	0.23%
Pyrethrins I and II	0.101%
Refined Petroleum Distillates	99.36%
*Equivalent to 0.1624% Butylcarbitol, 6-propylpiperonyl ether, and 0.0406% related compounds.	

DIRECTIONS CERFOG

Fill area to be treated with a heavy top of CERFOG

### Insect Spray

the portable  
Dry Mist  
Fogger.

Used in meat packing plants, flour mills,  
dairies, bakeries and wherever food is stored  
or processed.

#### CAUTION:

KEEP OUT OF REACH OF CHILDREN

See side panel for additional cautions.

FOR INDUSTRIAL USE ONLY

**ACCEPTED**  
4/16/70  
UNDER FEDERAL INSECTICIDE  
FUNGICIDE AND ROENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. 100-1 SUBJECT  
TO ATTACHED COMMENTS.

tion cover or remove exposed foodstuffs and utensils. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When used as a space spray, apply only when plant is not in operation.

**FLIES, MOSQUITOES:** Close doors and windows. Fill entire room with fog directing spray towards ceiling. After 20 minutes, open room and sweep up fallen insects. Repeat treatment as needed.

**ROACHES, WATERBUGS, SILVERFISH:** Spray around base of wall, under tables, water pipes, entries, etc., and in other infested areas. Spray directly on insects where possible. For spot applications on infested areas, use 1/2 pint per 100 sq. ft.

**PLEAS:** Spray under cracks and crevices, especially under doors. Do not use in quarters of animals. Repeat application as needed.

**SPIRITS:** Do not use in areas where there is a fire hazard.

**FLIES, MOSQUITOES, SILVERFISH, BEETLES, CRICKETS, WASPS, etc.:** Apply in all possible stages.

For more information on the use of CERFOG, contact your local agricultural agent or the manufacturer. CERFOG is a registered trademark of the manufacturer.

KEEP OUT OF REACH OF CHILDREN

If material is swallowed, do not induce vomiting. Call a physician. Do not use or store near heaters or open flames. Do not smoke while spraying.

USDA Reg. No. 1123-1