

Este producto controlará los siguientes organismos: Aspergillus Niger, Escherichia Coli, Pseudomonas Aeruginosa, Salmonella Choleraesuis, Salmonella Typhosa, Staphylococcus Aureus, Trichophyton Itardigitale, Tubercle Bacilli, en superficies ambientales

INSTRUCCIONES:

PARA DESINFECTAR: Sostenga el envase en posición vertical aproximadamente de 6 a 8 pulgadas de la superficie a desinfectar y rocíe durante 3 segundos hasta que la superficie esté húmeda.

PARA DESODORIZAR: Sostenga el envase en posición vertical apuntando en dirección opuesta a la cara. Rocíe en el ambiente, hacia el centro de la habitación, durante aproximadamente 4 segundos.

PARA CONTROL DE MOHO EN SUPERFICIES DURAS: Limpie la superficie antes de aplicar VIRO CERF. Rocíe hasta que la superficie esté mojada. Repita esta operación semanalmente para mantener el control

Este poderoso desinfectante y desodorante hospitalario actúa rápidamente en superficies cubiertas de gérmenes tales como Recipientes de desperdicio, Asientos de inodoros, Urinarios, Conductos de lavandería, Sillas de ruedas, conductos de aire, llaves de luz, etc. después que las superficies han sido limpiadas debidamente. Reduce el peligro de contagio por organismos que transmiten infecciones que se encuentran en superficies ambientales. Es efectivo contra olores en hospitales, casas de ancianos, ambulancias.

No use en telas de rayon

ADVERTENCIA

MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS. Use con ventilación adecuada. Evite respirar el rocío. Evite el contacto con la piel. No rocíe en los ojos. En caso de contacto con los ojos, enjuague inmediatamente con agua. Evite el contacto con alimentos. Enjuague bien con agua cualquier objeto que entre en contacto con la boca de niños pequeños.

No se use cerca de fuego, chispas o llamas. No perforar o incinerar el envase. No lo exponga a temperaturas superiores a 48° C.

PARA USO INDUSTRIAL SOLAMENTE
REVENTA PROHIBIDA

VIRO CERF AEROSOL

**Hospital Disinfectant Deodorant
POWERFUL-PLEASANT-QUICK ACTING
Tuberculocidal-Staphylocidal
Bactericidal-Fungicidal
Pseudomonicidal
Controls
Mildew**

ACTIVE INGREDIENTS:	57.9%
Ortho-phenylphenol	0.10%
Para-tertiary-amyphenol	0.05%
Essential Oils	0.75%
Alcohol	57.00%
INERT INGREDIENTS:	42.1%

NET CONTENTS: 1 lb. 0.6 oz.

EPA Reg. No. 10120-18-AA

WARNING
KEEP OUT OF REACH OF CHILDREN
FLAMMABLE MIXTURE
Contents under pressure. See side panel for further precautions.

CERFACT LABORATORIES

MANUFACTURING CHEMISTS
P. O. BOX 988, TUCKER, GEORGIA 30084, U.S.A.
Representatives in all major cities around the world

This Product Will Control the Following Organism: Aspergillus Niger, Escherichia Coli, Pseudomonas Aeruginosa, Salmonella Choleraesuis, Salmonella Typhosa, Staphylococcus Aureus, Trichophyton Itardigitale, Tubercle Bacilli on environmental surfaces.

DIRECTIONS:

FOR DISINFECTING: Hold dispenser upright about 6 to 8 inches from surface to be disinfected and spray 3 seconds until surface is wet.

FOR DEODORIZING: Hold dispenser upright-point the opening away from face. Spray into air towards the center of room for about 4 seconds.

FOR MILDEW CONTROL ON HARD SURFACES: Clean surfaces before application. Spray surfaces until wet. Repeat application every week to maintain control.

This powerful hospital disinfectant and deodorant acts quickly on many germ-laden surfaces, such as: Refuse Cans, Toilet seats, Urinals, Laundry Chutes, Wheel Chairs, Air Ducts and Light Switches after the surface has been properly cleaned. Reduces the danger of transmission of many infectious organisms from environmental surfaces. Effective on odors from many sources in hospitals, nursing homes, ambulances.

Note: Do not use on rayon fabrics.

WARNING:

KEEP OUT OF REACH OF CHILDREN. Use with adequate ventilation. Avoid breathing of spray mist. Avoid skin contact. Do not get in eyes. In case of contact with eyes, flush at once with water. Avoid contact with food. Rinse with water anything that will come in contact with baby's mouth.

Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120° F.

FOR INDUSTRIAL USE ONLY
NOT FOR RESALE

© 1964

12/3

ACCEPTED

JAN 29 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR INFORMATION POISON REGISTER
NO. UNDER NO. 10120-18