

ED UNDER NC  
POISON REGISTER

ACCEPTED  
10/33-11  
JUL 28 1980  
Use the Federal Insecticide, Fungicide, and Rodenticide Act registered under EPA Reg. No.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
AND DOMESTIC ANIMALS**

**DANGER:** Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance, contact the regional office of EPA.

**PHYSICAL AND CHEMICAL HAZARDS**

**STRONG OXIDIZING AGENT:** Strong oxidizing Agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water.

NET CONTENTS

**ZEOLITE  
ALGAE "RELEASE"**

**For Air Conditioning  
Cooling Towers  
Treatment for Algae  
and Bacterial Slime**

ACTIVE INGREDIENTS:  
Diammonium phosphate  
Available in 50 lb. bags

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

**PRACTICAL TREATMENT - FIRST AID:** If swallowed, feed bread soaked in milk followed by olive oil or cooling oil. Call a physician immediately. If on skin, brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. If in Eyes - Flush with cold water for at least 15 minutes. Get medical attention.

SEE ADDITIONAL PRECAUTIONS  
ON SIDE PANEL

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Heavily treated systems should be manually cleaned before initial treatment.

**SHOCK DOSAGE:** Use 1 pound of Zeolite Algae "Release" for every 3000 gallons of water in the system after adjusting pH of system water to 7.0. Provide 40 ppm actives.

Scatter granules around water tower basin or suspend bag containing proper amount of granules near the center of the tower basin. Subsequent treatment should be applied weekly or as needed.

**STORAGE AND DISPOSAL:** Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area, or bury in a safe place.

**NATIONAL CHEMICAL**  
div. of Selig Chemical Ind.  
840 Selig Drive, S.W.  
Atlanta, Georgia 30336  
EPA REG. NO. 10143-11  
EPA EST. NO. 4411-A-1

37

BEST DOCUMENT AVAILABLE