

Authorized for Use Under U.S.D.A. Consumer and Marketing Service Inspection Program for Poultry, Meat, Rabbit and Egg Product Plants.

U.S.D.A. Registration No. 10147-4

ACTIVE INGREDIENTS

Trisodium phosphate, dodecylhydrate 91.75%

Sodium hypochlorite 3.25%

INERT INGREDIENTS 5.00%

TOTAL 100.00%

DANGER

Harmful or fatal if swallowed.

ANTIDOTE: Drink large quantities of water or milk. Follow with milk of magnesia, vegetable oil or beaten eggs. Call a physician at once.

Do not get on skin or in eyes.

Causes severe skin burns or damage to the eyes.

Flush skin areas thoroughly with water.

Flush eyes with water for 15 minutes.

Wash eyes with boric acid solution.

See eye doctor immediately.

AVOID CONTAMINATION OF FOOD.

USE AS DIRECTED.

KEEP DRY.

KEEP CONTAINER CLOSED WHEN NOT IN USE.

DO NOT REUSE CONTAINER.

DESTROY WHEN EMPTY.



BI-BLOR CHLORINATED BLEANSER AND SANITIZER

DANGER: KEEP OUT OF REACH OF CHILDREN

NOT FOR USE OR STORAGE AROUND THE HOME ENVIRONMENT

SEE LEFT SIDE OF LABEL FOR ADDITIONAL DANGERS

POUNDS



BI-BIRKO CHLORINE BLEACH AND SANITIZER

DANGER: KEEP OUT OF REACH OF CHILDREN

**NOT FOR USE OR STORAGE AROUND THE HOME ENVIRONMENT
SEE LEFT SIDE OF LABEL FOR ADDITIONAL DANGERS**

POUNDS

**FOR HEAVY GREASE AND FAT
REMOVAL on equipment.**

**FOR FLOORS AND GENERAL MAIN-
TENANCE.**

FOR a GOOD SOAK and WASH.

DIRECTIONS

Use four pounds per 50 gallons of water. Wet down with this solution, allow to soak five to ten minutes, scrub or wash with pressure sprayer. Rinse thoroughly with potable water before reuse.

DANGER, HANDLE WITH CARE

Use rubber gloves, protective goggles and protective clothing.

ACCEPTED
SEPT 13, 1971
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER.