

# BLEAGH

DANGER: KEEP JUT OF REACH OF CHILDREN

ACCEPTEDE LEFT SIDE OF LABEL FOR ADDITIONAL DANGERS

10-27-72

THE HOUSE AND RUDENING THE ACT THE PROPERTY OF THE PROPERTY OF

**POUNDS** 

BIRKO CHEMICAL CORPORATION, 5600 BRIGHTON BOULEVARD, DEVER, COLORADO P. O. BOX 1315, DENVER, COLORADO 80201

# E.P.A. Registration No. 10147-6

**ACTIVE INGREDIENTS** 

Trichlor - s-triazinetrione
INERT INGREDIENTS

**Total** 100.0%

36.0%

64.0%

# DANGER, HANDLE WITH CARE

Use rubber gloves, protective goggles and protective clothing.

Harmful or fatal if swallowed Causes severe skin burns or damage to the eyes. Dust may be harmful if inhaled.

Do not take internally.

Strong oxidizing agent.

Contact with heat, moisture, foreign material or contamination from any source may result in fire. TREATMENT: IN CASE OF PERSONAL CONTACT

Remove excess material.

Wash afflicted areas thoroughly with cold water. Flush skin and eyes for 15 minutes.

For eyes, get medical attention immediately. Clean contaminated clothing before reusing.

If <u>swallowed</u>, drink large quantities of water or milk. Follow with milk of magnesia, vegetable oil or beaten eggs. Call a doctor at once.


AVOID CONTAMINATION OF FOOD.

USE AS DIRECTED.

KEEP DRY.

KEEP CONTAINER CLOSED WHEN NOT IN USE.

DO NOT REUSE CONTAINER.
DESTROY WHEN EMPTY.



# HOW TO USE HI-CHLOR 3600L

# AS A LAUNDRY BLEACH:

To whiten fabrics - To rejuvenate suds.

To remove heavy grease stains.

To SANITIZE and REFRESHEN laundry-USE 1/3 pound HI-CHLOR 3600L per 60 gallons of water and 100 pounds of clothes or shrouds.

To DISINFECT double the concentration to SANITIZE. Do NOT use in colored laundry.

# AS A HEAVY DUTY BACTERICIDE

To reduce numbers of bacteria, to kill molds (non-residual), and their slimes in COOLERS, BOXCARS, TRUCKS, WAREHOUSES and PRODUCTION AREAS — Use 11/4 ounces of HI-CHLOR 3600L per 5 gallons of water. (625 ppm available chlorine). Apply by mop, dip or spray. Rinse after 10 minutes with potable water.

# AS A GENERAL CLEANSER

Add 8-12 ounces HI-CHLOR 3600L per 50 gallons of regular detergent solution used for cleaning tables, benches, rooms, utensils and processing equipment anywhere in the plant where grease and protein are problems. (400 - 600 ppm available chlorine) Rinse well with potable water.

# · AS A POST RINSE SANITIZER

Dissolve 2 ounces of HI-CHLOR 3600L in 50 gallons of potable water. Mist onto previously cleaned equipment. (100 ppm available chlorine)

Authorized for Use Under U.S.D.A. Consumer and Marketing Service Inspection Program for Poultry, Meat, Rabbit and Egg Production Plants.

ACCEPTED WITH COMMENTS



# HI-CHLOR 3600L BLEACH AND SANITIZER

DANGER KEEP OUT OF REACH OF CHILDREN

NOT FOR USE OR STORAGE AROUND THE HOME ENVIRONMENT SEE LEFT SIDE OF LABEL FOR ADDITIONAL DANGERS

**POUNDS** 

BIRKO CHEMICAL CORPORATION, 5600 BRIGHTON BOULEVARD, DENVER, COLORADO P. O. BOX 1315, DENVER, COLORADO 80201

10/47-

# E.P.A. Registration No. 10147-6

**ACTIVE INGREDIENTS** 

Trichlor≰-s-triazinetrione 36.0% INERT INGREDIENTS 64.0%

Total 100.0%

# DANGER, HANDLE WITH CARE

Use rubber gloves, protective goggles and protective clothing.

Harmful or fatal if swallowed Causes severe skin burns or damage to the eyes. Dust may be harmful if inhaled. Do not take internally.

Strong oxidizing agent.

Contact with heat, moisture, foreign material or contamination from any source may result in fire. TREATMENT: IN CASE OF PERSONAL CONTACT

Remove excess material.

Wash afflicted areas thoroughly with cold water.

Elizabeth skin and excess for 15 minutes.

Flush skin and eyes for 15 minutes.
For eyes, get medical attention immediately.
Clean contaminated clothing before reusing.
If swallowed, drink large quantities of water or milk. Follow with milk of magnesia, vegetable

AVOID CONTAMINATION OF FOOD.

oil or beaten eggs. Call a doctor at once.

USE AS DIRECTED.

KEEP DRY.
KEEP CONTAINER CLOSED
WHEN NOT IN USE.
DO NOT REUSE CONTAINER.
DESTROY WHEN EMPTY.

10-27-72

101476

# **HOW TO USE HI-CHLOR 3600L**

# AS A LAUNDRY BLEACH:

To whiten fabrics - To rejuvenate suds.

To remove heavy grease stains.

To SANITIZE and REFRESHEN laundry-USE 1/2 pound HI-CHLOR 3600L per 60 gallons of water and 100 pounds of clothes or shrouds.

To DISINFECT double the concentration to SANITIZE. Do NOT use in colored laundry.

# AS A HEAVY DUTY BACTERICIDE

To reduce numbers of bacteria, to kill molds (non-residual), and their slimes in COOLERS, BOXCARS, TRUCKS, WAREHOUSES and PRODUCTION AREAS — Use 1½ ounces of HI-CHLOR 3600L per 5 gallons of water. (625 ppm available chlorine). Apply by mop, dip or spray. Rinse after 10 minutes with potable water.

## AS A GENERAL CLEANSER

Add 8-12 ounces HI-CHLOR 3600L per 50 gallons of regular detergent solution used for cleaning tables benches, rooms, utensils and processing equipment anywhere in the plant where grease and protein are problems. 400 - 600 ppm available chlorine Rinse well with potable water.

### AS A POST RINSE SANITIZER

Dissolve 2 ounces of HI-CHLOR 3600L in 50 gallons of potable water. Mist onto previously cleaned equipment. 100 ppm available chlorine:

Authorized for Use Under U.S.D.A. Consumer and Marketing Service Inspection Program for Poultry, Meat, Rabbit and Egg Production Plants