

E.P.A. Registration No. 10147-12

ACTIVE INGREDIENTS

Sodium hydroxide	87%
Sodium metasilicate	5%
Trichloro-s-triazinetriene	2%

INERT INGREDIENTS	6%
--------------------------	----

TOTAL 100%

**DANGER - CORROSIVE
HANDLE WITH CARE**

Use rubber gloves, protective goggles and protective clothing.


Harmful or fatal if swallowed.

ANTIDOTE: Feed large quantities of water with lemon juice or weak vinegar. Call a physician at once.

Avoid inhalation of fumes.
Do not get on skin or in eyes.
Causes severe skin burns or damage to the eyes.
Flush skin areas thoroughly with water.
Flush eyes with water for 15 minutes.
Wash eyes with boric acid solution.
See eye doctor immediately.

AVOID CONTAMINATION OF FOOD
USE AS DIRECTED
KEEP DRY
KEEP CONTAINER CLOSED WHEN NOT IN USE
DO NOT REUSE CONTAINER
DESTROY WHEN EMPTY

ACCEPTED
6/13/72
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROUENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 10147-12 SUBJECT
TO ATTACHED COMMENTS



CIRTEC CL SANITIZER-CLEANSER

DANGER: KEEP OUT OF REACH OF CHILDREN
NOT FOR USE OR STORAGE AROUND THE HOME ENVIRONMENT
POISON: SEE LEFT SIDE OF LABEL FOR ADDITIONAL DANGERS



POUNDS

A C

- FOR
- FOR BY C
- INHIE
- FAST
- STRIP
- PROT
- INSTA
- FOR E
- AND
- DIREC
- FOR CL
- 4 to 6 o
- of water
- gallons.
- the CIRT
- and whe
- using ei
- The LIQ
- the ope
- FOR CL
- TION: U
- per 50
- before a
- hot wat
- 180° -
- Rinse w
- add 1-2
- Authoriz
- Marketin
- Meat, R

E.P.A. Registration No. 10147-12

ACTIVE INGREDIENTS

Sodium hydroxide	87%
Sodium metasilicate	5%
Trichloro-s-triazinetriene	2%

INERT INGREDIENTS	6%
TOTAL	100%

**DANGER - CORROSIVE
HANDLE WITH CARE**

Use rubber gloves, protective goggles and protective clothing.

Harmful or fatal if swallowed.

ANTIDOTE: Feed large quantities of water with lemon juice or weak vinegar. Call a physician at once.

Avoid inhalation of fumes.

Do not get on skin or in eyes.

Causes severe skin burns or damage to the eyes.

Flush skin areas thoroughly with water.

Flush eyes with water for 15 minutes.

Wash eyes with boric acid solution.

See eye doctor immediately.

AVOID CONTAMINATION OF FOOD

USE AS DIRECTED

KEEP DRY

KEEP CONTAINER CLOSED WHEN NOT IN USE

DO NOT REUSE CONTAINER

DESTROY WHEN EMPTY

ACCEPTED
6/13/72
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 10147-12 SUBJECT
TO ATTACHED COMMENTS.



**CIRREXOL
SANITIZER-CLEANSER**

DANGER: KEEP OUT OF REACH OF CHILDREN

NOT FOR USE OR STORAGE IN THE HOME ENVIRONMENT

POISON: SEE LEFT SIDE LABEL FOR ADDITIONAL DANGERS



POUNDS

A C

- FOR
- FOR
- BY C
- INH
- FAST
- STR
- PRO
- INST.
- FOR
- AND

DIRE

FOR C
4 to 6
of water
gallons
the CIF
and w
using e
The LI
the op

FOR C
TION:
per 50
before
hot wa
180° -
Rinse
add 1-

Authori
Marketi
Meat, f



A CHLORINATED CLEANSER

- FOR CLEANING SMOKEHOUSES.
- FOR PAN AND MOLD WASHING BY CIRCULATION.
- INHIBITS RUSTING.
- FAST RINSING.
- STRIPS BURNT-ON CARBON, SMOKE, PROTEIN AND GREASE ALMOST INSTANTLY.
- FOR EQUIPMENT, UTENSILS, FLOORS, AND WALLS.

DIRECTIONS

FOR CLEANING SMOKEHOUSES WITH FOAM. Use 4 to 6 ounces per gallon (12 to 18 pounds per 50 gallons of water) with 1 to 2 quarts of LIQUIKs 1 or 2 per 50 gallons. Fill drum 1/2 full of cold water before adding the CIRTEC CL. Dissolve, then fill drum with hot water and when nearly full add the LIQUIK. Blend before using either with a C.I.P. or portable foamer.

The LIQUIK keeps the caustic from flying and protects the operator. After cleaning, rinse with potable water.

FOR CLEANING MOLDS AND PANS BY CIRCULATION: Use 4 to 6 ounces per gallon (12 to 18 pounds per 50 gallons of water). Fill tank 1/2 full of cold water before adding CIRTEC CL. Dissolve, then fill tank with hot water and apply steam to bring temperature to 180° - 200°F. Immerse molds and pans until clean. Rinse with potable water. If more suds are desired, add 1-2 cups of LIQUIK per 50 gallons of solution.

Authorized for Use Under U.S.D.A. Consumer and Marketing Service Inspection Program for Poultry, Meat, Rabbit and Egg Product Plants.

CIRTEC CL

SANITIZER-CLEANSER

s and
r with
eyes.

ACCEPTED
1/13/72
THE FEDERAL INSECTICIDE
DE AND RODENTICIDE ACT
NOMIC POISON REGISTER-
ER NO. 497-1 SUBJECT
CHED COMMENTS.

DANGER: KEEP OUT OF REACH OF CHILDREN
NOT FOR USE OR STORAGE IN THE HOME ENVIRONMENT
POISON: SEE LEFT SIDE FOR ADDITIONAL DANGERS



POUNDS