ARREST CHRIST

1 . C. C.

GIRTEG SP SANITIZER-GLEANSER

ANGER KREP OUT OF REACH OF CHIL

OR USE OR STORAGE AROUND THE HOME ENVIRO

DANGER AND ANTIDOTE STATEMENT .

DOU

Authorized for Use Under U.S.D.A. Consumer and Marketing Service Inspection Program for Poultry, Meat, Rabbit and Egg Product Plants.

E.P.A. Registration No. 10147-13

ACTIVE INGREDIENTS

Sodium hydroxide 88%
Sodium metasilicate 5%
INERT INGREDIENTS 7%

TOTAL 100%

DANGER - CORROSIVE HANDLE WITH CARE

Use rubber gloves, protective goggles and protective clothing.

Harmful or fatal if swallowed.

ANTIDOTE: Feed large quantities of water with lemon juice or weak vinegar.

Call a physician at once.

Avoid inhalation of fumes.

Do not get on skin or in eyes.

Causes severe skin burns or damage to the eyes

Flush skin areas thoroughly with water.

Flush eyes with water for 15 minutes.

Wash eyes with boric acid solution.

See eye doctor immediately.

AVOID CONTAMINATION OF FOOD

KEEP DRY.

KEEP CONTAINER CLOSED WHEN NOT IN USE.

DO NOT REUSE CONTAINER.

DESTROY WHEN EMPTY.

CHEMFICAL CORPORATO

GIRTEC SP SANITIZER-CLEANSER

DANGER: KEEP OUT OF REACH OF CHILDREN

NOT FOR USE OR STORAGE AROUND THE HOME ENVIRONMENT

POISON: SEE DANGER AND ANTIDOTE STATEMENTS ON LEFT SIDE OF LABEL



POUNDS

- FOR CLE
- FOR PAN
 BY CIRCU
- INHIBITS I
- . FAST RIN
- STRIPS BU PROTEIN INSTANTL
- FOR EQUII

 AND WAL

 DIRECTION

FOR CLEAN
Use 4 to 6 a
50 gallons of
1 or 2 per 50
before adding
with hot wate
Blend before
foamer. Use re
clothing The
and protects
potable water

FOR CLEANI
LATION: Use
pounds per 5
cold water be
fill tank with
temperature
pans until cle

If more soak rinsibility ade gallons.

BIRKO CHEMICAL CORPORATION, 5600 BRIGHTON BOULEVARD, DENVER, COLORADO

P. Q. BOX 1315, DENVER, COLORADO 80201

D.A. Consumer n Program for Product Plants.

10147-13

88% 5%

7%

OTAL 100%

/E

e goggles and

s of water with

age to the eyes.

utes.

DIT.

000

N NOT IN US

BIRKO CHEWFICAL Corporation Denver Colorado

GIRTEG SP SANITIZER-CLEANSER

DANGER: KEEP OUT OF REACH OF CHILDREN

NOT FOR USE OR STORAGE AROUND THE HOME ENVIRONMENT

POISON: SEE DANGER AND ANTIDOTE STATEMENTS ON LEFT SIDE OF LABEL



•

POUNDS

- FOR CLEANING SMOKEHOUSES.
- FOR PAN AND MOLD WASHING BY CIRCULATION.
- INHIBITS RUSTING.
- FAST RINSING.
- STRIPS BURNT-ON CARBON, SMOKE, PROTEIN AND GREASE ALMOST INSTANTLY.
- FOR EQUIPMENT, UTENSILS, FLOORS, AND WALLS.

DIRECTIONS

FOR CLEANING SMOKEHOUSES WITH FOAM: Use 4 to 6 ounces per gallon (12 to 18 pounds per 50 gallons of water) with 1 to 2 quarts of LIQUIKs 1 or 2 per 50 gallons. Fill drum ½ full of cold water before adding the CIRTEC SP. Dissolve, then fill drum with hot water and when nearly full add the LIQUIK. Blend before using either with a C.I.P. or portable foamer. Use rubber gloves and protective goggles and clothing. The LIQUIK keeps the caustic from flying and protects the operator. After cleaning, rinse with potable water.

FOR CLEANING MOLDS AND PANS BY CIRCU-LATION: Use 4 to 6 ounces per gallon :12 to 18 pounds per 50 gallons of water). Fill tank ½ full of cold water before adding CIRTEC SP. Dissolve, then fill tank with hot water and apply steam to bring temperature to 180° – 200°F. Immerse molds and pans until clean. Rinse with potable water.

If more soap or suds are desired with improved rinsibility, add 1 to 2 cups of LIQUIK 1 or 2 per 50 gallons.

BIRKO CHEMICAL CORPORATION, 5600 BRIGHTON BOULEVARD, DENVER, COLORADO P. O. BOX 1315, DENVER, COLORADO 80201