

E.P.A. Registration No. 10147-15

**ACTIVE INGREDIENTS**

Sodium carbonate	30%
Sodium hydroxide	20%
Sodium metasilicate	8%
Ethylenediamine tetraacetic acid	2%
Sodium dichloro-s-triazinetrione	2%
Trichloro-s-triazinetrione	2%
<b>INERT INGREDIENTS</b>	<b>36%</b>

**TOTAL 100%**

**DANGER, HANDLE WITH CARE**

Use rubber gloves, protective goggles and protective clothing.

Harmful or fatal if swallowed.

**ANTIDOTE:** Drink large quantities of water or milk. Follow with milk of magnesia, vegetable oil or beaten eggs. Call a physician at once.

Do not get on skin or in eyes.

Causes severe skin burns or damage to the eyes.

Flush skin areas thoroughly with water.

Flush eyes with water for 15 minutes.

Wash eyes with boric acid solution.

See eye doctor immediately.

AVOID CONTAMINATION OF FOOD

USE AS DIRECTED

KEEP DRY

KEEP CONTAINER CLOSED WHEN NOT IN USE

DO NOT REUSE CONTAINER


DESTROY WHEN EMPTY

# CHLO SANITIZ

**DANGER: K**

NOT FOR USE C

SEE LEFT



BIRKO CHEMICAL CORPORATION

P O BOX

# CHLOROTEC 99 CLEANSER

SAFE FOR CHILDREN  
NON-TOXIC  
EFFECTIVE

SAVES

## GENERAL PURPOSE CHLORINATED CLEANSER

FOR STAINLESS STEEL EQUIPMENT IN PLANTS.

- QUICKER AND THOROUGH CLEANING.
- VERY ACTIVE — FAST RINSING.
- EXCELLENT IN ALL WATERS.
- REMOVES FAT, GREASE, BLOOD AND PROTEIN.
- STRONG SANITIZER — one ounce per gallon yields 236 ppm available chlorine from isocyanurate.

## DIRECTIONS

**HIGH-PRESSURE CLEANING.** Use two to three pounds per 50 gallons of water. Fill drum  $\frac{1}{3}$  full of cold water. Add CHLOROTEC 99. Dissolve partially before filling drum with hot water. Follow application with potable water rinse.

**IN-PLACE CLEANING (C.I.P.) RECIRCULATING SYSTEMS.** Use 8 pounds per 100 gallons of water following the precautions recommended above. Rinse with potable water.

Authorized for Use Under U.S.D.A. Consumer and Marketing Service Inspection Program for Poultry, Meat, Rabbit and Egg Product Plants.

MADE IN DENVER, COLORADO

E.P.A. Registration No. 10147-15

**ACTIVE INGREDIENTS**

Sodium carbonate	30%
Sodium hydroxide	20%
Sodium metasilicate	8%
Ethylenediamine tetraacetic acid	2%
Sodium dichloro-s-triazinetriene	2%
Trichloro-s-triazinetriene	2%
<b>INERT INGREDIENTS</b>	<b>36%</b>

**TOTAL** 100%

**DANGER, HANDLE WITH CARE**

Use rubber gloves, protective goggles and protective clothing.

Harmful or fatal if swallowed.

**ANTIDOTE:** Drink large quantities of water or milk. Follow with milk of magnesia, vegetable oil or beaten eggs. Call a physician at once.

Do not get on skin or in eyes.

Causes severe skin burns or damage to the eyes.

Flush skin areas thoroughly with water.

Flush eyes with water for 15 minutes.

Wash eyes with boric acid solution.

See eye doctor immediately.

AVOID CONTAMINATION OF FOOD

USE AS DIRECTED

KEEP DRY

KEEP CONTAINER CLOSED WHEN NOT IN USE

DO NOT REUSE CONTAINER

DESTROY WHEN EMPTY

**E. R. JOSEPH CO., Inc.**

BROADWAY 9 5000

NORRISTOWN, PA

BLACK PRINTING ON GREEN TAG

