

E.P.A. Registration No. 10147-19

ACTIVE INGREDIENTS

Sodium carbonate
Sodium metasilicate
Sodium hydroxide
Ethylenediamine tetraacetic acid
Trichloro-s-triazinetrione
Sodium dichloro-s-triazinetone

30%

7%

6%

4%

2%

2%

49%

TOTAL 100%

ACCEPT
May 11 - 1971
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROBOTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 10147-19

DANGER, HANDLE WITH CARE

Use rubber gloves, protective goggles and protective clothing.

Harmful or fatal if swallowed.

Do not breathe spray mist or dust.

ANTIDOTE: Drink large quantities of water or milk. Follow with milk of magnesia, vegetable oil or beaten eggs. Call a physician at once.

Do not get on skin or in eyes.

Causes severe skin burns or damage to the eyes.

Flush skin areas thoroughly with water.

Flush eyes with water for 15 minutes.

Wash eyes with boric acid solution.

See eye doctor immediately.

AVOID CONTAMINATION OF FOOD.

USE AS DIRECTED.

KEEP DRY.

KEEP CONTAINER CLOSED WHEN NOT IN USE.

DO NOT REUSE CONTAINER.

DESTROY WHEN EMPTY.

CHLOR

OL

CLEANSI


DANGER: K

NOT FOR UI

SEE AD

BIRKO CHEMICAL CORPO

P O B



LIQUID NO. 3 CLEANING SANITIZER

KEEP OUT OF REACH OF CHILDREN
HOME ENVIRONMENT
LEFT SIDE OF LABEL

5 POUNDS

1500 S. W. CORNER
S. W. CORNER
S. W. CORNER
BOULEVARD DENVER COLORADO
80201

GENERAL PURPOSE CLEANSER

ACTIVE AND FAST RINSING-EVEN IN HARD WATER. REMOVES FAT, GREASE, BLOOD AND PROTEIN.

STRONG SANITIZER—One ounce per gallon yields 236 ppm available chlorine. 200 ppm available chlorine will sanitize a cleaned surface in minutes. Rinse with potable water before using equipment.

DIRECTIONS

FOR HIGH PRESSURE CLEANING

Use 3 pounds (3 pints) of CHLOROMATIC #3 per 50 gallons of water (1 ounce per gallon). Dissolve completely—Hot water preferred (160-180°F.). Apply by wetting surfaces, allow to work for two minutes, then wash with full pressure until clean. Allow to remain a minute or two, then rinse with potable water.

FOR FOAM CLEANING

Use 6 pounds (6 pints) of CHLOROMATIC #3 per 50 gallons of water. Add 1 to 2 quarts of LIQUIK 2 or other good foam generator to dissolved CHLOROMATIC #3. Use hot water (160-180°F.). Apply after good "rough down" with plain water. Allow foam to "break and run" before rinsing with potable water.

LOW PRESSURE AND HAND WASHING

Use 4 to 6 pounds (4-6 pints) of CHLOROMATIC #3 per 50 gallons of hot water. Dissolve thoroughly. Wet or soak areas to be cleaned. Scrub, brush or mop. Wear rubber gloves. Rinse with potable water.

FOR EXTREMELY DIRTY SURFACES

Double concentrations recommended above.

Authorized for Use Under U.S.D.A. Animal, Plant, Health Inspection Service Inspection Program for Poultry, Meat, Rabbit and Egg Product Plants

E.P.A. Registration No. 10147-19

ACTIVE INGREDIENTS

Sodium carbonate	30%
Sodium metasilicate	7%
Sodium hydroxide	6%
Ethylenediamine tetraacetic acid	4%
Trichloro-s-triazinetrione	2%
Sodium dichloro-s-triazinetrione	2%

INERT INGREDIENTS

TOTAL 100%

ACC
M...
UNDER THE
PUNISHMENT A
FOR ECONOMIC
UNDER NO.

DANGER, HANDLE WITH CARE

Use rubber gloves, protective goggles and protective clothing.

Harmful or fatal if swallowed.

Do not breathe spray mist or dust.

ANTIDOTE: Drink large quantities of water or milk. Follow with milk of magnesia, vegetable oil or beaten eggs. Call a physician at once.

Do not get on skin or in eyes.

Causes severe skin burns or damage to the eyes.

Flush skin areas thoroughly with water.

Flush eyes with water for 15 minutes.

Wash eyes with boric acid solution.

See eye doctor immediately.

AVOID CONTAMINATION OF FOOD.

USE AS DIRECTED.

KEEP DRY.

KEEP CONTAINER CLOSED WHEN NOT IN USE.

DO NOT REUSE CONTAINER.

DESTROY WHEN EMPTY.

C

C

E.P.A. Registration No. 10147-19

ACTIVE INGREDIENTS

- Sodium carbonate
- Sodium metasilicate
- Sodium hydroxide
- Ethylenediamine tetraacetic acid
- Trichloro-s-triazinetrione
- Sodium dichloro-s-triazinetrione

INERT INGREDIENTS

30%
7%
6%
4%
2%
2%
49%
TOTAL 100%

ACCEPT
May-11-1977
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISONS REGISTERED
UNDER NO. 10147-19



GENERAL

A
H
B
S
Y
a
i
u
C
F
U
5
s
T
w
u
t
h
F
U
5
2
C
A
A
w
L
U

th
S
R
F
C
D

DANGER, HANDLE WITH CARE

Use rubber gloves, protective goggles and protective clothing.

Harmful or fatal if swallowed.

Do not breathe spray mist or dust.

ANTIDOTE: Drink large quantities of water or milk. Follow with milk of magnesia, vegetable oil or beaten eggs. Call a physician at once.

Do not get on skin or in eyes.

Causes severe skin burns or damage to the eyes.

Flush skin areas thoroughly with water.

Flush eyes with water for 15 minutes.

Wash eyes with boric acid solution.

See eye doctor immediately.

AVOID CONTAMINATION OF FOOD.

USE AS DIRECTED.

KEEP DRY.

KEEP CONTAINER CLOSED WHEN NOT IN USE.

DO NOT REUSE CONTAINER.

DESTROY WHEN EMPTY.

CHLOROMATRIC NO. 3

OUTSTANDING

CLEANSING SANITIZER

DANGER: KEEP OUT OF REACH OF CHILDREN

NOT FOR USE OR STORAGE AROUND THE HOME ENVIRONMENT

SEE ADDITIONAL PRECAUTIONS ON LEFT SIDE OF LABEL

POUNDS

Authorized f
Health Insp
Poultry, Mea

BIRKO CHEMICAL CORPORATION, 5600 BRIGHTON BOULEVARD, DENVER, COLORADO
P O BOX 1315, DENVER, COLORADO 80201

**BIRKO
CHEMICAL**

ACCEPT
May-11-1977
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 10147-19

CHLOROMATIC NO. 3

OUTSTANDING CLEANSER AND SANITIZER

DANGER: KEEP OUT OF REACH OF CHILDREN
NOT FOR USE OR STORAGE AROUND THE HOME ENVIRONMENT
SEE ADDITIONAL PRECAUTIONS ON LEFT SIDE OF LABEL

POUNDS

GENERAL PURPOSE CLEANSER

ACTIVE AND FAST RINSING-EVEN IN HARD WATER. REMOVES FAT, GREASE, BLOOD AND PROTEIN.

STRONG SANITIZER—One ounce per gallon yields 236 ppm available chlorine. 200 ppm available chlorine will sanitize a cleaned surface in minutes. Rinse with potable water before using equipment.

DIRECTIONS

FOR HIGH PRESSURE CLEANING

Use 3 pounds (3 pints) of CHLOROMATIC #3 per 50 gallons of water (1 ounce per gallon). Dissolve completely—Hot water preferred (160-180°F.). Apply by wetting surfaces, allow to work for two minutes, then wash with full pressure until clean. Allow to remain a minute or two, then rinse with potable water.

FOR FOAM CLEANING

Use 6 pounds (6 pints) of CHLOROMATIC #3 per 50 gallons of water. Add 1 to 2 quarts of LIQUIK 2 or other good foam generator to dissolved CHLOROMATIC #3. Use hot water (160-180°F.). Apply after good "rough down" with plain water. Allow foam to "break and run" before rinsing with potable water.

LOW PRESSURE AND HAND WASHING

Use 4 to 6 pounds (4-6 pints) of CHLOROMATIC #3 per 50 gallons of hot water. Dissolve thoroughly. Wet or soak areas to be cleaned. Scrub, brush or mop. Wear rubber gloves. Rinse with potable water.

FOR EXTREMELY DIRTY SURFACES

Double concentrations recommended above.

Authorized for Use Under U.S.D.A. Animal, Plant, Health Inspection Service Inspection Program for Poultry, Meat, Rabbit and Egg Product Plants.

BIRKO CHEMICAL CORPORATION, 5600 BRIGHTON BOULEVARD, DENVER, COLORADO
P O BOX 1315 DENVER, COLORADO 80201