

U.S.D.A. Registration No. 10147-20

**ACTIVE INGREDIENTS**

Sodium metasilicate, pentahydrate	47.00%
Sodium carbonate	20.00%
Ethylene diaminetetra acetic acid	6.00%
Calcium hypochlorite	2.00%
<b>INERT INGREDIENTS</b>	<b>25.00%</b>

**TOTAL 100.00%**

**DANGER, HANDLE WITH CARE**

Use rubber gloves, protective goggles and protective clothing.

Harmful or fatal if swallowed

**ANTIDOTE:** Feed large quantities of water with lemon juice or weak vinegar.

Call a physician at once.

Do not get on skin or in eyes.

Causes severe skin burns or damage to the eyes.

Flush skin areas thoroughly with water.

Flush eyes with water for 15 minutes.

Wash eyes with boric acid solution.

See eye doctor immediately.

AVOID CONTAMINATION OF FOOD.

USE AS DIRECTED.

KEEP DRY.

KEEP CONTAINER CLOSED WHEN NOT IN USE.

DO NOT REUSE CONTAINER.

DESTROY WHEN EMPTY.



# CL-33

ACCEPT!  
NOV-15-1973  
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 10147-20

## HEAVY DUTY

# CLEANER SANITIZER

**DANGER: KEEP OUT OF REACH OF CHILDREN**

NOT FOR USE OR STORAGE AROUND THE HOME ENVIRONMENT  
SEE LEFT SIDE OF LABEL FOR ADDITIONAL DANGERS

### POUNDS

BIRKO CHEMICAL CORPORATION, 5600 BRIGHTON BOULEVARD, DENVER, COLORADO  
P. O. BOX 1315, DENVER, COLORADO 80201

**CL-33  
A CHL  
FOR FLC**

EXCELLEN  
REMOVE  
GOOD IN  
RUST INI

**HOW  
FOR GEN  
FOR HIGI**

Use 3-4 p  
(140-180°F  
CL-33 to  
Rinse with

**FOR LOV  
APPLICA**

Use 4-6 p  
Apply to su  
utes. Rinse

**TO CLEA**

Use 5½ pc  
(Yields 200  
Rinse with

Authorized  
Health Insp  
Poultry, Me.