



# CHLOROTEC

**DANGER: KEEP OUT OF REACH OF CHILDREN**  
NOT FOR USE OR STORAGE AROUND THE HOME ENVIRONMENT  
SEE LEFT SIDE OF LABEL FOR ADDITIONAL DANGERS

4-12-72

10147-21

**POUNDS**

BIRKO CHEMICAL CORPORATION, 5600 BRIGHTON BOULEVARD, DENVER, COLORADO  
P. O. BOX 1315, DENVER, COLORADO 80201

### DANGER, HANDLE WITH CARE

Use rubber gloves, protective goggles and protective clothing.

**E.P.A. Registration No. 10147-21**

#### ACTIVE INGREDIENTS

Sodium carbonate	30%
Sodium hydroxide	20%
Ethylenediamine tetraacetic acid	9%
Sodium metasilicate	7%
Sodium dichloro-s-triazinetrione*	2%
Trichloro-s-triazinetrione**	2%

INERT INGREDIENTS 30%  
**TOTAL 100%**

\*Also known as sodium dichloroisocyanurate.

\*\*Also known as trichloroisocyanurate.

### DANGER

Harmful or fatal if swallowed.

**ANTIDOTE:** Feed large quantities of water with

lemon juice or weak vinegar.

Call a physician at once.

Do not get on skin or in eyes.

Causes severe skin burns or damage to the eyes.

Flush skin areas thoroughly with water.

Flush eyes with water for 15 minutes.

Wash eyes with boric acid solution.

See eye doctor immediately.

AVOID CONTAMINATION OF FOOD


USE AS DIRECTED

KEEP DRY

KEEP CONTAINER CLOSED WHEN NOT IN USE

DO NOT REUSE CONTAINER

DESTROY WHEN EMPTY



### GENERAL PURPOSE CHLORINATED CLEANSER FOR STAINLESS STEEL EQUIPMENT IN PLANTS

- QUICKER AND THOROUGH CLEANING
- VERY ACTIVE - FAST RINSING
- EXCELLENT IN ALL WATERS
- REMOVES FAT, GREASE, BLOOD AND PROTEIN
- STRONG SANITIZER—one ounce per gallon yields 236 ppm available chlorine from isocyanurate


#### DIRECTIONS

**FOAM APPLICATION** - Use 4 pounds per 50 gallons of water. Fill drum 1/2 full with cool water. Add CHLOROTEC. Dissolve partially before filling drum with hot water. Handle with care and avoid splashing! When nearly filled add 1 to 2 quarts LIQUIKs 1 or 2 and blend. After "roughing down" to remove meat scraps, apply foam to all surfaces to be cleaned. After five to ten minutes rinse with potable water. The LIQUIK generates the foam and inhibits the burning action on the skin. However, wear rubber gloves, protective goggles and protective clothing.

#### IN PLACE CLEANING C.I.P. RECIRCULATING SYSTEMS

Use 8 pounds per 100 gallons of water following the precautions recommended above. Rinse with potable water.


Authorized for Use Under U.S.D.A. Consumer and Marketing Service Inspection Program for Poultry, Meat, Rabbit and Egg Product Plants.



# CHLOR

**DANGER: KEEP OUT**  
NOT FOR USE OR STORAGE A  
SEE LEFT SIDE OF LAB

ACCEPTED  
4-12-72  
10147-21



# CHLOROPROTEC

**DANGER: KEEP OUT OF REACH OF CHILDREN**

**NOT FOR USE OR STORAGE AROUND THE HOME ENVIRONMENT**

**SEE LEFT SIDE FOR ADDITIONAL DANGERS**

ACCEPTED  
4-12-72  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR EQUIPMENT REGISTERED  
ED UNDER 10147-21

**POUNDS**

Use rubber gloves, protective goggles and protective clothing.

## E.P.A. Registration No. 10147-21

### ACTIVE INGREDIENTS

Sodium carbonate	30%
Sodium hydroxide	20%
Ethylenediamine tetraacetic acid	9%
Sodium metasilicate	7%
Sodium dichloro-s-triazinetrione*	2%
Trichloro-s-triazinetrione**	2%
INERT INGREDIENTS	30%

TOTAL 100%

\*Also known as sodium dichloroisocyanurate.

\*\*Also known as trichloroisocyanurate.

## DANGER

**Harmful or fatal if swallowed.**

**ANTIDOTE: Feed large quantities of water with lemon juice or weak vinegar.**

**Call a physician at once.**

**Do not get on skin or in eyes.**

**Causes severe skin burns or damage to the eyes.**

**Flush skin areas thoroughly with water.**

**Flush eyes with water for 15 minutes.**

**Wash eyes with boric acid solution.**

**See eye doctor immediately.**

AVOID CONTAMINATION OF FOOD


USE AS DIRECTED

KEEP DRY

KEEP CONTAINER CLOSED WHEN NOT IN USE

DO NOT REUSE CONTAINER

DESTROY WHEN EMPTY



## CLEANSER FOR STAINLESS STEEL EQUIPMENT IN PLANTS

- QUICKER AND THOROUGH CLEANING
- VERY ACTIVE – FAST RINSING
- EXCELLENT IN ALL WATERS
- REMOVES FAT, GREASE, BLOOD AND PROTEIN
- STRONG SANITIZER—one ounce per gallon yields 236 ppm available chlorine from isocyanurate

### DIRECTIONS

**FOAM APPLICATION** – Use 4 pounds per 50 gallons of water. Fill drum  $\frac{1}{3}$  full with cool water. Add CHLOROTEC. Dissolve partially before filling drum with hot water. Handle with care and avoid splashing! When nearly filled add 1 to 2 quarts LIQUIKs 1 or 2 and blend. After "roughing down" to remove meat scraps, apply foam to all surfaces to be cleaned. After five to ten minutes, rinse with potable water. The LIQUIK generates the foam and inhibits the burning action on the skin. However, wear rubber gloves, protective goggles and protective clothing.

### IN PLACE CLEANING (C.I.P.) RECIRCULATING SYSTEMS

Use 8 pounds per 100 gallons of water following the precautions recommended above. Rinse with potable water.

Authorized for Use Under U.S.D.A. Consumer and Marketing Service Inspection Program for Poultry, Meat, Rabbit and Egg Product Plants.