

Authorized for Use Under U.S.D.A. Animal, Plant, Health Inspection Service Inspection Program for Poultry, Meat, Rabbit and Egg Product Plants.

E.P.A. Registration No. 10147-29

ACTIVE INGREDIENTS

Sodium metasilicate 10.000%

Sodium hypochlorite 4.725%

INERT INGREDIENTS 85.275%

Total 100.00%

**DANGER—CORROSIVE**

May cause burns and damage to skin and eyes.

Do not get in eyes, on skin or on clothing.

Protect eyes when handling concentrate.

May be harmful or fatal if swallowed.

Avoid breathing spray mist.

Avoid contamination of food.

Do not use with ammonia or ammonia generators.

Dissolve other chemicals in water before adding CHLORIFIC.

**FIRST AID** — In case of contact, flush eyes or skin with plenty of water for 15 minutes. For eyes, call a physician at once. Remove and wash contaminated clothing before reusing.

**ANTIDOTE** — If swallowed, drink promptly large quantities of milk, egg whites or gelatine solution. If these are not available, drink large quantities of water. Call a physician immediately.

USE AS DIRECTED.

KEEP CONTAINER TIGHTLY CAPPED.

STORE IN COOL DRY PLACE.

DO NOT REUSE CONTAINER

**BIRKO**  
**CHEMICAL**  
*Corporation*

DENVER, COLORADO

**CHLORIFIC**

**DANGER: KEEP OUT OF REACH OF CHILDREN**

NOT FOR USE OR STORAGE IN OR AROUND THE HOME ENVIRONMENT  
SEE ANTIDOTE AND ADDITIONAL PRECAUTIONS ON LEFT SIDE OF LABEL

**GALLONS**

BIRKO CHEMICAL CORPORATION, 5600 BRIGHTON BOULEVARD, DENVER, COLORADO  
P. O. BOX 1315, DENVER, COLORADO 80201

GEN  
AND  
EQU  
AND  
THRO  
STRI  
STAI  
TIZES

DIRECT  
APPLY  
MOPPI

Use 1/2  
ter. (20  
200 pp  
General  
gallon  
torily. R

FOR A  
To redu  
(non-res  
WARE  
use 3 o  
(1200 pp  
previous  
rinse wit

AS AN  
SOLUT  
Add 1/2  
ing solu  
and pra  
water r

Authorized for Use Under U.S.D.A. Animal, Plant, Health Inspection Service Inspection Program for Poultry, Meat, Rabbit and Egg Product Plants.

E.P.A. Registration No. 10147-29

ACTIVE INGREDIENTS

Sodium metasilicate 10.000%

Sodium hypochlorite 4.725%

INERT INGREDIENTS 85.275%

Total 100.00%

**DANGER - CORROSIVE**

May cause burns and damage to skin and eyes.

Do not get in eyes, on skin or on clothing.

Protect eyes when handling concentrate.

May be harmful or fatal if swallowed.

Avoid breathing spray mist.

Avoid contamination of food.

Do not use with ammonia or ammonia generators.

Dissolve other chemicals in water before adding CHLORIFIC.

FIRST AID - In case of contact, flush eyes or skin with plenty of water for 15 minutes. For eyes, call a physician at once. Remove and wash contaminated clothing before reusing.

ANTIDOTE - If swallowed, drink promptly large quantities of milk, egg whites or gelatine solution. If these are not available, drink large quantities of water. Call a physician immediately.

USE AS DIRECTED.

KEEP CONTAINER TIGHTLY CAPPED.

STORE IN COOL DRY PLACE.

DO NOT REUSE CONTAINER

**BIRKO  
CHEMICAL**

**CHLORIFIC**

**DANGER: KEEP OUT OF REACH OF CHILDREN**

NOT FOR USE OR STORAGE IN OR AROUND THE HOME ENVIRONMENT  
SEE ANTIDOTE AND PRECAUTIONS ON LEFT SIDE OF LABEL

**GALLONS**

BIRKO CHEMICAL CORPORATION, 5600 BRIGHTON BOULEVARD, DENVER, COLORADO  
P. O. BOX 1315, DENVER, COLORADO 80201

GEN  
AND  
EQU  
AND  
THRO  
STR  
STAI  
TIZES

DIREC  
APPLY  
MOPPI

Use 1/2  
ter. (20  
200 pp  
Genera  
gallon  
torily. R

FOR A  
To redu  
(non-res  
WARE  
use 3 a  
(1200 pp  
previou  
rinse wi

AS AN  
SOLUT

Add 1/2  
ing solu  
and pro  
water r

# BIRKO CHEMICAL

# CHLORIFIC

**DANGER: KEEP OUT OF REACH OF CHILDREN**

NOT FOR USE OR STORAGE IN OR AROUND THE HOME ENVIRONMENT  
SEE ANTIDOTE AND FIRST AID PRECAUTIONS ON LEFT SIDE OF LABEL

**GALLONS**

**GENERAL PURPOSE CLEANER  
AND SANITIZER FOR USE ON  
EQUIPMENT, WALLS, FLOORS,  
AND SIMILAR HARD SURFACES  
THROUGHOUT THE PLANT.**

**STRIPS OFF GREASE • REMOVES  
STAINS • DEODORIZES • SANI-  
TIZES • DISINFECTS**

**DIRECTIONS:**

APPLY BY SPRAYING, FOAMING, WIPING,  
MOPPING, SCRUBBING, ETC.

Use 1/2 to 2 ounces CHLORIFIC per gallon of wa-  
ter. (200-800 ppm. hypochlorite concentration.  
200 ppm will sanitize; 800 ppm will disinfect.)  
Generally it will require 2 oz. CHLORIFIC per  
gallon of water to clean quickly and satisfac-  
torily. Rinse with potable water.

**FOR A HEAVY-DUTY BACTERICIDE:**

To reduce bacteria numbers and to kill molds  
(non-residual) in COOLERS, BOXCARS, TRUCKS,  
WAREHOUSES and PRODUCTION AREAS,  
use 3 ounces CHLORIFIC per gallon of water.  
(1200 ppm hypochlorite). Thoroughly wet  
previously cleaned surfaces. Wait 10 minutes then  
rinse with potable water.

**AS AN ADDITIVE TO CLEANING  
SOLUTIONS:**

Add 1/2 to 1 ounce CHLORIFIC per gallon of clean-  
ing solution to assist in stripping grease, blood  
and protein from surfaces. Follow with a potable  
water rinse.

ACCEPTED

BIRKO CHEMICAL CORPORATION, 5600 BRIGHTON BOULEVARD, DENVER, COLORADO

P. O. BOX 1315, DENVER, COLORADO 80201