

SIDE PANEL

Bac-Gard Concentrate

FOR REFORMULATION ONLY TO PROVIDE A BACTERIOSTATIC
SURFACE DISINFECTANT.

A broad spectrum microbicidal - bacteriostatic compound.

This product is intended for further reformulation to
provide the disinfectant product Bac-Gard, EPA Registra-
tion

DIRECTIONS

Dilute one part Bac-Gard Concentrate to 20 parts with water
(1/2 cup makes 5 pints of use solution).

Directions for use may be found on the label of the
reformulated product Bac-Gard EPA Registration No. 10141-5

Empty containers must be rinsed thoroughly with water before
discarding.

Non-Flammable

NET CONTENTS: GALLON U.S. MEASURE



E.P.A. Registration No. 10147-30

ACTIVE INGREDIENTS

n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈)
dimethyl benzyl ammonium chlorides 5%

n-Alkyl (68% C₁₂, 32% C₁₄)
dimethyl ethylbenzyl ammonium chlorides 5%

INERT INGREDIENTS 90%
100%

DANGER - CORROSIVE

Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. **FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

AVOID CONTAMINATION OF FOOD.


READ AND FOLLOW INSTRUCTIONS ON THIS CONTAINER.

KEEP DRY AND UPRIGHT.

KEEP CONTAINER TIGHTLY CLOSED.

DO NOT REUSE CONTAINER.

Rinse well with water and discard.



BI-QUAT
SANITIZER-DISINFECTANT

DANGER: KEEP OUT OF REACH OF CHILDREN

NOT FOR USE OR STORAGE AROUND THE HOME ENVIRONMENT
SEE ADDITIONAL DANGER STATEMENTS ON LEFT SIDE OF LABEL

GALLONS

Use as a g
thorough c
and non-pe
surfaces su
crete and
walls, tabl
faces with
ble water v
quaternari

DIRECTI
AFTER CLE
AS A POSI
UTENSILS, G
QUAT to 4

TO DISINFEC
SANITIZE PC
use 5 oz. BI-Q
naries). Follow

TO DISINFEC
FACES, use 5
quaternaries).

Authorized I
Health Insp
Poultry, Mea

BIRKO CHEMICAL CORPORATION, 5600 BRIGHTON BOULEVARD, DENVER, COLORADO
P. O. BOX 1315, DENVER, COLORADO 80201

BIRKO
CHEMICAL
Corporation
 DENVER, COLORADO

Use as a general purpose sanitizer after thorough cleaning on equipment, utensils and non-porous, semi-porous and porous surfaces such as metal surfaces, tile, concrete and wood such as ceilings, floors, walls, tables and any food contact surfaces without a terminal rinse with potable water when used at a level of 200 ppm quaternaries.

DIRECTIONS-

AFTER CLEANING AND WASHING

AS A POST-RINSE SANITIZER ON EQUIPMENT, UTENSILS, GLASSES, DISHES, etc. — Use 1 oz. BI-QUAT to 4 gals. water (200 ppm quaternaries).

TO DISINFECT NON-POROUS SURFACES or TO SANITIZE POROUS and SEMI-POROUS SURFACES, use 5 oz. BI-QUAT to 8 gals. water (500 ppm quaternaries). Follow with a potable water rinse.

TO DISINFECT POROUS and SEMI-POROUS SURFACES, use 5 oz. BI-QUAT to 4 gals. water (1000 ppm quaternaries). Follow with a potable water rinse.

Authorized for Use Under U.S.D.A. Animal, Plant, Health Inspection Service Inspection Program for Poultry, Meat, Rabbit and Egg Product Plants.

BI-QUAT
SANITIZER-DISINFECTANT

DANGER: KEEP OUT OF REACH OF CHILDREN

NOT FOR USE OR STORAGE AROUND THE HOME ENVIRONMENT
 SEE ADDITIONAL DANGER STATEMENTS ON LEFT SIDE OF LABEL

GALLONS

C18)
 5%
 5%
 90%
 10%

not get in
 face shield
 swallowed.
 h eyes or
 nutes. For
 laminated

y of milk,
 not avail-
 physician

nage may
 Measures
 sion and

ACCEPTED
 3/23/73
 UNITED STATES DEPARTMENT OF AGRICULTURE
 FUNGICIDE AND ROENTGENIC ACT
 FOR EQUINE AND PULP REGISTERED
 ED UNLESS OTHERWISE SPECIFIED
 NO ATTACHED DOCUMENTS.

BIRKO CHEMICAL CORPORATION, 5600 BRIGHTON BOULEVARD, DENVER, COLORADO
P. O. BOX 1315, DENVER, COLORADO 80201