

Authorized by USDA for use in Federally Inspected meat and poultry plants.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS**

**DANGER—CORROSIVE**

Causes irreversible eye damage. Harmful or fatal if swallowed. Do not get in eyes or on clothing. Use rubber gloves and goggles, face shield or safety glasses. Wear protective clothing. Causes burns. Do not get on skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid inhalation of fumes.

**STATEMENT OF PRACTICAL TREATMENT**

If on skin, wash with plenty of soap and water. Get medical attention. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk or water. Do NOT give vinegar, other acids or soda pop. Avoid alcohol. Do NOT induce vomiting. Get prompt medical attention.

**NOTE TO PHYSICIAN**

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

E.P.A. Reg. No. 10147-33  
E.P.A. Est. No. 10147-CO-1



**META TEC 2C®**

<b>ACTIVE INGREDIENTS</b>	
Sodium Hydroxide	57.82%
<b>INERT INGREDIENTS</b>	
	42.18
<b>Total</b>	<b>100.00%</b>

Made in U.S.A.

**KEEP OUT OF REACH OF CHILDREN  
DO NOT USE OR STORAGE AROUND THE HOME ENVIRONMENT**

**DANGER POISON**

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY AND PRACTICAL TREATMENT STATEMENTS

**KILOGRAMS**

**POUNDS**

For use on equipment, walls, ceilings and floors.  
Fast cleaning—quick rinsing  
Ideal for cleaning hooks and trolleys by continuous methods  
Sanitizes as it cleans

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in inconsistent with its labeling. Before using this product and packaging materials must be removed from the premises.

**FOR GENERAL CLEANING WITH FOAM** use 4 to 6 p.p.t. 2C per 50 gallons of water. Fill drum 1/2 full of cold water, add 2C and dissolve. Fill drum with hot water. When to 2 quarts of LIQUIK 2 NU BLU and blend until uniform. keeps the caustic from "flying", thereby helping protect. Apply to dirty areas after "roughing down" to remove. Rinse thoroughly with potable water after cleaning.

**FOR DIPPING TROLLEYS** use 10-12 ounces of META TEC 2C per gallon of water. Maintain proper concentration with water. Allow trolleys to remain in solution until grease, fat, etc. is removed. Rinse with potable water before oiling.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal. Dumping is prohibited. Do not reuse empty container. Disposal—Pesticide, spray mixture, or rinseate that is chemically reprocessed must be disposed of according to Federal, state, or local procedures under the Resource Conservation and Recovery Act. Container Disposal—Completely empty container by shaking and tapping sides and bottom to loosen residue into application equipment. Then dispose of container by incineration if allowed by state and local authorities. Drum cannot be reused, dispose of in the same manner. Keep container closed when not in use.

**SODIUM HYDROXIDE, GRANULAR MIXTURE/CORROSIVE MATERIAL**

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 10147-33

JUN 01 1983

C C C E P I E D I

**BIRKO CORPORATION, P.O. BOX 530, WESTMINSTER, COLORADO 80030 U.S.A.**

USDA for use in Federally  
and poultry plants.

CAUTIONARY STATEMENTS  
TO HUMANS AND  
ANIMALS

**DANGER—CORROSIVE**  
No eye damage. Harmful or fatal if  
get in eyes or on clothing. Use  
goggles, face shield or safety  
protective clothing. Causes burns. Do  
not wear clothing. Wash thoroughly with  
water after handling. Remove  
clothing and wash before reuse. Avoid  
res.

**MODE OF PRACTICAL TREATMENT**  
Wash with plenty of soap and water. Get  
out of clothes. If in eyes, flush with water for at  
least 15 minutes. Get medical attention. If  
on skin, wash with large quantities of milk or water.  
Avoid other acids or soda pop. Avoid  
induce vomiting. Get prompt  
medical attention.

**NOTE TO PHYSICIAN**  
No eye damage may contraindicate the  
use of eye drops. Measures against circulatory  
depression and convulsion may



# META TEC 2C®

ACTIVE INGREDIENTS	
Sodium Hydroxide	57.82%
INERT INGREDIENTS	42.18
<b>Total</b>	<b>100.00%</b>

ACCEPTED  
JUN 01 1983

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under EPA Reg. No. 18147-33

Made in U.S.A.  
**KEEP OUT OF REACH OF CHILDREN**  
DO NOT USE OR STORAGE AROUND THE HOME ENVIRONMENT

**DANGER** **POISON**

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY  
AND PRACTICAL TREATMENT STATEMENTS

**KILOGRAMS                      POUNDS**

For use on equipment, walls, ceilings and floors with foam  
Fast cleaning—quick rinsing  
Ideal for cleaning hooks and trolleys by continuous or batch  
methods  
Sanitizes as it cleans

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner  
inconsistent with its labeling. Before using this product, food products  
and packaging materials must be removed from the room or carefully  
protected.  
FOR GENERAL CLEANING WITH FOAM use 4 to 5 pounds META TEC  
2C per 50 gallons of water. Fill drum 1/2 full of cold water. Add META  
TEC 2C and dissolve. Fill drum with hot water. When nearly full add 1  
to 2 quarts of LIQUIK 2 NU BLU and blend until uniform. The foam  
keeps the caustic from "flying", thereby helping protect the operator.  
Apply to dirty areas after "roughing down" to remove meat scraps.  
Rinse thoroughly with potable water after cleaning.  
FOR DIPPING TROLLEYS use 10-12 ounces of META TEC 2C per  
gallon of water. Maintain proper concentration with a BIRKO TEST KIT  
Allow trolleys to remain in solution until grease, fat and rust are gone  
Rinse with potable water before oiling.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open  
dumping is prohibited. Do not reuse empty container. Pesticide  
Disposal—Pesticide, spray mixture, or residue that cannot be used, or  
chemically reprocessed must be disposed of according to approved  
Federal, state, or local procedures under the Resource Conservation  
and Recovery Act. Container Disposal—Completely empty liner by  
shaking and tapping sides and bottom to loosen clinging particles. Empty  
residue into application equipment. Then dispose of liner in a sanitary  
landfill or by incineration if allowed by state and local authorities. If  
drum cannot be reused, dispose of in the same manner. Keep dry.  
Keep container closed when not in use.

SODIUM HYDROXIDE, GRANULAR  
MIXTURE/CORROSIVE MATERIAL UN 1823.

**BIRKO CORPORATION, P.O. BOX 530, WESTMINSTER, COLORADO 80030 U.S.A.**