Authorized for use under USDA Meat. Poultry, Rabbit and Egg Products Inspection Programs.

#### E.P.A. Registration No. 10147-34

ACTIVE INGREDIENTS

Trisodium phosphate, dodecahydrate 90.83% 3.22% Sodium hypochlorite INERT INGREDIENTS 5.95%

TOTAL 100.00%

10147-34

#### DANGER, HANDLE WITH CARE

Harmful or fatal if swallowed.

Use rubber gloves, protective goggles and protective clothing.

Do not get on skin or in eyes.

Causes severe skin burns or damage to the eyes.

Flush skin areas thoroughly with water.

Flush eyes with water for 15 minutes.

Wash eyes with boric acid solution.

See eye doctor immediately.

FIRST AID: Drink large quantities of water or milk. Follow with milk of magnesia, vegetable oil or beaten eggs. Call a physician at once.

AVOID CONTAMINATION OF FOOD.

USE AS DIRECTED.

KEEP DRY.

KEEP CONTAINER CLOSED

WHEN NOT IN USE.

DO NOT REUSE CONTAINER.

DESTROY WHEN EMPTY.

### BIRKO CHEMICAL Corporation DENVER, COLORADO

## CHLORINATED CLEANSER ACCEPTED AND SANITIZER

DANGER: KEEP OUT OF REACH OF CHILDREN

NOT FOR USE OR STORAGE AROUND THE HOME ENVIRONMENT

SEE LEFT SIDE OF LABEL FOR ADDITIONAL DANGERS AND FIRST AID STATEMENT

**POUNDS** 

#### FOR SH

#### DIRECTI

- A-1. To clean, gallons o
  - 2. After cle- $1\frac{1}{4}$  poun Check co
- B-1. Wash egg
  - 2. Do not try
  - 3. Water wit million sho
  - 4. Do not im 5 minutes.
  - 5. Do not reu a continuo
  - 6. Wash wate
  - 7. Maintain v 40° F warr
  - 8. After clea as recomr
  - 9. Eggs shou breaking.

ry, Rabbit and

47-34

90.83% 3.22%

5.95%

100.00%

CARE

goggles


to the eyes. Iter.

of water or vegetable oil once.

ACCEPTED 10147-34 MAR 20 1975

UNIDER THE FIGURAL INSECTICIDE FUNCICIDE AND RODENTICIDE ACT ECONOMIC POISON REGISTRE-ED UNDER NO.

NER.



# EGG BIAS H CHLORINGED BLEANSER AND BINISER

DANGER: KEEP OUT OF REACH OF CHILDREN

NOT FOR USE OR STORAGE AROUND THE HOME ENVIRONMENT

.

SEE LEFT SIDE OF LABEL FOR ADDITIONAL DANGERS AND FIRST AID STATEMENT

**POUNDS** 

#### FOR SHELL-EGG CLEANING

#### **DIRECTIONS**

- A—1. To clean, use 4 pounds of EGG WASH per 50 gallons of water.
  - 2. After cleaning, apply as a sanitizing solution, 11/4 pounds EGG WASH per 50 gallons of water. Check concentration with chlorine test kit.
- B-1. Wash eggs promptly after gathering.
  - 2. Do not try to clean excessively dirty eggs.
  - 3. Water with an iron content in excess of 2 parts per million should not be used.
  - 4. Do not immerse eggs in wash water for more than 5 minutes.
  - 5. Do not reuse wash water except when used in a continuous type washer.
  - 6. Wash water temperature to be at least 90° F. or higher.
  - 7. Maintain wash water at a temperature 20° F to 40° F warmer than the eggs.
  - 8. After cleaning treatment, spray rinse and sanitize as recommended in A-2 above.
  - 9. Eggs should be reasonably dry before casing or breaking.