

Authorized by USDA for use in Federally Inspected meat and poultry plants.

**GENERAL PURPOSE CLEANER—
SANITIZER**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

DANGER—CORROSIVE

Use rubber gloves, protective goggles and protective clothing. Causes severe skin and eye damage. Do not get on skin or in eyes. Harmful or fatal if swallowed. Avoid inhalation of fumes.

STATEMENT OF PRACTICAL TREATMENT

If on skin, wash with plenty of soap and water. Get medical attention. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk or water. Do NOT give vinegar or other acids or soda pop. Avoid alcohol. Do NOT induce vomiting. Get prompt medical attention.

NOTE TO PHYSICIAN

Eye and skin damage may contraindicate the use of gastric lavage. Measures against circulatory depression and convulsion may be needed.

ACCEPTED

JUN 08 1983

Under the Federal Insecticide, Fungicide, and Rodenticide Act, recommended for the pesticide registered under EPA Reg. No. 10147-37



BITEC® 55H

ACTIVE INGREDIENTS	
Sodium metasilicate anhydrous	2.40%
Tetrasodium ethylenediamine tetracetate	0.38
n-Alkyl (C ₁₂ -C ₁₈) 30% C ₁₂ -5% C ₁₄ -5% C ₁₆ dimethyl benzyl ammonium chloride	0.80
n-Alkyl (C ₁₂ -C ₁₈) 22% C ₁₂ dimethyl ethyl benzyl ammonium chloride	0.80
INERT INGREDIENTS	95.62
Total	100.00%

Made in U.S.A.

KEEP OUT OF REACH OF CHILDREN

NOT FOR USE OR STORAGE AROUND THE HOME ENVIRONMENT

DANGER

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY AND PRACTICAL TREATMENT STATEMENTS

GALLONS

LITERS

**ESPECIALLY DESIGNED FOR
CLEANING—SANITIZING**

- INSIDE OF TRAILERS
- SAUSAGE GRINDERS
- FOOD PROCESSING EQUIPMENT
- DAIRIES

**HARMLESS TO GALVANIZED METAL
EXCELLENT FOR STAINLESS STEEL**

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Be sure that the container and packaging materials must be properly protected.

FOR CLEANING AND SANITIZING SURFACES, dilute 1.75 gallons BITEC 55H per 100 gallons of water (ppm quarters). Apply hot (140-160°F) applied by high pressure foam (generator) by mop or by hand. Always rinse with potable water. Make sure when solution becomes diluted.

STORAGE AND DISPOSAL

Do not contaminate water. Food and feed storage areas. Dumping is prohibited. Do not use in confined spaces. Disposal—Pesticide, spray, must be chemically reprocessed must meet Federal, state, or local provisions and Recovery Act. Containers must be recycled or disposed in a sanitary landfill, or by other means. Keep dry. Keep container closed.

BIRKO CORPORATION, P.O. BOX 530, WESTMINSTER, COLORADO 80030 U.S.A.

ACCEPT

JUN 08 1983

for the Federal Insecticide, and Rodenticide Act, amended, for the pesticide listed under Reg. No. 10147-37



BITEC® 55H

ACTIVE INGREDIENTS	
Sodium metasilicate anhydrous	2.40%
Tetrasodium ethylenediamine tetraacetate	0.38
n-Alkyl (60% C ₁₂ , 30% C ₁₄ , 5% C ₁₆ , 5% C ₁₈) dimethyl benzyl ammonium chloride	0.80
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethyl benzyl ammonium chloride	0.80
INERT INGREDIENTS	95.62
Total	100.00%

Made in U.S.A.

KEEP OUT OF REACH OF CHILDREN

NOT FOR USE OR STORAGE AROUND THE HOME ENVIRONMENT

DANGER

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY AND PRACTICAL TREATMENT STATEMENTS

GALLONS

LITERS

ESPECIALLY DESIGNED FOR CLEANING—SANITIZING

- INSIDE OF TRAILERS
- SAUSAGE GRINDERS AND MIXERS
- FOOD PROCESSING EQUIPMENT
- DAIRIES

HARMLESS TO GALVANIZE/ EXCELLENT FOR STEAM CLEANING

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Before using this product, the equipment and packaging materials must be removed from the area and are protected.

FOR CLEANING AND SANITIZING FORBID and SEMI-POROUS SURFACES, dilute 1.75 gallons BITEC® 55H with 50 gallons of water (ppm quarternaries). Apply hot after roughing down. BITEC® 55H may be applied by high pressure foam (by adding LIQUID FROTH BLOWER generator) by mop or by hand. Allow to work for 10 minutes, then rinsing with potable water. Make new solution for each application when solution becomes diluted or soiled.

STORAGE AND DISPOSAL

Do not contaminate water. Do not dump. Dumping is prohibited. Do not reuse empty containers. Disposal—Pesticide, solid waste or incinerate that is not chemically reprocessed in the 150 days period of availability. Federal, state, or local provisions under the Resource Conservation and Recovery Act. Containers disposal—Transfer to a licensed facility. Then offer for recycling or reuse, or dispose of in a sanitary landfill or other approved state or local facility. Keep dry. Keep containers closed.

BIRKO CORPORATION, P.O. BOX 530, WESTMINSTER, COLORADO 80030 U.S.A.