

SUPER FOOD PLANT FOGGING INSECTICIDE #4003

DIRECTIONS

The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

Do not remain in treated areas. Ventilate the area after treatment is completed.

To kill exposed stages of flies, fruit flies, gnats, mosquitoes, skipper flies, wasps, hornets, Angoumois grain moths, Mediterranean flour moths, Indian Meal moths and tobacco moths. Close windows and doors and shut off ventilating systems. Apply with a good machine adjusted to deliver a fine mist or fog to all parts of the room particularly toward the ceiling, so as to fill the room with the mist. Apply at the rate of 1 ounce per 1000 cubic feet of space. Keep the area closed for 10-15 minutes. Fallen insects are to be swept up and destroyed. REPEAT TREATMENT AS NECESSARY.

In other than Office Meat and Poultry Establishments a combination of spot surface treatment and fogging is recommended.

SURFACE SPRAYING

To kill exposed stages of roaches, ants, silverfish, spiders, crickets, clover mites, cheese mites, granary weevils, rice weevils, confused flour beetles, rust red flour beetles, saw-toothed grain beetles, spider beetles, cigarette beetles, Drugstore beetles, meal worms, grain mites, and caddis. Use a good sprayer adjusted to deliver a coarse wet spray. Direct the spray into hiding places, cracks and crevices, under pallets, around containers of stored foods, around the base of machinery, behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry. If surface application only is to be used, spray floors, walls, and other surfaces applying at a rate of 1 gallon to 750 square feet of surface. Contact as many insects as possible. Repeat treatment as necessary.

To control carpet beetles. Spray edges of carpeting and under carpeting and rugs. Make localized application to and baseboards. Spray directly into cracks, closets and infested areas of shelving. Repeat treatment as needed.

To control bedbugs. Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, mouldings, and floors. Repeat treatment as needed.

To control fleas and brown dog ticks. Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, mouldings, window and door frames, and localized areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment as needed.

To control clothes moths. Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus, and other storages, directing the spray into cracks, joints, and crevices. After airing, infested articles may be treated lightly keeping nozzle at least three feet from fabric to avoid staining. Repeat when necessary.

Any infested stored food products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

Effective Fast Acting Insecticide

Apply with Equipment Designed and Adjusted to Deliver a True Aerosol Mist

A Concentrated Insecticide

ACTIVE INGREDIENTS

Pyrethrins	100%
*Piperonyl Butoxide Technical	0.5%
Petroleum Distillate	5.0%
	94.5%

*Equivalent to 4.0% (butylcarbitol) (6-propylpiperonyl) ether and to 1.0% of related compounds.

Remove pets, birds and cover fish aquaria before spraying.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as directed on the label.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

**EPA REG. NO. 10148-11
EPA EST. NO. 10148-NY-1**

CAUTION

KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. Avoid contamination of feed and foodstuffs.

NET CONTENTS U. S. GALLON(S)

**ONLY TRAINED PERSONNEL PERMITTED
TO USE THIS PRODUCT**

Do not breathe spray mist. Wear mask or respirator of the type recommended by the U.S. Bureau of Mines. Wash hands, arms and face with soap and water after handling and before eating and smoking. Wash all contaminated clothing with soap and hot water before reuse.

Manufactured By:

**Nationwide Chemical Co., Inc.
56 North First Street
Brooklyn, New York 11211**

