CAUTION

PHENOL

RAPIDLY ABSORBED THROUGH SKIN.

CAUSES SEVERE BURNS.

DO NOT GET IN EYES, ON SKIN, OF ON CLOTHING.

AVOID BREATHING DUST OR VAPOR.

WHEN HEATED TO DECOMPOSITION, HIGHLY TOXIC VAPORS ARE FMITTED.

DO NOT TAKE INTERNALLY.

NOT FOR USE AS A DISINFECTANT WITH FOOD SERVICE ITEMS.

IN CASE OF CONTACT, IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING, INCLUDING SHOES AND FLUSH SKIN OR EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES, FOR EYES, GET MEDICAL ATTENTION AFTER FLUSHING.

WASH CLOTHING BEFORE RE-USE.

ANTIDOTES:

IF ACCIDENTALLY SWALLOWED, IDMINISTER MILK OR RAW EGG AN GIVE LARGE AMOUNTS OF WATER THEN CAUSE VIDMITING BY INSERTING FINGER OWN THE SEPORT TO MEDICAL OFFICER AT ONCE.

DIRECTIONS:

- 1. FOR HOUSEKEERING DISINFELTAND DISCOUNT CONTINUES OF ONE POUCH IN A SCRUB DICKET AND ADDITION OF USE OF WITER, PLODORTICNATELY LESS FOR SMALLEL AMOUNTS OF WARE, RELEMBLY, USE WITHOUT SOAP AS A RINSE FOR BEST DISINFECTION.
- 2. FOR FIELD LATRINE BYCKETS DISSOLVE CONTENTS OF ONE POUCH IN TWO QUARTS OF WARE. LETER DISINFECTANT HAS THOROUGHLY DISSOLVED, POUR ONE QUART OF RESULTING SOLUTION INTO MICH LATRING MICKET. (14-QUART CAPACITY). EMPTY EXCHANGED WHEN IT BECOMES HALF FULL.

 3. MAKE FREST SOLUTIONS FOR EACH USE.

STORAGE:

STORE IN A COOL, DRY AND VENTILATED SPACE.

GERMICIDAL AND FUNGICIDAL CONCENTRATE

(PHENOLIC DRY-TYPE)

For disinfecting latrine buckets and their contents, urinals, toilet bowls and in every day housekeeping for floors, walls, sinks, shower stalls, subage cans and garbage can platforms and for regelling lies assiciated with these areas.

CAUTION SEE REVERSE SIDE

INGRIDIENTS

PERCENT BY WEIGH

CODIUM 4 CALONO SPHENY LPHINOLATI

DDIAM ORTHO PHENTLPHENOLATE

ODIUM 6-CHI DRO LPHAN LOWENOLATE

NOC. HOCK (ANHYDROVS BYSIS)

200

17

NET WEIGHT 1 OUNCE

U.S.D.A. Reg. No.

DOMCO PROPERTIES, INC., JAMAICA, N.Y. 11433

Date of Pack

Lot No.

いては悪くの一声につの、そのこと