

EXTREMELY FLAMMABLE

ETHYLENE
is Extremely Flammable
when Mixed With Air and
Will Explode if Ignited.

Active Ingredient
Ethylene 100% by Weight

Flammable in air
between 2.7% to 36% by volume.

RECOMMENDED DOSAGE: To be used in air in a tightly enclosed treatment room. Do not degreen until time to ready the fruit for market.

Mature Fruit	PPM	Temp.	RH	Use	Time of Exposure
BANANA	1000	65-70°F	90%	To initiate degreening and ripening	3-4 Days
CITRUS:	1000	(1) 80-90°F	90%	To initiate degreening. Use adequate ventilation before each application	2½-5 Days
Grapefruit					
Orange (1)					
Lemon (2)	(2)	80°F	80%		Apply 2x a day
Tangerines		70°F			
MELONS:	1000	65°F	80%	To initiate degreening.	3-4 Days
Honeydew					
PEARS:	1000	65°F		To initiate degreening and ripening. Use adequate ventilation before each application.	4-8 Days
Bartlett,					Apply 2x a day
Bosc					
PERSIMMON	1000	65°F	80%	To initiate degreening. To remove astringency and to soften	2 Days
PINEAPPLE	1000	65°F	40%	To initiate degreening	3-4 Days
TOMATOES	1000	65-75°F	85-95%	To initiate degreening and ripening	6 Days Observe Daily
WALNUTS	1000	70-80°F	Low	To loosen hulls thoroughly ventilate before each application	2½-3½ Days Apply 2x a day
PINEAPPLE PLANT	2.5 lb./acre			To induce flowering	When plant is mature.

Apply as pressure spray using 500-800 gallons water/acre vegetative growth. Use of china clay, bentonite or other suitable absorbent in suspension in the water is recommended.

EXTREMELY FLAMMABLE

Keep this cylinder away from heat, flame and fires and spark producing devices. **STORE IN WELL VENTILATED COOL PLACE.**

The Contents of this Cylinder
must be Used in Accordance with
the Directions in This Booklet

APPROXIMATE PRESSURE WHEN FULL
1200 PSIG AT 70°F.

L2541

DIRECTIONS **FOR USE OF** **ETHYLENE GAS**

See Back Cover and Inside



UNION CARBIDE CORPORATION
LINDE DIVISION

270 PARK AVENUE, NEW YORK, N. Y. 10017

Handwritten signature or initials.