

RESTRICTED USE PESTICIDE
 FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED
 APPLICATORS OR PERSONS UNDER THEIR DIRECT
 SUPERVISION AND ONLY FOR THOSE USES COVERED
 BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

STOP - READ LABEL BEFORE USING
Keep Out of Reach of Children

POISON
 Not for
 Home Use



**DANGER
 PELIGRO**

PRECAUCION AL USUARIO: Si usted no entiende los símbolos, no use este producto hasta que la etiqueta haya sido explicada ampliamente.

SEE SIDE PANELS for Additional Precautionary Statements.

PROKIL Methyl Parathion 4

Active Ingredients	By Wt.
D,O dimethyl O-p-nitrophenyl phosphorothioate	43.54%
Related Compounds	2.29%
Inert Ingredients	54.17%
Total	100.00%
Contains 4 lbs. Methyl Parathion per gallon.	

STATEMENT OF PRACTICAL TREATMENT

- Call a physician or Poison Control Center immediately. Explain that the victim has been exposed to Parathion and describe his condition.
- IF SWALLOWED**—Drink 1 or 2 glasses of water and induce vomiting by sticking back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.
- IF IN EYES**—Flush eyes immediately with plenty of clear water for at least 15 minutes. Get medical attention.
- IF ON SKIN**—Remove contaminated clothing and shoes and wash skin immediately with soap and water.
- IF INHALED**—Remove victim to fresh air. Apply artificial respiration if needed. Get medical attention.

NET CONTENTS 5 GALLONS

Fowar Company

AGRICULTURAL CHEMICALS

12300 E. County Rd. Grand
 P.O. Box 5436
 Yuma, AZ 85404
 (602) 783-7944

Reg. No. 10163-2, AA
 Est. No. 10163-AZ



DANGER — POISON — PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, shrimp, crabs, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

THIS PRODUCT IS HIGHLY TOXIC TO BEES exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame. Keep container closed. Do not heat this material above 131°F (55°C). Store at temperature above 65°F (18.3°C) to avoid crystallization.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Do not enter treated areas for 48 hours unless appropriate protective clothing is worn. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warn-

ings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written and oral warnings must include the following information: DANGER—Area treated with Methyl Parathion on (date of application). Do not enter without appropriate protective clothing for 48 hours. In case of accidental exposure, follow instructions under Statement of Practical Treatment section.


STORAGE AND DISPOSAL

DO NOT use or store near heat or open flame. Keep container closed. Do not heat this material above 131°F (55°C). Store at temperature above 65°F (18.3°C) to avoid crystallization.

DO NOT CONTAMINATE water, food or feed by storage or disposal. PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

CROP USE DIRECTIONS

Use only according to instructions on back panel.



NOTICE ON CONDITIONS OF SALE

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

rev:app 7-27-84

METHYL PARATHION MIXTURE, LIQUID, POISON B, NA 2783

Reg # 10163-2 p 2 of 2

PROKIL METHYL PARATHION 4

— DIRECTIONS FOR USE —

PROKIL METHYL PARATHION 4 is an emulsible solution containing 4-lbs. methyl parathion per gallon, for use in the control of certain insects and mites as specified. This product is for use only by thoroughly trained operators familiar with the handling of hazardous insecticides and is to be applied only by power sprayers or by aircraft. When applied use sufficient water for good coverage: By Aircraft 5-10 gallons per acre, and by ground equipment 20 or more gallons per acre.

READ ENTIRE LABEL. Use strictly in accordance with dangers and directions, and with applicable State and Federal regulations. Timing and dosage vary greatly between districts, as a consequence of local weather or conditions. Always follow the recommendations of State Agricultural Service concerning specific usage.

ALFALFA: Spotted alfalfa aphid—Apply ¾-pint per acre in sufficient water for good coverage. DO NOT apply within 15 days of cutting or pasturing.

SEED ALFALFA: Lygus bugs—Apply 1½ to 2½ pints per acre in sufficient water for good coverage. DO NOT apply within 20 days of harvest.

BEETS: Armyworms (up to 3rd instar), Leafhoppers, Red spider mites—Apply 1 to 2 pints per acre in sufficient water to cover. DO NOT apply within 15 days of harvest or within 21 days if tops are to be used for feed or food.

BROCCOLI, BRUSSEL SPROUTS, CABBAGE: Aphids, Armyworms (up to 3rd instar), Fleabeetles, Thrips, Red spider mites—Apply 2 to 3 pints per acre in sufficient water to cover. DO NOT apply within 21 days of harvest.

SUGAR BEETS: Armyworms (up to 3rd instar), Fleabeetles, Red spider mites, Leafhoppers—Apply ½-pint per acre in sufficient water to cover. DO NOT apply within 20 days of harvest or within 60 days if tops are to be fed to livestock.

COTTON: Stink bugs, Lygus bugs, Red spider mites—Apply 1 to 2 pints per acre in sufficient water to cover. DO NOT apply within 15 days of harvest. Workers entering treated fields within 48 hours after applications should wear protective clothing.

CARROTS: Aphids—Apply 1 to 2 pints per acre in sufficient water to cover. DO NOT apply within 15 days of harvest or use treated tops for food or forage.

CELERY, PEAS, PEPPERS, LETTUCE, SPINACH: Aphids, Armyworms (up to 3rd instar), Fleabeetles, Leafhoppers, Red Spider mites—Apply 1 to 2 pints per acre in sufficient water to cover. DO NOT apply to Celery, Peas or Peppers within 15 days of harvest. DO NOT apply to Lettuce or Spinach within 21 days of harvest.

TOMATOES: Aphids, Armyworms (up to 3rd instar), Fleabeetles—Apply 1 to 3 pints. DO NOT apply within 10 days of harvest when applying 1 pint. DO NOT apply within 15 days of harvest when applying more than 1 pint per acre.

PROKIL METHYL PARATHION 4 IS COMPATIBLE WITH THE FOLLOWING: Pyrethrum, Oils, Dinitros, Methoxychlor, Perthane, Toxaphene, Tedion, Thiodan, Kelthane, Chlorobenzilate, Malathion, Guthion, Phosdrin, Dibrom, Bidrin, Phosphamidon, Vopona, Cygon, Dylax, Trithion, Sevin, Diazinon, Delnav, Parathion

NOTICE ON CONDITIONS OF SALE

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

Gowan Company

AGRICULTURAL CHEMICALS

P.O. Box 5696
YUMA, ARIZONA 85364
rev/prop 7-27-84

EPA Reg. No. 10163-2 AA
EPA Est. No. 10163-AZ-1

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER—POISON

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.



POISON SIGNS (Symptoms)



Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the Mining Enforcement and Safety Administration for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. (See STATEMENT OF PRACTICAL TREATMENT Section)

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

NOTE Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

1. The registrant shall submit to the Agency, in accordance with FIFRA sec. 6(a)(2), all data necessary to support the registration of the product that will be marketed under FIFRA sec. 6(a)(2) when the Agency determines all requirements of the Act are met. The registrant shall submit such data:

1. For the registration of the product for use as a pesticide under FIFRA sec. 6(a)(2) when the Agency determines all requirements of the Act are met. The registrant shall submit such data:

1. Make the labeling changes listed below before you release the product for shipment:

a. Add the phrase "EPA Registration No. 11715-152."

b. On the front panel of your label delete the claim for control of "mites." Efficacy data must be submitted to support this claim.

2. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

6/12/82

A stamped copy of the label is enclosed for your records.

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD/IRB:JOB:92937:Ellenberger:RD:85/34:Kendrick&Co:898-1270:6/7/85:Del:6/18/85:DKD

FRONT PANEL

ACCEPTED
with COMMENTS
in EPA Letter Dated:

PET GUARD

JUN 12 1985

FLEA AND TICK SPRAY
FOR DOGS & CATS
KILLS

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

FLEAS-TICKS-LICE-MITES

11715-152

REPELS
FLIES, GNATS, MOSQUITOES

ACTIVE INGREDIENTS:

Pyrethrins-----	0.075%
*Piperonyl Butoxide, Technical-----	0.100%
¹ N-Octyl Bicycloheptene Dicarboximide-----	0.167%
**2,3,4,5-Bis(2-butylene) tetrahydro-2- furaldehyde-----	0.240%
***Carbaryl (1-naphthyl N-methylcarbamate-----	0.500%

INERT INGREDIENTS-----	98.918%
*Equivalent to .080% (butylcarbity) (6-propylpiperonyl) Ether and .020% other related compounds	
¹ MGK 264, Insecticide Synergist	
**MGK Repellent 11, U.S. Pat. No. 2,610,116	
***Sevin, U.S. Pat. No. 2,903,478	

KEEP OUT OF REACH OF CHILDREN

CAUTION

Harmful if swallowed or inhaled. Avoid contact with skin.

See rear panel for additional precautions.

MANUFACTURED BY

WALTHAM, MASSACHUSETTS

REGISTERED UNDER EPA REG. NO.

11715-152

PET GUARD
FLEA & TICK SPRAY
FOR DOGS & CATS

KILLS FLEAS, TICKS, LICE & MITES...FAST

This residual Flea and Tick Spray has been scientifically formulated to kill the fleas whose biting not only causes your pet to scratch and bite, but can even lead to an allergic reaction. Repels mosquitoes, flies, gnats, too! but should not be used exclusively as a repellent.

PRECAUTIONARY STATEMENTS
HAZARDS OF HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or inhaled. Avoid contact with skin or inhalation of spray mist. Wash thoroughly immediately after use. Avoid contamination of feed foodstuffs or utensils. Do not spray into pet's eyes, face, genital areas or open wounds.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in cool area away from heat or open flame.
Disposal: Replace cap and discard container in trash. Do not incinerate or puncture.

To control fleas, ticks and lice: Remove protective cap. Hold can upright. Start spraying at tail, moving spray rapidly and making sure entire pet's body is covered, including the legs and under portions of the body. Kettle hair while spraying, but spray only until tips of hair are moist. Spray directly on ticks. Repeat spraying as necessary but not more than once every seven days. Use in pet's sleeping area or bedding, walls and floor to control reinfestation.

Spraying a cat 20 to 30 seconds or an average dog 30 to 45 seconds usually sufficient.

Do not treat or cause exposure to kittens or puppies under four weeks of age. Do not use on pregnant dogs.

BACK PANEL (CONTINUED)

Flies, Gnats and Mosquitoes: This product repels flies, gnats and mosquitoes but should not be used as a repellent. Do not spray your animal more than once every seven days.

FLEAS & BROWN DOG TICKS (INDOORS): Apply to infested areas such as pet bedding and resting quarters, floor covering, around baseboards, door frames, and wall cracks. Spray surface until wet. Old, soiled pet bedding should be replaced with clean fresh bedding after sprayed bedding has been allowed to dry.

FLEAS & BROWN DOG TICKS IN DOG HOUSES AND KENNELS: Remove or destroy old pet bedding. Spray interior of dog houses, sills and ledges and runways.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

