



DIRECTIONS FOR USE

PROKIL DINITRO PLUS, when used with the proper amount of water will kill most of the common weeds and grasses. It is a contact herbicide and should be applied to wet or damp weeds. It is not a systemic herbicide. The weeds should be sprayed with the herbicide solution. The weeds should be sprayed with the herbicide solution. The weeds should be sprayed with the herbicide solution. The weeds should be sprayed with the herbicide solution.

NOTE: Do not use on lawns or other areas where children play. Do not use on crops or other plants that are sensitive to herbicides.

MIXING INSTRUCTIONS: Mix 3 1/2 pints of PROKIL DINITRO PLUS with 100 gallons of water. Aeration may be required. Do not use on lawns or other areas where children play.

GENERAL WEED CONTROL: For control of weeds and grasses in lawns, roadsides, and other areas. Apply to wet or damp weeds. Do not use on lawns or other areas where children play.

ORCHARD FLOORS: ALMONDS, APPLES, APRICOTS, CHERRIES, CITRUS, DATES, FILBERTS, PEACHES, PEARS, PECANS, PLUMS, PRUNES, WALNUTS. Use 3 to 4 1/2 pints of PROKIL DINITRO PLUS per acre. Do not use on lawns or other areas where children play.

WEED CONTROL IN GRAPES AND BUSH FRUITS: Apply to wet or damp weeds. Do not use on lawns or other areas where children play.

PROKIL DINITRO PLUS

A CONTACT WEED KILLER

WITH ADDED SURFACANT — CONTAINS NITRATED PHENOLS

ACTIVE INGREDIENTS

4,6-Dinitro-2-naphthol
INERT INGREDIENTS

TOTAL

DANGER - POISON

KEEP OUT OF REACH OF CHILDREN

NOT FOR USE OR STORAGE IN OR AROUND THE HOME ENVIRONMENT

SEE ANTI-DOTE STATEMENT AND OTHER REQUIRED WARNING

STATEMENTS ON BACK PANEL

CALIFORNIA (Plant)
P. O. Box 406
340 East Main St.
Telephone: 348-5150
Calipatria, Calif. 92233

The Dune Company

AGRICULTURAL CHEMICALS

ARIZONA
Rt. 1, Box 33
Telephone: 627-479
Somerton, Ariz. 85350

WEED CONTROL IN ALFALEA: Established stands, dormant seed.

POTATO VINE KILLING (Seed and table stock) HIGH VOLUME MEDIUM VOLUME SPRAYERS

LOW VOLUME SPRAYERS:

PROKIL DINITRO PLUS

A CONTACT WEED KILLER

WITH ADDED SURFACANT — CONTAINS NITRATED PHENOLS

NET WEIGHT 5.0 LBS. (2.27 kg)
GROSS WEIGHT 5.5 LBS. (2.49 kg)
TYPICAL APPLICATION RATES
FOR WEED CONTROL IN ALFALFA AND CROPS
SEE LABEL FOR DIRECTIONS

DANGER - POISON

KEEP OUT OF REACH OF CHILDREN

NOT FOR USE OR STORAGE IN OR AROUND THE HOME ENVIRONMENT
SEE ANTIDOTE STATEMENT AND OTHER REQUIRED WARNING
STATEMENTS ON BACK PANEL

The Dune Company ARIZONA
405 Rt. 1, Box 33
Main St. AGRICULTURAL CHEMICALS Telephone: 627-4474
: 348-5150 Somerton, Ariz. 85350
Calif. 92233

WEED CONTROL IN ALFALFA: Established stands, dormant season:
Apply 1/2 to 1 gallon per acre (1.1 to 2.2 L/ha) of this product in a
uniform spray. Repeat applications may be necessary. Do not apply
to alfalfa in bloom or to alfalfa in pastures where horses or
other animals are grazing.

POTATO VINE KILLING (Seed and table stock) HIGH VOLUME SPRAYS:
Apply 1 to 2 gallons per acre (2.2 to 4.5 L/ha) of this product in a
uniform spray. Repeat applications may be necessary. Do not apply
to potato vines in bloom or to potato vines in pastures where
horses or other animals are grazing.

MEDIUM VOLUME SPRAYERS:
Apply 1/2 to 1 gallon per acre (1.1 to 2.2 L/ha) of this product in a
uniform spray. Repeat applications may be necessary. Do not apply
to potato vines in bloom or to potato vines in pastures where
horses or other animals are grazing.

LOW VOLUME SPRAYERS:
Apply 1/4 to 1/2 gallon per acre (0.55 to 1.1 L/ha) of this product in a
uniform spray. Repeat applications may be necessary. Do not apply
to potato vines in bloom or to potato vines in pastures where
horses or other animals are grazing.

DANGER

POISONOUS IF SWALLOWED OR ABSORBED THROUGH SKIN. DO NOT BREATHE SPRAY MIST. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING

In case of contact remove clothing and wash thoroughly with soap and water. **FOR EYES:** Flush with water and get medical attention.

KEEP AWAY FROM CHILDREN, DOMESTIC ANIMALS and FOODSTUFFS.

FLAMMABLE LIQUID: Keep away from Heat and Open Flame. Protect from temperature below 15 degrees F.

THIS PRODUCT IS TOXIC TO FISH, WILDLIFE AND BIRDS. Keep out of any body of water. Birds and other wildlife in treated areas may be harmed.

DISPOSE OF WASTES by burying in non-crop land away from water supplies.

Empty one gallon containers are to be smashed or broken and buried with wastes. Empty drums should have holes punched in them and be buried with wastes. **DO NOT RE-USE.**

DO NOT ALLOW THIS MATERIAL TO COME IN CONTACT WITH NEIGHBORING CROPS OR NON-CROP PLANTS OR USE IN A MANNER OR AT A TIME OTHER THAN THAT INDICATED WITH LABEL DIRECTIONS. BECAUSE ANIMAL PLANT, OR OTHER PRODUCTS MAY BE AFFECTED BY THIS UNDESIRABLE RESIDUE MAY REMAIN.

FIRST AID TREATMENT — ANTIDOTE

INTERNAL: If swallowed, do not induce vomiting. If skin gets involved, wash with water. If in eyes, flush with water. **CALL A PHYSICIAN IMMEDIATELY.**

EXTERNAL: If on clothing, remove and follow with a thorough scrubbing. If on skin, wash with soap and water. Flush eyes directly. If in eyes, flush with plenty of water for at least 15 minutes.

SYMPTOMS: An irritant to the respiratory tract. Treat with symptomatic relief.

NOTICE ON CONDITIONS OF SALE

This product is sold as labeled and labeled uses are believed to be safe. The manufacturer is not responsible for the effects of the misuse of this product. The user should follow the directions on the label. The user should be aware of the effects of this product on other crops and animals. The user should be aware of the effects of this product on the environment. The user should be aware of the effects of this product on the health of humans and animals.