

UNDER THE
FUNGICIDE ACT
FOR ECONOMIC
ACTION UNDER NO. 10163-34

PROXIL KELTHANE* 4 DUST

AGRICULTURAL MITICIDE

Active Ingredient	% by Wt.
1,1-bis-(p-chlorophenyl)-2,2,2-trichloroethanol	4
Inert Ingredients	96
	100

CAUTION KEEP OUT OF REACH OF CHILDREN

- HARMFUL IF SWALLOWED
- AVOID BREATHING DUST.
- AVOID CONTACT WITH SKIN
- WASH THOROUGHLY AFTER USING.
- AVOID CONTAMINATION OF FEED AND FOOD.

NET WEIGHT 50 LBS.

USE PRECAUTIONS —

The grower is responsible

DIRECTIONS FOR USE —

Maximum permissible rate

RECOMMENDATIONS— (Also read use precautions & Directions for use)

FRUIT AND NUT CROPS —

APPLES, PEARS:

APRICOTS, CHERRIES, NECTARINES, PEACHES, PLUMS, PRUNES, FIGS:

CALIFORNIA (Plant)

P. O. Box 406
340 East Main Street
Calipatria, Calif. 92232
Telephone: 348-5150

The Dune Company

AGRICULTURAL CHEMICALS

ARIZONA

Route 1, Box 33
Somerton, Arizona 85350

Apply to the undersides of leaves, flowers, and fruit. Apply to the undersides of leaves, flowers, and fruit. Apply to the undersides of leaves, flowers, and fruit.

GRAPES: Apply to the undersides of leaves, flowers, and fruit. Apply to the undersides of leaves, flowers, and fruit.

RASPBERRIES, DEWBERRIES, LOGANBERRIES, BLACKBERRIES, BOYSENBERRIES: Apply to the undersides of leaves, flowers, and fruit. Apply to the undersides of leaves, flowers, and fruit.

STRAWBERRIES: Apply to the undersides of leaves, flowers, and fruit. Apply to the undersides of leaves, flowers, and fruit.

WALNUTS, FILBERTS: Apply to the undersides of leaves, flowers, and fruit. Apply to the undersides of leaves, flowers, and fruit.

VEGETABLE AND FIELD CROPS —

ALFALFA, CLOVER — FOR SEED ONLY (California and Grant and Adams Counties, Washington only): Apply to the undersides of leaves, flowers, and fruit. Apply to the undersides of leaves, flowers, and fruit.

BEANS: Apply to the undersides of leaves, flowers, and fruit. Apply to the undersides of leaves, flowers, and fruit.

CANTALOUFES, CUCUMBERS, MELONS, PUMPKINS, WINTER AND SUMMER SQUASH AND WATERMELONS: Apply to the undersides of leaves, flowers, and fruit. Apply to the undersides of leaves, flowers, and fruit.

COTTON: Apply to the undersides of leaves, flowers, and fruit. Apply to the undersides of leaves, flowers, and fruit.

HOPS: Apply to the undersides of leaves, flowers, and fruit. Apply to the undersides of leaves, flowers, and fruit.

TOMATOES, PEPPERS: Apply to the undersides of leaves, flowers, and fruit. Apply to the undersides of leaves, flowers, and fruit.

BURN EMPTY BAG — KEEP OUT OF SMOKE

NOTICE ON CONDITIONS OF SALE

This product is sold as a general purpose miticide. It is not intended for use on all crops. The user should read the directions and precautions carefully. The user is responsible for the proper use of this product.