

## SUGGESTED USE

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS. TIMING AND DOSAGE MAY VARY AS A CONSEQUENCE OF LOCAL WEATHER OR CONDITIONS; WE RECOMMEND REFERENCE TO AGRICULTURAL EXPERIMENT STATIONS ON SPECIFIC USAGE

In order that pesticidal residues on food and forage crops will not exceed tolerances established by the Federal Food and Drug Administration, use only at recommended rates and intervals, and do not apply closer to harvest than specified. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals or onto adjoining food, fiber or pasture crops. **The grower is responsible** for residues on his crops as well as for damages caused by drift from his property to that of others. Consult state agricultural extension service or state agricultural experiment stations for additional information, as the number, and rate of applications needed will vary with local conditions.

### NOTICE ON CONDITIONS OF SALE

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

12-73 1 1/2 M

E P A Reg. No. 10163-43 AM

# PROKIL MALATHION 4 PERTHANE\* 4

ACTIVE INGREDIENTS	By Wt.
Malathion (O, O diethyl dithiophosphate of diethyl-mecaptosuccinate) .....	42.62%
Diethyl Diphenyl Dichloroethane .....	37.31%
Related Compounds .....	5.09%
Aromatic petroleum derivatives .....	5.97%
INERT INGREDIENTS .....	9.01%
Total .....	100.00%

\*Perthane is a trademark Reg. U.S. Patent Office by Rohm & Haas Company.

Contains 4 lbs. Malathion & 4 lbs. Perthane per gallon

## CAUTION

KEEP OUT OF REACH OF CHILDREN

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

See side panel for additional precautions.


NET CONTENTS \_\_\_\_\_ GALLONS

CALIFORNIA (Plant)  
P.O. Box 458  
340 East Main St.,  
Telephone: 348-2262  
Calipatria, CA 92233

**The Dine Company**

AGRICULTURAL CHEMICALS

ARIZONA  
P.O. Box 5696  
2760 Cty. 15 St.  
Telephone: 344-0040  
Yuma, Ariz.



Harmful  
or  
Avoid  
with  
Wa  
Do not  
NOTE  
use m  
2 PA  
AVOID  
Do  
or fee  
making  
Keep  
Do  
applic  
waste  
any a  
this lo  
This  
ment  
be ob

# THION 4 E\* 4

By Wt.

.....	42.62%
.....	37.31%
.....	5.09%
.....	5.97%
.....	9.01%
.....	100.00%

Patent  
y.

Perthane per

# N

## CHILDREN ROUND THE HOME

Precautions.

GALLONS

# Company

ICALS

**ARIZONA**  
P.O. Box 5696  
2760 Cty. 15 St.  
Telephone 344-0040  
Yuma, Ariz.

## CAUTION

Harmful if swallowed, inhaled or in contact with skin or eyes.

Avoid breathing of spray or spray mist. Avoid contact with skin.

Wash thoroughly after using.

Do not contaminate or store near feed or foodstuffs.

### NOTE TO PHYSICIANS:

use may cause cholinesterase inhibition. Atropine and 2 PAM are antidotal.

### AVOID CONTAMINATION OF FEED AND FOODSTUFFS.

Do not allow product to drift onto adjoining food or feed crops as residues may contaminate these crops making them unfit for sale, feed, or human consumption.

Keep clear of food or dairy animals, and streams.

### HIGHLY TOXIC TO FISH

Do not contaminate any body of water, by direct application, cleaning of equipment, or disposals of wastes and containers. Do not apply this product to any area or to any crop not specifically indicated on this label.

This product is highly toxic to bees exposed to treatment or residues on crops. Protective information may be obtained from your cooperative Agricultural Agent.

## DIRECTIONS

**DO NOT RE-USE EMPTY DRUM. RETURN TO DRUM RECONDITIONER OR DESTROY BY PERFORATING OR CRUSHING AND BURYING IN A SAFE PLACE.**

Prokil Malathion 4 - Perthane 4 is for use only by thoroughly trained operators familiar with the handling of hazardous insecticides and is to be applied only by powered ground sprayers in 6 or more gallons water per acre or by aircraft in 3-10 gallons water per acre.

**BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CAULIFLOWER, KOHLRABI, SPINACH:** Cabbage Looper, Imported Cabbage Worm, Leafhopper: 1 quart per acre. Do not apply within 3 days of harvest on Broccoli, or within 7 days of harvest on Brussels Sprouts, Cabbage, Cauliflower, Kohlrabi or Spinach.

**LETTUCE:** Cabbage Looper, Imported Cabbage Worm, 1-2 quarts per acre. Do not apply within 14 days of harvest on Leaf Lettuce or within 7 days of harvest on Head Lettuce.

**ACCEPTED**  
APR 29 1975  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 10163-43