

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER: Poisonous if inhaled, inhaled or absorbed through skin. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. Rapidly absorbed through skin. Causes eye irritation. Do not get in eyes, on skin or clothing. Wear natural rubber gloves, protective clothing and goggles. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and water before reuse. Do not contaminate food or feed. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL AND CHEMICAL HAZARDS

FLAMMABLE: Keep away from heat, open flame, sparks or hot surfaces. **USE ONLY IN WELL VENTILATED AREA.** Keep container closed. Clean up spills immediately. This product presents a fire hazard. Liquid quickly evaporates and forms vapor (fumes) which can catch fire and burn with explosive violence. Invisible vapor spreads easily and can be set on fire by many sources such as pilot lights, welding equipment and electrical motors and switches. Fire hazard is greater as liquid temperature rises above 75°F.

DO NOT heat this container. Replace cap or bung. Emptied container still contains hazardous or explosive vapor or liquid.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in manner inconsistent with its labeling.

Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by them. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written and oral warnings must include the following information: **DANGER**—Area treated with Phosphamidon 8 Spray on (date of application). Do not enter without appropriate protective clothing until sprays have dried. In case of accidental exposure, follow instructions under Statement of Practical Treatment section.

**RESTRICTED USE PESTICIDE
FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED
APPLICATORS OR PERSONS UNDER THEIR DIRECT
SUPERVISION AND ONLY FOR THOSE USES COVERED
BY THE CERTIFIED APPLICATOR'S CERTIFICATION.**

PHOSPHAMIDON 8 SPRAY

Active Ingredients	75.5%	By Wt.	78%
Phosphamidon	75.5%		
Related Compounds	2.5%		
Inert Ingredients	22%		100%

*2-Chloro-2-diethylcarbamoyl-1-methylvinyl dimethyl phosphite
Contains 8 lbs. Phosphamidon insecticide per gallon. U.S. Patent No. 2,908,605.
Phosphamidon 8 Spray is a liquid systemic insecticide for the control of both sucking and chewing insects. It may be applied as a dilute spray or as a concentrate spray.

KEEP OUT OF REACH OF CHILDREN

**☠ DANGER - POISON ☠
PELIGRO**

PRECAUCION AL USUARIO: Evitar el contacto con los ojos, no use este producto cerca de los alimentos que haya sido expuesto.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED—Call a physician immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person. Have victim lie down and keep quiet.

IF INHALED—Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention.

IF IN EYES—Immediately flush eyes with plenty of clear water for at least 15 minutes. Get medical attention if irritation persists.

IF ON SKIN—Remove contaminated clothing and immediately wash skin with soap and water.

NOTE TO PHYSICIAN: Aroclor is antidotal. 2-PAM is also antidotal and may be administered in conjunction with Aroclor.

DO NOT STORE OR USE AROUND THE HOME

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS

NET CONTENTS GALLONS

GOWAN COMPANY

AGRICULTURAL CHEMICALS

P.O. Box 5888
12300 E. County 8th Street
(802) 763-8844
Yuma, AZ 85384

EPA Reg. No. 10163-45 AA
EPA Est. No. 10163-AZ-1

STORAGE

FLAMMABLE. Keep away from heat. Keep container closed. Store in a cool, dry place. Physical and Chemical Hazards set DO NOT CONTAMINATE water. For PESTICIDE DISPOSAL: Pesticide is disposed of excess pesticide, spray, or oral Law. If these wastes cannot be disposed of, contact your State Pesticide or the Hazardous Waste representative for guidance.

CONTAINER DISPOSAL: Triple rinse or reconditioning, or purchase for other procedures approved by State.

DIRECTIONS

READ ENTIRE LABEL, USE STRICTLY, WARNINGS, AND DIRECTIONS, AND AERIAL REGULATIONS. REFER TO STATEMENT FOR THE TILING OF APPLICATIONS.

Do not apply under conditions involving plantings that might be damaged or in use or contemplation.

Do not use on Maple Trees, Peaches, Plum. Avoid drift to these.

USE DESIGNATED AMOUNT OF PUMP WATER PER ACRE UNLESS OTHERWISE SPECIFIED.

GROUND APPLICATION—Vegetable and Fruit Crops—40 to 800 gals. Citrus to 3,000 gals. (On Young Fruit Planting acre.)

Where Recommended for Air Application—Fruit—7 to 20 gals. Citrus (mature)—1 to 20 gals.

APPLES: EARLY DELAYED BORING—Aphids, European Red Sawfly, San Jose Scale (States) per 100 gals. water as full cover with Sulfur, Captain or Folpet.

PRE-BLOSSOM and POST-BLOSSOM—First Broad Coddling Moth, Leafhoppers, etc.—1/4 pt. per 100 gals. water. Repeat Applications 100 gals. water. Do not use phosphamidon.

BROCCOLI, CAULIFLOWER: Aphids, in water to cover one acre. Apply every 10 to 14 days. Do not apply within 3 days

BEST AVAILABLE COPY