

PROKIL

DIMETHOATE W-25 INSECTICIDE

ACTIVE INGREDIENT:	% By Wt.
Dimethoate O,O-dimethyl-S-(N-(methylcarbamoyl)methyl) phosphorodithioate	25.0%
INERT INGREDIENTS:	75.0%
TOTAL	100.0%

CAUTION

KEEP OUT OF REACH OF CHILDREN

— NOT FOR USE OR STORAGE IN OR AROUND HOME —

HARMFUL if Swallowed, Inhaled or Absorbed through Skin

Avoid Breathing Dust or Spray

Avoid contact with Skin and Eyes

Wash thoroughly after handling

DO NOT contaminate food or feed products

NOTE TO PHYSICIANS: This product upon use may cause cholinesterase inhibition. Atropine is antidotal. Pralidoxime chloride (2-PAM; PROTO-PAM chloride) may be effective as an adjunct to atropine. Use according to label directions.

This product is TOXIC TO WILDLIFE. Birds feeding on treated area may be killed. Keep out of lakes, streams, or ponds. DO NOT apply where runoff is likely to occur. DO NOT apply when weather conditions favor drift from areas treated. DO NOT contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label.

This product is TOXIC TO BEES. Restrict application to the period after dark when bees are inside the hive or in the early morning before bees are foraging in the field. Protective information may be obtained from your cooperative agricultural extension service.

BAG DISPOSAL: Destroy empty bags by burning. Stay away from smoke and fumes. If burning can not be done safely then render bag unusable and deliver it to an approved disposal site.

Gowan Company

AGRICULTURAL CHEMICALS

12300 E. 8th Street

P.O. Box 5896

Yuma, Arizona 85364

Phone: 763-8844

E.P.A. Reg. No. 10163-55 AA
E.P.A. Est. No. 10163-AZ-1

— DIRECTIONS FOR USE —

Required clothing and equipment for application:
All applicators, including homeowners, flaggers, and all personnel involved with the mixing, loading and transferring operations must wear the protective clothing and equipment enumerated below. Pilots are exempt from this requirement. The protective clothing and equipment to be worn is as follows:

- Impermeable gloves (rubber or plastic covered reinforced)
- Boots or boot covers
- long sleeve shirt and long pants
- wide brimmed hats
- Respirators must be worn by flaggers and mixer/loaders

AERIAL APPLICATION:

Automatic flagging devices should be used whenever feasible.

If human flaggers are employed, they must wear the protective clothing and respirator specified on this label.

Do Not use this product for any uses other than those specified on this label.

Repeat applications as necessary. Do Not apply when weather conditions favor drifts of spray from areas treated. Consult state experimental station or state extension service for proper timing of applications.

APPLY PROKIL DIMETHOATE W-25 INSECTICIDE in sufficient amount of water to provide sufficient coverage. Conventional ground sprayers— Small fruit 20-200 gals. per acre. Small Fruits and Tree Crops (mature) 40-600 gals. per acre. Concentrate sprayers— Small Fruits and Tree Crops (mature)—30-40 gals. per acre.

APPLES, PEARS: Aphids, Leafhoppers, Pear psylla, Mites (except rust mites): Apply 1-2 lbs. per 100 gals. water. Do Not apply within 28 days of harvest. Do not apply during the bloom period. (2-lbs. maximum)

GRAPES: For raisin and wine grapes and table and canning grapes grown in California. To control grape leafhopper and pacific spider mite—apply 6-8 lbs. per acre. DO NOT apply within 28 days of harvest. DO NOT apply to canning or table grapes after berries reach 1/4 inch in diameter.

NOTICE ON CONDITIONS OF SALE

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility including injury or damage, resulting from its misuse as such, or in combination with other materials.

PH 16
 10163-55
 P 10192

PROKIL DIMETHOATE W-25 INSECTICIDE

ACTIVE INGREDIENT:	% By Wt.
Dimethoate O,O-dimethyl-S-(N-(methylcarbamoyl)methyl) phosphorodithioate	25.0%
INERT INGREDIENTS:	75.0%
TOTAL	100.0%

CAUTION

KEEP OUT OF REACH OF CHILDREN

— NOT FOR USE OR STORAGE IN OR AROUND HOME —

HARMFUL if Swallowed, Inhaled or Absorbed through Skin

Avoid Breathing Dust or Spray

Avoid contact with Skin and Eyes

Wash thoroughly after handling

DO NOT contaminate food or feed products

NOTE TO PHYSICIANS: This product upon use may cause cholinesterase inhibition. Atropine is antidotal. Pralidoxime chloride (2-PAM; PROTO-PAM chloride) may be effective as an adjunct to atropine. Use according to label directions.

This product is **TOXIC TO WILDLIFE**. Birds feeding on treated area may be killed. Keep out of lakes, streams, or ponds. **DO NOT** apply where runoff is likely to occur. **DO NOT** apply when weather conditions favor drift from areas treated. **DO NOT** contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label.

This product is **TOXIC TO BEES**. Restrict application to the period after dark when bees are inside the hive or in the early morning before bees are foraging in the field. Protective information may be obtained from your cooperative agricultural extension service.

BAG DISPOSAL: Destroy empty bags by burning. Stay away from smoke and fumes. Burning can not be done safely then render bag unusable and dispose of in an approved disposal site.

Gowan Company
AGRICULTURAL CHEMICALS

12300 E. 8th Street
P.O. Box 5696
Yuma, Arizona 85364
Phone: 783-8844

E.P.A. Reg. No. 10163-55-AA
E.P.A. Est. No. 10163-AZ-1

— DIRECTIONS FOR USE —
Required clothing and equipment for application:
All applicators, including homeowners, flaggers, and all personnel involved with the mixing, loading and transferring operations must wear the protective clothing and equipment enumerated below. Pilots are exempt from this requirement. The protective clothing and equipment to be worn is as follows:

- Impermeable gloves (rubber or plastic covered reinforced)
- Boots or boot covers
- long sleeve shirt and long pants
- wide brimmed hats
- Respirators must be worn by flaggers and mixer/loaders

AERIAL APPLICATION:

Automatic flagging devices should be used whenever feasible.

If human flaggers are employed, they must wear the protective clothing and respirator specified on this label.

Do Not use this product for any uses other than those specified on this label.

Repeat applications as necessary. Do Not apply when weather conditions favor drifts of spray from areas treated. Consult state experimental station or state extension service for proper timing of applications.

APPLY PROKIL DIMETHOATE W-25 INSECTICIDE in sufficient amount of water to provide sufficient coverage. Conventional ground sprayers—Small fruit 20-200 gals. per acre. Tree crops—(mature) 40-600 gals. per acre. Concentrate Ground Sprayers—Small Fruits and Tree Crops (mature)—30-40 gals. per acre.

APPLES, PEARS — Aphids, Leafhoppers, Pear psylla, Mites (except rust mites): Apply 1-2 lbs. per 100 gals. water. Do Not apply within 28 days of harvest. Do not apply during the bloom period. (2-lbs. maximum)

GRAPES: For raisin and wine grapes and table and canning grapes grown in California. To control grape leafhopper and pacific spider mite—apply 6-8 lbs. per acre. **DO NOT** apply within 28 days of harvest. **DO NOT** apply to canning or table grapes after berries reach 1/4 inch in diameter.

NOTICE ON CONDITIONS OF SALE

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility including injury or damage, resulting from its misuse as such, or in combination with other materials.

PH. 2012