10103-55

04/07/2004

.

GOWAN DIMETHOATE W-25

ACTIVE INGREDIENT:	% BY WT.
Dimethoate: (O,O-dimethyl S-[N-(methylcarbamoyl)methyl] phosphorodithioate.	
OTHER INGREDIENTS	<u>75.0%</u>
	TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

·······	This product is an Organophosporous Insecticide that Inhibits Cholinesterase.
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to do swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
lf in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice
if inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth- to-mouth if possible. Call a poison control center or doctor for treatment advice.
NOTI	TO PHYSICIAN: This product may cause cholinesterase inhibition. Atropine in antidotal.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing dust or spray. Avoid contact with <u>skin and eyes</u>. Do not contaminate food or feed products. Not for use or storage in or around the home. A C C E P T E D

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers (other than mixers and loaders) must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks
- Chemical-resistant headgear for overhead exposure
- Mixers and Loaders must wear:
 - Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks
- Chemical-resistant headgear
- For exposures in enclosed areas A respirator with either an organic vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/ NIOSH approval number prefix TC-14G)
- For exposures outdoors Dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21 C)

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.



EPA Reg. No. 10163-55 EPA Est. No. 67545-AZ-1



APR

Registered under

9 2004

Under the Federal Insecticide, Pangicide, and Rodenticide Act,

as amended, for the pesticide

BPA Reg. No. 10163-55

Users should:

USER SAFETY RECOMMENDATIONS

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to wildlife and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

This pesticide is highly toxic to bees exposed to direct treatment or residue on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

Coverails

Waterproof gloves

- Shoes plus socks
- Chemical-resistant headgear for overhead exposure

CHEMIGATION STATEMENT

Do not apply this product through any type of irrigation system.

CROP USE DIRECTIONS

Repeat applications as necessary. Consult State Experimental Station or State Extension Service for proper timing of applications. Do not use this product for any uses other than those specified on this label.

APPLY GOWAN DIMETHOATE 25 WP BY GROUND ONLY in sufficient amount of water to provide sufficient coverage.

Conventional Ground Sprayers - Small Fruit: 20-200 gal. per acre. Tree crops (mature): 40-600 gals. per acre. Concentrate Ground Sprayers - Small Fruits and Tree Crops (Mature): 30-40 gals. per acre.

APPLES, PEARS - Aphids, Leafhoppers, Pear psylla, Mites (except rust mites): apply 1-2 lbs. per 100 gals. of water. Do not apply within 28 days of harvest. Do not apply when fruit trees or substantial number of weeds in the orchard (grove) are in bloom. Do not graze livestock in treated orchards (2 lbs. maximum).

GRAPES (For raisin and wine grapes, and table and canning grapes grown in California) - To control Grape leafhopper and Pacific spider mite: apply 6-8 lbs. per acre. Do not apply within 28 days of harvest. Do not apply to canning or table grapes after berries reach 1/4 inch in diameter.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration or if allowed by State and local authorities by burning. If burned, stay out of smoke.

NOTICE ON CONDITIONS OF SALE

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility including injury or damage, resulting from its misuse as such, or in combination with other materials.