W FRAN INT PANSAN B. C. STER. ETS SHOFE WAS TO ATTACHED COMMENTE

PROKIL Methomyl 2 Dust

ACTIVE INGREDIENTS

Ly W.

Methomyl, S-methyl N-[Methylcarbamoyl]oxy] this aretain with INERT INGREDIENTS





KEEP OUT OF REACH OF CHILDREN - NOT FOR USE OR STORAGE IN OR AROUND THE HOME -

Wear a mask or respirator of a type suitable for protection against insecticide dust as approved by the U.S. Bureau of Mines. Wear goggles when handling or using. Wear clean clothes dail: Wash thoroughly after handling and before eating or smoking. Avoid storage near or contamination of feed, foodstuffs or drinking water.

DANGER! MAY BE FATAL IF SWALLOWED OR INHALED. DO NOT BREATHE DUST OR SPRAY MIST. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention; remove and wash contaminated clothing before re-use.

POISON

ANTIDOTE AND FIRST AID

ATROPINE IS AN ANTIDOTE - CONSULT A PHYSICIAN FOR EMERGENCY AT ONCE IN ALL CASES OF SUSPECTED POISONING!

NOTE TO PHYSICIAN: Warning Symptoms: Methomyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors. TREATMENT: Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg. intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any anticholinesterase inhibitors until recovery is arsured. Do not use morphine or 2-PAM.

IF SWALLOWED: give a tablspoonful of salt in a glass of warm water and repeat until vomit fluid is clear. IF INHALED: Remove from exposure. Have patient lie down and keep quiet. If patient is not breathing start artificial respiration immediately. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

applied by curcrate r powers to the second of · . • trift to nearby tasks the summer of the first sectors in the first sectors n young insects denerally ise and liter recondume in the terr interval of end weeks treatments and higher rates between chiger intervales and sugar to recuge a chipart i

IMPORTANT: Keep animals and unprotected persons out of operational areas during treatment and while there is danger of drift. Do not contaminate water when cleaning equipment or disposing of wastes or containers. Burn baas when empty. Stay out of smoke.

THIS PRODUCT IS TOXIC TO FISH, BIRDS, AND OTHER WILDLIFE Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

THIS PRODUCT IS TOXIC TO BEES exposed to treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

CABBAGE: Cabbage Looper, Imported Cabbage worm - Apply 25 to 45 lbs. per acre. Do not apply within I day of harvest. HEAD LETTUCE: Cabbage Looper-Apply 25-45 lbs. per acre. Do not apply within 10 days of harvest

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed cr implied, is mide as to the effects of such or the results to be obtained if not used in accordance with a rections or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such. or in combination with other materials.

EPA Est. No. 10163-CA-1 10-74 145—PROOF SET

CALIFORNIA (Plant) P. O. Box 458 340 East Main Street Calipatria, Calif. 92233

-APPLICATION DIRECTIONS ---

RECOMMENDATIONS

NOTICE ON CONDITIONS OF SALE

NET WEIGHT 50 LBS.



ARIZONA P. O. Box 5696 2760 W. Cty. 15 St. Yuma, Arizona 85364

EPA Reg. No. 10163-63