

PROKIL METHOMYL CRYOLITE 2-50 DUST

ACTIVE INGREDIENTS	% by Wt:
Methyl N-Methyl Methanophosphorothioate	1.8
Sodium Fluoride	46.0
INERT INGREDIENTS	52.2
	100.0

*Fluorine expressed as elemental 25%.



DANGER - POISON



KEEP OUT OF REACH OF CHILDREN

— NOT FOR USE OR STORAGE IN OR AROUND THE HOME —

Wear a mask or respirator of a type which meets the approval of the U.S. Bureau of Mines. It should be suitable for protection against insecticide dust and spray mist. Wear goggles when handling or using. Wear clean clothes daily. Wash thoroughly after handling and before eating or smoking. Avoid storage near or contamination of feed, foodstuffs or drinking water.

DANGER! MAY BE FATAL IF SWALLOWED OR INHALED. DO NOT BREATHE DUST. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING.

In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention; remove and wash contaminated clothing before re-use.

POISON

ANTIDOTE AND FIRST AID

ATROPINE IS AN ANTIDOTE—CONSULT PHYSICIAN FOR EMERGENCY AT ONCE IN ALL CASES OF SUSPECTED POISONING.

NOTE TO PHYSICIAN: Warning Symptoms: Methomyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

TREATMENT: Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.1 mg. intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any anticholinesterase inhibitors until recovery is assured. Do not use morphine or 2-PAM.

IMPORTANT: Keep animals and unprotected persons out of operational areas during treatment and while there is danger of drift. Do not contaminate water when cleaning equipment or disposing of wastes or containers. Burn bags when empty, stay out of smoke. **THIS PRODUCT IS TOXIC TO FISH, BIRDS AND OTHER WILDLIFE.** Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. **THIS PRODUCT TOXIC TO BEES** and should not be applied when bees are actively visiting the area.

IF SWALLOWED: give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. **IF INHALED:** remove from exposure. Have patient lie down and keep quiet. If patient is not breathing start artificial respiration immediately. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

— DIRECTIONS FOR USE —

READ THE ENTIRE LABEL: Use strictly in accordance with dangers, cautions, warnings and directions, and with applicable state and federal regulations. Timing may vary greatly between districts as a consequence of local weather and other conditions: Always follow the recommendations of State Agricultural Experiment Station concerning specific usage.

Use only in commercial plantings. Do not apply with hand equipment. May be applied by aircraft or powered ground equipment when air is calm so that dust does not drift to nearby crops. Best insect control is obtained when dust schedules are initiated on young insects. Generally use lower rates recommended for shorter intervals between treatments and higher rates between longer intervals. Thorough coverage is important. **COMPLETELY EMPTY BAG AND DISPOSE OF WASTE PESTICIDE BY BURYING. BURN BAG IMMEDIATELY AND STAY OUT OF SMOKE.**

LETTUCE, CABBAGE, CAULIFLOWER — Cabbage Loopers: 25 to 50 lbs. per acre. Do not apply after seedling stage.

HEAD LETTUCE ONLY — Beet Armyworms: 25-50 lbs. per acre. Do not apply after seedling stage.

NOTICE ON CONDITIONS OF SALE

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

NET WEIGHT 50 LBS.

10-74 181—PROOF SET

E.P.A. Reg. No. 10163-64

E.P.A. Est. 10163-CA-1

CALIFORNIA (Plant)

P. O. Box 458
340 East Main Street
Calipatria, Calif. 92233
Telephone: 348-2262

ACCEPTED

NOV 14 1974

The Dune Company

AGRICULTURAL CHEMICALS

ARIZONA

P. O. Box 5696
2760 W. Cty. 15 St.
Yuma, Arizona 85364
Telephone: 344-0040

PROKIL METHYL DITHIOLITE 2-50 DUST



KEEP OUT OF REACH OF CHILDREN

— NOT FOR USE OR STORAGE IN OR AROUND THE HOME —

When used as directed, this product is safe for humans and animals. However, it is a potent insecticide and should be used with care. It is highly toxic to fish and aquatic life. It is also highly toxic to birds and mammals. It is a potent irritant to the eyes, nose, throat, and skin. It is also a potent irritant to the respiratory system. It is a potent irritant to the skin and mucous membranes. It is a potent irritant to the eyes, nose, throat, and skin. It is also a potent irritant to the respiratory system. It is a potent irritant to the skin and mucous membranes.

DANGER! MAY BE FATAL IF SWALLOWED OR INHALED. DO NOT LEAVE DUST DO NOT GET IN EYES, ON SKIN OR ON CLOTHING.

POISON

ANTIDOTE: AND FIRST AID

THOROUGHLY WASH SKIN WITH SOAP AND WATER. IF SWALLOWED, DRINK WATER AND INDUCE VOMITING. IF INHALED, MOVE TO FRESH AIR AND REST. IF EYES ARE AFFECTED, WASH WITH WATER AND CONSULT A PHYSICIAN.

CAUTION

Directions for use and other information. This section contains detailed instructions on how to apply the product, including information on the amount to use and the frequency of application. It also includes information on the safety of the product and the importance of following the directions carefully.

DIRECTIONS FOR USE —

Use this product as directed on the label. Do not apply with hand equipment. May be used on a variety of crops and ornamentals. Do not apply to plants that are stressed or in bloom. Do not apply to plants that are in contact with water. Do not apply to plants that are in contact with soil. Do not apply to plants that are in contact with other plants. Do not apply to plants that are in contact with other plants. Do not apply to plants that are in contact with other plants.

NOTICE ON CONDITIONS OF SALE

This product is sold as is. The manufacturer makes no warranty, expressed or implied, for the results to be obtained from its use. The user assumes all liability for any damage, resulting from its use.

NET WEIGHT 50 LBS.

CALIFORNIA (Plant)
P. O. Box 458
340 East Main Street
Calipatria, Calif. 92233
Telephone: 348-2262

The Dune Company

AGRICULTURAL CHEMICALS

ARIZONA
P. O. Box 5696
2760 W. Cty. 15 St
Yuma, Arizona 85364
Telephone: 344-0040

10/63-64
Nov 14 1974