

Gowan Methyl Parathion 4 EC, 12/18

RESTRICTED USE PESTICIDE

Due to very high acute toxicity to
Humans and Birds

For retail sale to and use only by certified applicator or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Direct supervision for this product is defined as the certified applicator being physically present during application, mixing, loading, repair and cleaning of application equipment. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.

GOWAN METHYL PARATHION 4 EC

Active Ingredients	By Wt
*O,O-dimethyl O-p-nitrophenyl thiophosphate	45.52%
Xylene Range Aromatic Solvent	48.20%
Inert Ingredients	6.26% 4.78%
	Total 100.00%

Contains 4 lbs. *Methyl Parathion per gallon

Contains xylene range aromatic solvent

STOP - READ LABEL BEFORE USING!
KEEP OUT OF REACH OF CHILDREN

10163-121

POISON
red
NOT FOR HOME USE



DANGER
PELIGRO *red*

10163-121

PRECAUCION AL USUARIO. Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.

See SIDE PANELS for PRECAUTIONARY STATEMENTS

STATEMENT OF PRACTICAL TREATMENT

Call a physician or Poison Control Center immediately. Explain that the victim has been exposed to Parathion and describe his condition.

IF SWALLOWED—Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IF IN EYES—Flush eyes immediately with plenty of clear water for at least 15 minutes. Get medical attention.

IF ON SKIN—Remove contaminated clothing and shoes and wash skin immediately with soap and water.

IF INHALED—Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention.

NET CONTENTS GALLONS

Gowan Company


AGRICULTURAL CHEMICALS

12300 E. County 8th Street
P.O. Box 5696
Yuma, AZ 85364
(602) 783-8644

EPA Reg. No. 10163-121
EPA Est. No. 10163-AZ-1

10/18

left panel



☠ DANGER — POISON — PRECAUTIONS ☠

POISONOUS IF SWALLOWED

This product is highly poisonous even in small amounts. Spray mist or dust may be fatal if swallowed.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin or eyes or on clothing (liquid goes through clothes.)

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

NOTE TO PHYSICIAN

Antidote: Administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidote and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER—POISON**

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

☠ POISON SIGNS (Symptoms) ☠

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

2/18

WORK SAFETY RULES

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away (See STATEMENT OF PRACTICAL TREATMENT Section)

HANDLE THE CONCENTRATE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT:

Wear a protective suit of one or two pieces that covers all parts of the body except the head, hands, and feet. Wear chemical resistant gloves, chemical resistant apron, and chemical resistant shoes, shoe coverings, or boots. Wear goggles or a face shield. Wear a pesticide respirator approved by the National Institute for Occupational Safety and Health under the provisions of 30 CFR part 11.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIR, AND CLEANING OF APPLICATION EQUIPMENT, DISPOSAL OF PESTICIDE AND EARLY REENTRY INTO TREATED AREAS: protective suit of one or two pieces covering all parts of the body except the head, hands, and feet; chemical resistant gloves; chemical resistant shoes (or chemical resistant shoe coverings or chemical resistant boots); goggles or face shield; hood or wide brimmed hat; NIOSH approved respirator.

IF MIXING/LOADING IS PERFORMED USING A CLOSED SYSTEM, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: long-sleeve shirt; long-legged pants; chemical resistant gloves; chemical resistant apron; shoes and socks. Goggles or face shield must be worn when the system is under pressure. All other protective clothing and equipment required for use with open systems must be available nearby.

IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: long-sleeve shirt and long-legged pants; shoes and socks. Chemical resistant gloves must be available in the cab or cockpit and must be worn during entry to and exit from the application-vehicle.

All other protective clothing and equipment required for use during application must be available in the cab and must be worn when exiting the cab into treated area. When used for this purpose, contaminated clothing may not be brought back into the cab unless in an enclosure such as a plastic bag. REMEMBER-THIS CLOTHING IS INADEQUATE TO PROTECT YOU DURING REPAIR AND CLEANING OF APPLICATION EQUIPMENT AND EARLY REENTRY TO TREATED AREAS! REFER TO PROTECTIVE CLOTHING AND EQUIPMENT REQUIREMENTS ABOVE.

BEST AVAILABLE COPY

IMPORTANT! If pesticide comes in contact with skin, wash off with soap and water and contact a physician immediately. Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or toileting.

AFTER WORK: before removing gloves, wash them with soap and water. Take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job--do not wear contaminated clothing. Personal clothing worn during work must be stored and laundered separately from protective clothing and household articles. Store protective clothing separately from personal clothing. Clean or launder protective clothing after each use. Respirators must be cleaned and filters replaced according to instructions included with the respirators. Protective clothing and protective equipment heavily contaminated or drenched with methyl parathion must be destroyed according to state and local regulations. **HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED. DURING AERIAL APPLICATION, HUMAN FLAGGERS ARE PROHIBITED.**

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to aquatic invertebrates and wildlife. Birds in treated areas may be killed. Do not apply directly to water or wetlands (swamps, marshes, bogs, and potholes). Run-off and drift from target areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is extremely toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow to drift to blooming crops or weeds if bees are visiting the treatment area.

Refer to product labeling for use restrictions to protect **ENDANGERED SPECIES**.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame. Keep container closed. Do not heat this material above 131°F (55°C). Store at temperatures above 65°F (18.3°C) to avoid crystallization.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

BEST AVAILABLE COPY

11/18

For right panel

RE ENTRY STATEMENT

Reentry into treated fields is prohibited for 48 hours after application, unless all protective clothing and equipment required for early reentry as described elsewhere on the label are worn.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warning must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Written warnings or given warnings

shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written and oral warnings must include the following information: DANGER - Area treated with Methyl Parathion on (date of application). Do not enter without appropriate protective clothing for 48 hours. In case of accidental exposure follow instructions under Statement of Practical Treatment section.

STORAGE AND DISPOSAL

DO NOT use or store near heat or open flame. Keep container closed. Do not heat this material above 131°F (55°C). Store at temperatures above 65°F (18.3°C) to avoid crystallization.

DO NOT CONTAMINATE water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Crop Use directions: See attached booklet.

NOTICE ON CONDITIONS OF SALE

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its mis use as such, or in combination with other materials.

METHYL PARATHION MIXTURE LIQUID POISON B NA 2783

2/18

GOWAN

Methyl Parathion 4 EC

Directions For Use

GOWAN COMPANY
P.O. Box 5696
Yuma, AZ 85364
(602) 783-8844

EPA Reg No. 1626-194-10163
EPA Est. No. 10163-AZ-1

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not use this product for uses other than those specified on this label.

For more information on applying this product you should comply with the following instructions, otherwise designated in the directions for use:
For Windmills: Apply in late afternoon or at 10:30 a.m. or later. For Aerial Application: Do not use in wind speeds greater than 10 mph.

When applying this product to crops, it is important to know the critical time period for which its use may be necessary. This information will be useful to harvest those crops recommended. This product is to be applied as a foliar application; however, other uses are listed in the directions for use.

ALFALFA: Alfalfa Weevils, Larvae; Aphids, Armyworms, Climbing Cutworms, Flea Beetles, Leafhoppers—1 to 1 1/2 pints per acre; Flea Beetles, Mites, Stink Bugs—Seed Crop Only—1/2 to 1 pint per acre; Armyworms, Flea Beetles, Seed Crop Only—1/2 to 2 pints per acre; Aerial Greenhouse, Alfalfa Weevils, Adults; Clover Leaf Weevils, Webworms—1 pint per acre; Egg-eaters, Aerial Weevils—1/2 to 1 pint per acre. Do not apply within 15 days before harvest. For use when rates up to 1 quart per acre. Do not apply within 20 days before harvest for forage use when rates above 1 quart per acre are used. When applied to alfalfa, do not apply in early morning or late evening to avoid insecticide drift. Do not apply to alfalfa in the Yuma, Arizona area. Do not apply to alfalfa in the Yuma, Arizona area. Do not apply to alfalfa in the Yuma, Arizona area.

ARTICHOKES: Aphids, Armyworms up to 3rd Instar, Plant Bugs—1 pint per acre. Artichoke Plume Moths, Cutworms, Cabbage Loopers—1 quart per acre. For Artichoke Plume Moths, if plants are cut in April and May, begin applications after September and repeat at 14-21 day intervals as needed through December, 30 day intervals through Jan. and February, 14 day intervals from March through end of picking season. Workers should not enter fields within 7 days after application. Do not apply within 7 days before harvest.

BARLEY: Brown Wheat Mites—1/4 to 1 pint per acre. Aphids, Black Grass Bugs—1/4 to 1 1/2 pints per acre. Barley Thrips—1/2 to 3/4 pint per acre. Leafhoppers—1/2 to 1 pint per acre. Armyworms up to 3rd Instar, Winter Grain Mites, Stink Bugs—1/2 to 1 1/2 pints per acre. Climbing Cutworms—3/4 to 1 pint per acre. Chinch Bugs, False Chinch Bugs, Soy Stink Bugs—1 1/2 pints per acre. No pre-harvest interval through 1/2 pint per acre. Do not apply within 15 days before harvest when rates above 1/2 pint per acre are used.

BEANS (Dry, Green, Limas): Aphids, Armyworms, Flea Beetles, Leafhoppers, Mites, Plant Bugs—1 to 3 pints per acre. Cowpea Curculionids, Cutworms, Stink Bugs—1 to 1 1/2 quarts per acre. Cabbage Loopers—1 quart per acre. Dry Beans—Do not apply within 15 days before harvest. Green and Lima Beans—Do not apply within 15 days before harvest when rates up to 1 pint per acre are used. Do not apply within 21 days before harvest when rates above 1 pint per acre are used. *Do not apply if there is a heavy rain treatment area, etc. in bloom.*

BEETS: Aphids, Armyworms, Flea Beetles, Leafhoppers, Mites—1 to 2 pints per acre. Cabbage Loopers, Plant Bugs, Stink Bugs—1 quart per acre. Do not apply within 15 days before harvest. Do not apply within 21 days before harvest if tops are to be used for food or feed.

BROCCOLI; BRUSSELS SPROUTS; CAULIFLOWER: Aphids, Armyworms, Thrips (except on Cauliflower)—1/2 to 2 pints per acre. Flea Beetles, Leafhoppers, Mites—1 to 2 pints per acre. Imported Cabbageworms, Cabbage Loopers, Stink Bugs—1 to 1 1/2 quarts per acre. Plant Bugs—1 1/2 quarts per acre. Do not apply within 7 days before harvest when rates up to 1 pint per acre are used. Do not apply within 21 days before harvest when rates above 1 pint per acre are used.

CABBAGE: Aphids, Armyworms, Thrips—1/2 to 2 pints per acre. Flea Beetles, Leafhoppers, Mites—1 to 2 pints per acre. Plant Bugs—1 1/2 quarts per acre. Imported Cabbageworms, Cabbage Loopers, Stink Bugs—1 to 1 1/2 quarts per acre. Do not apply within 15 days before harvest when rates up to 1 pint per acre are used. Do not apply within 21 days before harvest when rates above 1 pint per acre are used.

CARROTS: Aphids, Armyworms, Flea Beetles, Leafhoppers, Mites—1 to 2 pints per acre. Cutworms, Cabbage Loopers, Plant Bugs—1 quart per acre. Do not apply within 15 days before harvest. Do not use treated tops for food or feed.

CELERY: Aphids, Armyworms, Flea Beetles, Leafhoppers, Mites—1 to 2 pints per acre. Cabbage Loopers, Plant Bugs, Stink Bugs—1 pint per acre. Do not apply within 15 days before harvest.

CLOVER: Alfalfa Weevils, Larvae; Aphids, Armyworms, Leafhoppers—1 to 1 pint per acre. Flea Beetles, Mites—1/2 to 1 1/2 pints per acre. Clover Seed Chalcids, Seed-eating Fleas, Climbing Cutworms—1/2 to 2 1/2 pints per acre. Aerial Weevils, Adults; Clover Leaf Weevils, Webworms—1 pint per acre. Fleas—1 to 1 1/2 pints per acre. Egyptian Alfalfa Weevils—1/2 to 1 pint per acre. Do not

apply within 7 days before harvest when rates above 1/2 pint per acre are used.

COLLARDS: Mites—1 to 2 pints per acre. Loopers, Stink Bugs—1 1/2 quarts per acre. Do not apply when rates above 1/2 pint per acre are used.

CORN: Aphids, Armyworms, Flea Beetles—1 to 2 pints per acre. Do not apply within 15 days before harvest when rates above 1/2 pint per acre are used.

COTTON: Cotton Bollworms, Flea Beetles, Loopers, Stink Bugs—1 to 2 pints per acre. Do not apply when rates above 1/2 pint per acre are used. Do not apply when honeydew is present. Do not apply when rates above 1/2 pint per acre are used. Do not apply when rates above 1/2 pint per acre are used. Do not apply when rates above 1/2 pint per acre are used.

CUCUMBERS: Aphids, Armyworms, Flea Beetles, Leafhoppers, Mites—1 to 2 pints per acre. Do not apply within 15 days before harvest when rates above 1/2 pint per acre are used.

GOOSEBERRY: Aphids, Armyworms, Flea Beetles, Leafhoppers, Mites—1 to 2 pints per acre. Do not apply within 15 days before harvest when rates above 1/2 pint per acre are used.

GRASS (Hay): Flea Beetles, Mites—1 to 2 pints per acre. Do not apply within 15 days before harvest when rates above 1/2 pint per acre are used.

HOPS: Aphids, Armyworms, Flea Beetles, Leafhoppers, Mites—1 to 2 pints per acre. Do not apply within 15 days before harvest when rates above 1/2 pint per acre are used.

KALE, KOHLRAB: Aphids, Armyworms, Flea Beetles, Leafhoppers, Mites—1 to 2 pints per acre. Do not apply within 15 days before harvest when rates above 1/2 pint per acre are used.

10/1/85

6/1/85

Resist 20013

days before harvest. Do not use with wetting agents. Leaf injury may occur to sorghum. Spray a few rows a week or so before booting to test the effects upon plants.

SOYBEANS: Climbing Cutworms—1/2 pint per acre. Webworms, Three-Cornered Alfalfa Hoppers—1/2 to 1 pint per acre. Velvetbean Caterpillars—1/2 to 1 pint per acre. Stink Bugs—3/4 to 2 pints per acre. Aphids, Mites, Aphids, Blister Beetles, Mexican Bean Beetles—1 pint per acre. Green Cloverworms, Cabbage Loopers—1 to 2 pints per acre. Armyworms, Fall Armyworms up to 3rd Instar, Bean Leaf Beetles, Cutworms, Grasshoppers—1 quart per acre. Do not apply within 20 days before harvest. Do not apply more than twice per growing season.

SPINACH: Aphids, Armyworms, Mites, Seedcorn Maggots in Crowns—1 to 2 pints per acre. Flea Beetles, Leafhoppers—1 to 1 1/2 pints per acre. Cabbage Loopers, Plant Bugs—1 quart per acre. Do not apply within 14 days before harvest when rates up to 1 pint per acre are used. Do not apply within 21 days before harvest when rates above 1 pint per acre are used.

STRAWBERRIES: Aphids—1 to 1 1/2 pints per acre. Mites—1 1/2 pints per acre. Do not apply within 14 days before harvest.

SUGAR BEETS: Armyworms, Cutworms, Flea Beetles, Grasshoppers, Leafhoppers, Mites, Sugarbeet Webworms—1/2 to 3/4 pint per acre. Aphids, Lygus Bugs, Stink Bugs, Webworms—3/4 pint per acre. Do not apply within 20 days before harvest. Do not apply within 60 days before harvest if tops are to be fed to livestock.

SUNFLOWERS: Sunflower Moths—1 quart per acre applied at first flowering. Do not apply within 30 days before harvest. Do not apply more than 3 times at 5-day intervals per season.

SWEET POTATOES: Aphids, Armyworms up to 3rd Instar, Cutworms, Flea Beetles, Leafhoppers, Cabbage Loopers, Spider Mites—3/4 quart per acre. Do not apply within 5 days before harvest.

TOBACCO: Aphids, Cutworms—1/2 to 1 pint per acre. Do not apply within 15 days before harvest. Do not apply within 5 days of priming. Avoid contact with plant juices when cutting or priming. Workers entering treated fields within 24 hours after application should wear protective clothing.

TOMATOES: Tomato Russet Mites—1/4 to 1 pint per acre. Aphids, Armyworms, Flea Beetles—1/2 to 2 pints per acre. Leafhoppers, Mites—1 to 2 pints per acre. Potato Psyllids—1 to 3 pints per acre. Cabbage Loopers—1 to 1 1/2 quarts per acre. Plant Bugs—1 quart per acre. Do not apply within 10 days before harvest when rates up to 1 pint per acre are used. Do not apply within 15 days before harvest when rates above 1 pint per acre are used.

TURNIPS: Aphids, Armyworms up to 3rd Instar—1/2 to 1 1/2 pints per acre. Flea Beetles, Leafhoppers, Leafminers, Mites—1 to 1 1/2 pints per acre. Imported Cabbage Loopers, Plant Bugs—1 1/2 pints per acre. Do not apply within 7 days before harvest when rates up to 1/2 pint per acre are used. Do not apply within 15 days before harvest when rates above 1/2 pint per acre are used. Do not apply within 21 days before harvest if tops are to be used for food or feed.

VETCH: Aphids, Alfalfa Weevil Larvae, Leafhoppers, Mites—1/2 to 1 pint per acre. Armyworms—1/2 to 2 1/2 pints per acre. Do not apply within 15 days before harvest when rates up to 1 quart per acre are used. Do not apply within 21 days before harvest when rates above 1 quart per acre are used. In California and Nevada, do not apply more than 1/4 pint of this product per acre.

8/17/78

WHEAT: Brown Wheat Mites—1/4 to 1 pint per acre. Aphids—1/4 to 1 1/2 pints per acre. Leafhoppers—1/2 to 1 pint per acre. Barley Thrips—1/2 to 3/4 pint per acre. Armyworms up to 3rd Instar, Winter Grain Mites, Stink Bugs—1/2 to 1 1/2 pints per acre. Climbing Cutworms—3/4 to 1 pint per acre. Chinch Bugs, False Chinch Bugs, Soy Stink Bugs—1 1/2 pints per acre. No preharvest interval when rates up to 1/2 pint per acre are used. Do not apply within 15 days before harvest when rates above 1/2 pint per acre are used.

FOR USE ON ORNAMENTALS (Woody Shrubs, Trees, Vines):

CHRISTMAS TREE PLANTATIONS (Pines): European Pine Shoot Moths, Nantucket Pine Tip Moths—1 quart per acre applied in 5-50 gallons water. No limitations.

FOR USE ON FORESTS:

PINE FORESTS: European Pine Shoot Moths, Nantucket Pine Tip Moths—1 quart per acre applied in 5-50 gallons water. No limitations.

FOR USE ON TREE AND VINE CROPS:

APPLES: Aphids, European Red Mites—1/4 to 1 pint per 100 gallons water. Codling Moths, Plum Curculio—1/2 to 2 pints per 100 gallons water, applied at petal fall and every 10-14 days thereafter until control is achieved. Redbanded Leafrollers, Scales—1/2 to 2 pints per 100 gallons water. Do not apply within 14 days before harvest. Do not apply more than 1 1/2 gallons of this product per acre. This product may injure the fruit and foliage of apples. Do not apply when trees or substantial numbers of weeds in the treatment orchard are in bloom.

APRICOTS: Aphids, European Red Mites—1/4 to 1/2 pint per 100 gallons water. Do not apply within 14 days before harvest. Do not apply more than 2 1/2 quarts of this product per acre.


GRAPES: Aphids, Grape Leafhoppers, Grape Leafrollers—1/4 to 2 pints per 100 gallons water. Mites, Thrips—1 1/2 pints per acre. Do not apply within 14 days before harvest. Do not apply more than 1/2 pint of this product per acre. In California—The farm operator shall not permit workers to enter treated areas to engage in any activity requiring substantial contact with foliage within 21 days after application.

PEACHES: Aphids, European Red Mites—1/4 to 1 pint per 100 gallons water. Apply in early cover treatment or apply twice with a 5-day interval as needed. Oriental Fruit Moths, Plum Curculio—1/2 to 2 pints per 100 gallons water, applied at petal fall and every 10-14 days thereafter until control is achieved. Peach Tree Borers—1/2 to 2 pints per 100 gallons water. Apply 2-3 sprays to trunk from ground to scaffold limbs timed with moth flights. Do not apply within 14 days before harvest. Do not apply more than 1 gallon of this product per acre. In California—The farm operator shall not permit workers to enter treated areas to engage in any activity requiring substantial contact with foliage within 21 days after application. Do not spray when trees or substantial numbers of weeds in the orchard are in bloom.

PEARS: Aphids—1/4 to 1 pint per 100 gallons water, applied twice with a 5-day interval. European Red Mites—1/4 pint per 100 gallons water, applied twice with a 5-day interval. Do not apply within 14 days before harvest. Do not apply more than 3 quarts of this product per acre.

PLUMS; PRUNES: Aphids—1/2 to 2 pints per 100 gallons water, applied in early cover treatments or twice with a 5-day interval. European Red Mites—1/4 to 1 pint per 100 gallons water, applied in early cover treatment or twice with a 5-day interval. Oriental Fruit Moths, Plum Curculio—1/2 to 2 pints per 100 gallons water, applied at petal fall and every 10-14 days thereafter until control is achieved. Peach Tree Borers—1/2 to 2 pints per 100 gallons

water. Apply 2-3 sprays to trunk from ground to scaffold limbs timed with moth flights. Do not apply within 14 days before harvest. Do not apply more than 1 gallon of this product per acre. Do not apply when trees or substantial numbers of weeds in the orchard are in bloom.



Do not apply when trees or substantial numbers of weeds in the treatment orchard are in bloom.

Do not spray when trees or substantial numbers of weeds in the orchard are in bloom.

NOTICE ON CONDITIONS OF SALE

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

ALABAMA

Colbert, Greene, Jackson, Jefferson, Lamar, Lauderdale, Limestone, Madison, Marshall, Morgan, Pickens and Sumter

ARIZONA

Apache, Graham, Greenlee, Maricopa, Mohave, Pima, Pinal, Santa Cruz and Yavapai

ARKANSAS

Benton, Clark, Clay, Cross, Lawrence, Lee, Poinsette, Polk, Randolph, Sharp and St. Francis

CALIFORNIA

Alpine, Butte, Colusa, Fresno, Glenn, Imperial, Inyo, Kern, Kings, Los Angeles, Madera, Merced, Modoc, Mono, Monterey, Orange, Riverside, Sacramento, San Bernardino, San Diego, San Luis Obispo, Santa Barbara, Santa Cruz, Solano, Stanislaus, Sutter, Tehama, Tulare, Ventura and Yolo

COLORADO

Boulder, Delta, Gilpin, Larimer, Mesa, Moffat, Park and Rio Blanco

FLORIDA

Statewide

GEORGIA

Appling, Atkinson, Bacon, Baker, Ben Hill, Bleckley, Berrien, Brantley, Brooks, Bryan, Bullock, Calhoun, Camden, Candler, Catoosa, Charlton, Chatham, Cherokee, Clinch, Coffee, Colquitt, Cook, Crisp, Decatur, Dodge, Dooly, Dougherty, Early, Echols, Effingham, Emanuel, Evans, Glynn, Grady, Irwin, Jeff Davis, Jenkins, Johnson, Lanier, Laurens, Lee, Liberty, Long, Lowndes, Macch, McCintosh, ~~Miller, Mitchell, Montgomery, Murray, Pierce, Pulaski, Screven, Seminole,~~ Telfair, Tattnall, Thomas, Tift, Toombs, Treutlen, Turner, Ware, Wayne, Wheeler, Whitfield, Wilcox and Worth

.....
.....
.....
.....
.....

2 of 18

HAWAII

Islands of Maui, Hawaii and Kauai

IDAHO

Caribou, Bear Lake and Bonneville

ILLINOIS

Gallatin, Henderson, Jo Daviess, Massac, Mercer, Pike, Pulaski, Rock Island and White

INDIANA

Dekalb and Posey

IOWA

Allamakee, Clayton, Clinton, Des Moines, Dubuque, Fayette, Jackson, Louisa, Muscatine and Scott

KANSAS

Clark, Comanche, Meade and Stafford

KENTUCKY

Ballard, Butler, Edmundson, Green, Hart, Jackson, Laurel, Livingston, Marshall, McCracken, McCreary, Pulaski, Rockcastle, Taylor, Warren and Wayne

MARYLAND

Harford

MINNESOTA

Houston and Washington

MISSISSIPPI

Claiborne, Copiah, Hinds, Itawamba, Jackson, Lowndes, Monroe and Noxubee

MISSOURI

Barry, Benton, Bollinger, Butler, Camden, Cedar, Christian, Cole, Dallas, Franklin, Gasconade, Greene, Hickory, Jasper, Jefferson, Lawrence, Massack, Miller, Newton, Osage, Polk, Ralls, Ripley, St. Clair, St. Louis, Stone, Wayne and Webster

MONTANA

Garfield, McCone, Sheridan and Valley

NEBRASKA

Boyd, Brown, Buffalo, Butler, Cass, Cedar, Colfax, Dawson, Dodge, Douglas, Hall, Hamilton, Holt, Howard, Kearney, Keya Paha, Knox, Merrick, Phelps, Platte, Polk, Rock, Sarpy and Saunders

NEVADA

Clark, Lincoln, Nye, Washoe and White Pine

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

9 of 18)

NEW MEXICO

Catron, Chaves, DeBaca, Eddy, Grant, Hidalgo and Socorro

NORTH CAROLINA

Edgecombe, Macon, Nash, Pitt and Swain

NORTH DAKOTA

Banson, Bottineau, Burke, Burleigh, Divide, Dunn, Eddy, Emmons, Foster, Kidder, Logan, McHenry, McIntosh, McKenzie, McLean, Mercer, Morton, Mountrail, Nelson, Oliver, Pierce, Ramsey, Ranville, Rolette, Sheridan, Sioux, Stutsman, Towner, Ward, Wells and Williams

OHIO

Pickaway, Williams and Washington

OKLAHOMA

Delaware, McCurtain and Pushmataha

OREGON

Lake and Harney

SOUTH DAKOTA

Clay, Haakon, Hughs, Potter, Stanley, Sully, Union, Walworth, Yankton and Ziebach

TENNESSEE

Bedford, Blount, Bradley, Claiborne, Cumberland, Decatur, Franklin, Hamilton, Hancock, Hardin, Hawkins, Hickman, Knox, Lawrence, Lincoln, Loudon, Marion, Marshall, Maury, Meigs, Monroe, Morgan, Polk, Rhea, Roane, Scott, Sequatchie, Smith, Sullivan, Trousdale and Wayne

TEXAS

Bastrop, Burleson, Comal, Harris, Hays, Jeff Davis, Menard, Pecos and Reeves

UTAH

Carbon, Emery, Garfield, Grand, San Juan, Uintah, Utah, Washington and Wayne

VIRGINIA

Lee, Russell, Scott, Smyth, Tazewell, Washington and Wise

WISCONSIN

Crawford, Grant, Iowa, Pierce, Polk, Richland, St. Croix and Vernon

WYOMING

Albany, Lincoln and Sublette

Braille characters: a vertical column of dots forming a '3', followed by a vertical column of dots forming a '5', and a vertical column of dots forming a '18'.

The following restrictions apply to use of this product after February 1, 1988.

Before using this pesticide on corn, wheat, soybeans, sorghum, oats, barley, rye and/or cotton in the counties listed below, you must obtain the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES for the county in which the product is to be used. The State Fish and Game Office, or your pesticide dealer. Use of this product in a manner inconsistent with the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES is a violation of Federal laws.

"ALABAMA

COLBERT, GREENE, JACKSON, LAMAR, LAUDERDALE, LIMESTONE, MADISON, MARSHALL, MORGAN, PICKENS AND SUMTER

ARKANSAS

CLAY, CLARK, CROSS, LAWRENCE, LEE, POINSETTE, RANDOLPH, SHARP AND ST. FRANCIS

CALIFORNIA

BUTTE, COLUSA, GLENN, INYO, KERN, LOS ANGELES, MERCED, ORANGE, RIVERSIDE, SACRAMENTO, SAN BERNARDINO, SAN DIEGO, SANTA BARBARA, SOLANO, STANISLAUS, SUTTER, TEHEMA, VENTURA AND YOLO

FLORIDA

ALACHUA, BAKER, BRADFORD, BREVARD, BROWARD, CHARLOTTE, CITRUS, CLAY, CLYMER, COLUMBIA, DADE, DE SOTO, DIXIE, DUVAL, FLAGLER, GADSDEN, GILCHREST, GLADES, HARDEE, HENDRY, HERNANDO, HIGHLANDS, HILLSBOROUGH, INDIAN RIVER, JEFFERSON, LAFAYETTE, LAKE, LEE, LEON, LEVY, MADISON, MANATEE, MARION, MARTIN, MONROE, NASSAU, ORANGE, OKEECHOBEE, OSCEOLA, PALM BEACH, PASCO, PINELLAS, POLK, PUTNAM, ST. JOHNS, ST. LUCIE, SARASOTA, SEMINOLE, SUMTER, SUWANNEE, TAYLOR, UNION, VOLUSIA AND WAKULLA

GEORGIA

BRANTLEY, BRYAN, BULLOCH, BURKE, CAMDEN, CANDLER, CHARLTON, CHATHAM, EFFINGHAM, EMANUEL, EVANS, GLASCOCK, GLYNN, JEFFERSON, JENKINS, JOHNSON, LIBERTY, LONG, MCINTOSH, PIERCE, RICHMOND, SCREVEN, WARE, WASHINGTON AND WAYNE

KANSAS

CLARK, COMANCHE, MEADE AND STAFFORD

KENTUCKY

BALLARD, BUTLER, EDMUNDSON, GREEN, HART, JACKSON, LAUREL, LIVINGSTON, MARSHALL, McCRACKEN, McCREARY, PULASKI, ROCKCASTLE, TAYLOR, WARREN AND WAYNE

.....

.....
.....
.....
.....

11 of 18
6



MISSISSIPPI

ITAWAMBA, LOWNDES, MONROE AND NOXUBEE

MONTANA

GARFIELD, MCCONE, SHERIDAN AND VALLEY

NEBRASKA

BOYD, BROWN, BUFFALO, BUTLER, CASS, CEDAR, COLFAX, DAWSON, DODGE, DOUGLAS, HALL, HAMILTON, HOLT, HOWARD, KEARNEY, KEYS PAHA, KNOX, MERRICK, NANCE, PHELPS, PLATTE, POLK, ROCK, SARPY AND SAUNDERS

NORTH CAROLINA

EDGECOMBE, NASH AND PITT

NORTH DAKOTA

BANSON, BOTTINEAU, BURKE, BURLEIGH, DIVIDE, DUNN, EDDY, EMMONS, FOSTER, KIDDER, LOGAN, MCHENRY, MCINTOSH, MCKENZIE, MCLEAN, MERCER, MORTON, MOUNTRAIL, NELSON, OLIVER, PIERCE, RAMSEY, RANVILLE, FOLETTE, SHERIDAN, SIOUX, STUTSMAN, TOWNER, WARD, WELLS AND WILLIAMS

SOUTH CAROLINA

AIKEN, BARNWELL, BEAUFORT, BERKELY, CHARLESTON, COLLETON, DORCHESTER, GEORGETOWN, HAMPTON, Horry, JASPER AND MARION

SOUTH DAKOTA

CLAY, HAakon, HUGHS, POTTER, STANLEY, SULLY, UNION, WALWORTH, YANKTON AND ZIEBACH

TENNESSEE

BDFORD, BLOUNT, CLAIBORNE, DECATUR, FRANKLIN, HANCOCK, HARDIN, HICKMAN, KNOX, LINCOLN, LOUDON, MARSHALL, MAURY, MEIGS, MONROE, RHEA, ROANE, SCOTT, SEQUATCHIE, SMITH, SULLIVAN AND WAYNE

TEXAS

ARANSAS, AUSTIN, CAMERON, COLORADO, FORT BEND, GOLIAD, REFUGIO AND VICTORIA

VIRGINIA

LEE, RUSSELL, SCOTT, SMYTH, TAZEWELL, WASHINGTON AND WISE"

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

12-6-18

Before using this product in forests in a county listed below, you must contact the Endangered Species Specialist in the Regional/Field Office of the U. S. Fish and Wildlife Service (FWS) indicated below. You must provide FWS with your name and phone number, the product you intend to use, and the specific location in which you intend to use it. The U. S. Fish and Wildlife Service will inform you whether your proposed use is in the range of endangered species. Use of this product in the range of endangered species, as defined for you by FWS, is prohibited.

Contact FWS Field Offices at the following numbers:

ALABAMA (Jackson, Mississippi, 601-965-4900)

Baldwin, Bibb, Butler, Calhoun, Chilton, Clay Cleburne, Colbert, Covington, Dale, Dallas, Escambia, Fayette, Greene, Hale, Jackson, Jefferson, Lamar, Lauderdale, Lawrence, Limestone, Macon, Madison, Marshall, Morgan, Perry, Pickens, St. Clair, Shelby, Sumter, Talladega, Tuscaloosa and Winston

ARIZONA (Phoenix, Arizona, 602-261-4720)

Apache, Greenlee, Graham, Mohave and Yavapai

ARKANSAS (Jackson, Mississippi, 601-965-4900)

Ashley, Benton, Bradley, Calhoun, Clark, Clay, Columbia, Cross, Drew, Grant Hempstead, Jefferson, Lafayette Lawrence, Lee, Monroe, Ouachita, Poinsett, Polk, Pulaski, Randolph, Scott, Sharp, St. Francis and Union

CALIFORNIA (Sacramento, California, 916-~~460-4866~~ ⁹⁷⁸⁻⁹⁶¹³)


Alpine, Fresno, Inyo, Madera, Mono, Nevada, Placer, Sierra, Tuolumne, and Tulare

COLORADO (Salt Lake City, Utah, 801-524-4430)

Boulder, Delta, Fremont, Gilpin, Larimer, Mesa, Moffat, Park, and Rio Blanco

FLORIDA (Jacksonville, Florida, 904-791-2580)

Alachua, Baker, Bay, Brevard, Charlotte, Citrus, Clay, Collier, Columbia, Dade, Duval, Flagler, Franklin, Glades, Gulf, Hardee, Hernando, Highlands, Hillsborough, Lake, Lee, Leon, Levy, Liberty, Manatee, Marion, Martin, Monroe, Nassau, Okaloosa, Okeechobee, Orange, Osceola, Palm Beach, Pasco, Polk, Putnam, St. Johns, Santa Rosa, Wakulla and Walton



13 1/8

MISSOURI (Columbia, Missouri 314-875-5374)

Barry, Benton, Bollinger, Butler, Camden, Cedar, Christian, Cole, Dallas, Franklin, Gasconade, Greene, Hickory, Jasper, Jefferson, Lawrence, Massack, Miller, Newton, Osage, Polk, Ralls, Ripley, St. Clair, St. Louis, Stone and Wayne

NEW YORK (Cortland, New York, 607-753-9334)

Madison

NEW MEXICO (Albuquerque, New Mexico, 505-766-3966)

Catron and Grant

NORTH CAROLINA (Asheville, North Carolina, 704-259-0321)

Anson, Beaufort, Bertie, Bladen, Brunswick, Camden, Carteret, Chatham, Columbus, Craven, Cumberland, Duplin, Edgecombe, Gates, Halifax, Harnett, Hertford, Hoke, Hyde, Johnson, Jones, Lee, Lenoir, Macon, Montgomery, Moore, Nash, New Hanover, Northampton, Onslow, Pamlico, Pender, Perquimans, Pitt, Richmond, Robeson, Sampson, Swain, Tyrell, Wake, Wayne and Wilson

OHIO (Columbus, Ohio, 614-231-3416)

Pikaway, Washington and Williams

OKLAHOMA (Tulsa, Oklahoma, 918-581-7458)

Le Flore, McCurtain, and Pushmataha

SOUTH CAROLINA (Asheville, North Carolina, 704-259-0321)

Abbeville, Aiken, Allendale, Barnwell, Beaufort, Berkeley Calhoun, Charleston, Chesterfield, Clarendon, Colleton, Darlington, Dillon, Dorchester, Edgefield, Florence, Georgetown, Greenville, Greenwood, Hampton, Horry, Laurens, Lee, Lexington, McCormick, Orangeburg, Richland, Sumter and Williamsburg

TENNESSEE (Asheville, North Carolina, 704-259-0321)

Bedford, Blount, Bradley, Campbell, Claiborne, Cumberland, Decatur, Franklin, Hamilton, Hancock, Hardin, Hawkins, Hickman, Knox, Lawrence, Lincoln, Loudon, Marion, Marshall, Maury, Meigs, Monroe, Morgan, Polk, Rhea, Roane, Scott, Sequatchie, Smith, Sullivan, Trousdale and Wayne

TEXAS (Texas, 713-229-3681 or 817-334-2961)

Angelina, Cass, Cherokee, Hardin, Houston, Jasper, Montgomery, Nacogdoches, Newton, Polk, Sabine, San Augustine, San Jacinto, Shelby, Trinity, Tyler and Walker

UTAH (Salt Lake City, Utah, 801-524-4430)

~~Carbon, Emery, Garfield, Grand, San Juan, Uintah and Wayne~~

VIRGINIA (Annapolis, Maryland, 301-269-5448)

Lee, Prince George, Pulaski, Russell, Scott, Smyth, Southampton, Surry, Sussex, Tazewell, Washington and Wise

WEST VIRGINIA (Annapolis, Maryland, 301-269-5448)

Monongalia

WISCONSIN (Green Bay, Wisconsin, 414-465-2682)

Crawford, Grant, Iowa, Pierce, Polk, Richland, St. Croix and Vernon

11/18

GEORGIA (Jacksonville, Florida, 904-791-2580)

Appling, Bacon, Baldwin, Brantley, Burke, Catoosa, Charlton, Chattahoochee, Cherokee, Clarke, Clinch, Decatur, Emanuel, Floyd, Glynn, Grady, Greene, Harris, Jasper, Jenkins, Jones, Liberty, McDuffie, Murray, Muscogee, Oglethorpe, Pierce, Putnam, Richmond, Screven, Tattnall, Telfair, Thomas, Toombs, Turner, Upson, Ware, Washington, Whitfield and Wilkes

ILLINOIS (Bloomington, Indiana, 309-793-5800)

Gallatin, Henderson, Jo Daviess, Massac, Mercer, Pike, Pulaski, Rock Island and White

INDIANA (Bloomington, Indiana, 309-793-5800)

Dekalb and Posey

IOWA (St. Paul, Minnesota, 612-725-7131)

Allamakee, Clayton, Clinton, Des Moines, Dubuque, Fayette, Jackson, Louisa, Muscatine and Scott

KENTUCKY (Asheville, North Carolina, 704-259-0321)

Ballard, Butler, Edmundson, Green, Hart, Jackson, Laurel, Livingston, Marshall, McCracken, McCreary, Pulaski, Rockcastle, Taylor, Warren and Wayne

LOUISIANA (Jackson, Mississippi, 601-965-4900)

Allen, Beauregard, Bienville, Bossier, Caddo, Calcasieu, Catahoula, Claiborne, DeSoto, Evangeline, Grant, La Salle, Livingston, Morehouse, Natchitoches, Ouachita, Rapides, Red River, St. Tammany, Tangipahoa, Terrebonne, Union, Vernon, Washington, Webster and Winn

MARYLAND (Annapolis, Maryland, 301-269-5448)

Dorchester and Harford

MICHIGAN (E. Lansing, Michigan, 517-337-6650)

Alcona, Crawford, Iosco, Kalkaska, Marquette, Montmorency, Oscoda, Ogemaw, Roscommon and Wexford

MINNESOTA (Twin Cities, Minnesota 612-725-3276)

Houston and Washington

MISSISSIPPI (Jackson, Mississippi, 601-965-4900)

Adams, Amite, Benton, Chickasaw, Choctaw, Copiah, Forrest, Franklin, George, Greene, Hancock, Harrison, Hinds, Issaquena, Itawamba, Jackson, Jasper, Jefferson, Jones, Lafayette, Lincoln, Lauderdale, Leake, Lowndes, Madison, Marion, Marshall, Monroe, Newton, Noxubee, Oktibbeha, Pantotoc, Pearl River, Perry, Scott, Sharkey, Smith, Stone, Tippah, Union, Wayne, Wilkinson, Winston and Yalobusha and Yalobusha

Before using this product to control or eradicate mosquito larvae in a county listed below, you must contact the Endangered Species Specialist in the Regional/Field Office of the U. S. Fish and Wildlife Service (FWS) indicated below. You must provide FWS with your name and phone number, the product you intend to use, and the specific location in which you intend to use it. The U. S. Fish and Wildlife Service will inform you whether your proposed use is in the range of endangered species. Use of this product in the range of endangered species, as defined for you by FWS, is prohibited.

Contact FWS Field Offices at the following numbers:

ALABAMA (Jackson, Mississippi, 601-965-4900)
Colbert, Greene, Jackson, Jefferson, Lamar, Lauderdale, Limestone, Madison, Marshall, Morgan, Pickens and Sumter

ARIZONA (Phoenix, Arizona, 602-261-4720)
Graham, Lapaz, Mohave, Pima, Pinal, Santa Cruz and Yuma

ARKANSAS (Jackson, Mississippi, 601-965-4900)
Benton, Clark, Clay, Cross, Lawrence, Lee, Poinsette, Polk, Randolph, Sharp and St. Francis

CALIFORNIA (Sacramento, California, 916-^{925 4613}~~460-4866~~)
Alameda, Colusa, Contra Costa, Humboldt, Imperial, Inyo, Los Angeles, Marin, Merced, Modoc, Mono, Monterey, Napa, Orange, Riverside, San Bernardino, San Diego, San Luis Obispo, San Mateo, Santa Barbara, Santa Clara, Solano, Sonoma, Stanislaus, Sutter and Ventura

DISTRICT OF COLUMBIA (Annapolis, Maryland, 301-269-5448)
Rock Creek Park

FLORIDA (Jacksonville, Florida, 904-791-2580)
Alachua, Baker, Bradford, Brevard, Broward, Charlotte, Citrus, Clay, Collier, Columbia, Dade, De Soto, Dixie, Duval, Flagler, Gadsden, Gilchrist, Glades, Hardee, Hendry, Hernando, Highlands, Hillsborough, Indian River, Jefferson, Lafayette, Lake, Lee, Leon, Levy, Madison, Manatee, Marion, Martin, Monroe, Nassau, Okaloosa, Okeechobee, Orange, Osceola, Palm Beach, Pasco, Pinellas, Polk, Putnam, St. Johns, ST. Lucie, Sarasota, Seminole, Sumter, Suwannee, Taylor, Union, Volusia, Wakulla and Walton

GEORGIA (Jacksonville, Florida, 904-791-2580)
Brantley, Bryan, Bulloch, Burke, Camden, Candler, Catoosa, Charlton, Chatham, Effingham, Emanuel, Evans, Glascock, Glynn, Jefferson, Jenkins, Johnson, Liberty, Long, McIntosh, Pierce, Richmond, Screven, Ware, Washington and Wayne

HAWAII (Honolulu, Hawaii, 808-546-5608)
Islands of Hawaii, Kauai, Maui, Molokai, Niihau and Oahu

IDAHO (Boise, Idaho, 208-334-1806, Ext. 16)
Caribou, Bear Lake and Bonneville

ILLINOIS (Rock Island, Illinois, 309-793-5800)
Gallatin, Henderson, Jo Daviess, Massac, Mercer, Pike, Pulaski, Rock Island and White

4

INDIANA (Bloomington, Indiana, 812-334-4261)
DeKalb and Posey

IOWA (St. Paul, Minnesota, 612-725-7131)
Allamakee, Clayton, Clinton, Des Moines, Dubuque, Fayette, Jackson, Louisa,
Muscatine and Scott

KANSAS (Grand Island, Nebraska, 308-381-5571)
Clark, Comanche, Meade and Stafford

KENTUCKY (Asheville, North Carolina, 704-259-0321)
Ballard, Butler, Edmundson, Green, Hart, Jackson, Laurel, Livingston,
Marshall, McCracken, McCreary, Pulaski, Rockcastle, Taylor, Warren and Wayne

MARYLAND (Annapolis, Maryland, 301-269-5448)
Harford

MINNESOTA (St. Paul, Minnesota, 612-725-7131)
Houston and Washington

MISSISSIPPI (Jackson, Mississippi, 601-965-4900)
Claiborne, Copiah, Hinds, Itawamba, Jackson, Lowndes, Monroe and Noxubee

MISSOURI (Columbia, Missouri, 314-875-5374)
Barry, Benton, Bollinger, Butler, Camden, Cedar, Christian, Cole, Dallas,
Franklin, Gasconade, Greene, Hickory, Jasper, Jefferson, Lawrence, Massac,
Miller, Newton, Osage, Polk, Ralls, Ripley, St. Clair, St. Louis, Stone
and Wayne

NEBRASKA (Grand Island, Nebraska, 308-381-5571)
Boyd, Brown, Buffalo, Butler, Cass, Cedar, Colfax, Dawson, Dodge, Douglas,
Hall, Hamilton, Holt, Howard, Kearny, Keya Paha, Knox, Merrick, Nance,
Phelps, Platte, Polk, Rock, Sarpy and Saunders

NEVADA (Reno, Nevada, 702-784-5227)
Clark, Lincoln, Nye and White Pine

NEW MEXICO (Albuquerque, New Mexico, 505-566-2323)
Chaves, Eddy and Socorro

NORTH CAROLINA (Asheville, North Carolina, 704-259-0321)
Edgecombe, Macon, Nash, Pitt and Swain

NORTH DAKOTA
Burleigh, Emmons, McKensie, Mclean, Mercer, Morton and Oliver

OHIO (Columbus, Ohio, 614-231-3416)
Pickaway, Washington and Williams

OKLAHOMA (Tulsa, Oklahoma, 918-581-7458)
McCurtain and Pushmataha

OREGON (Olympia, Washington, 206-753-9444)
Lake

.....
.....
.....
.....
.....
.....
.....

11/18

SOUTH CAROLINA (Asheville, South Carolina, 704-259-0321)
Aiken, Barnwell, Beaufort, Berkely, Charleston, Colleton, Dorchester,
Georgetown, Hampton, Horry, Jasper and Marion

SOUTH DAKOTA (Pierre, South Dakota, 605-224-8692)
Hughes and Yankton

TENNESSEE (Asheville, North Carolina, 704-259-0321)
Bedford, Blount, Bradley, Claiborne Cumberland, Davison, Decatur, Franklin,
Hamilton, Hancock, Hardin, Hawkins, Hickman, Knox, Lawrence, Lincoln,
Loudon, Marion, Marshall, Maury, Meigs, Monroe, Morgan, Polk, Rhea,
Roane, Scott, Sequatchie, Smith, Sullivan, Trousdale, Wayne and Williamson

TEXAS (Texas, 713-229-3681 or 817-334-2961)
Brewster, Comal, Hays, Jeff Davis, Menard, Pecos and Reeves

UTAH (Salt Lake City, Utah, 801-524-4430)
Utah and Washington

VIRGINIA (Annapolis, Maryland, 301-269-5448]
Augusta, Lee, Russell, Scott, Smyth, Tazewell, Washington and Wise

WISCONSIN (Green Bay, Wisconsin, 414-465-2682)
Crawford, Grant, Iowa, Pierce, Polk, Richland, St. Croix and Vernon

WYOMING (Helena, Montana, 406-449-5225)
Lincoln and Sublette"

