

ACTIVE INGREDIENT:

| | |
|--|-------|
| Mevinphos (2-Carbomethoxy-1-methylvinyl dimethyl phosphate, alpha isomer) | 60%* |
| Related Compounds | 40%* |
| Total | 100%* |

Equivalent to 100% mevinphos insecticide

This product is intended for use in the formulation of other mevinphos products. Products formulated from this product will require registration with the Environmental Protection Agency. Do not use this product to formulate end use products labeled for crops other than broccoli, Brussels sprouts, cabbage, cucumber, eggplant, kale, lettuce, melons, peppers, spinach, squash, strawberries or tomatoes.

KEEP OUT OF REACH OF CHILDREN

DANGER  **ISON**

PELIGRO  **PRECAUCION AL USUARIO:**

ACCEPTED
AUG 16 1980
EPA Reg. No. 10163-131

Si usted no lee ingles no use este producto hasta que la etiqueta le haya sido explicado expliamente.

STATEMENT OF PRACTICAL TREATMENT
ATROPINE IS AN ANTIDOTE. CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING
IF SWALLOWED drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. NEVER induce vomiting or give anything by mouth to an unconscious or non-alert person
IF INHALED, remove from exposure. Have patient lie down and keep quiet. If patient is not breathing, start artificial respiration immediately. Get medical attention
IN CASE OF CONTACT, wash skin with plenty of soap and water, for eyes, flush with water and get medical attention, remove and wash contaminated clothing before re-use.
IF WARNING SYMPTOMS APPEAR (See WARNING SYMPTOMS Under "NOTE TO PHYSICIAN") Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest hospital
SEE ANTIDOTE AND OTHER PRECAUTIONS

Net Contents Gal.

Gowan Company

BEST AVAILABLE COPY

EPA Reg. No. 10163-131
EPA Est No. 10163-A2-1

P.O. Box 8886
Tucson, AZ 85784

GRESSIVELY INCREASE SUSCEPTIBILITY TO ~~POISONING~~ INSECTICIDE
POISONING. DO NOT SWALLOW OR GET IN EYES, ON SKIN, OR ON
CLOTHING. IX) NOT BREATHE VAPORS. DO NOT CONTAMINATE
FOOD OR FEED PRODUCTS. KEEP AWAY FROM HEAT OR OPEN
FLAME.

Personal Protective Equipment and Work Safety

USE ONLY WHEN WEARING THE FOLLOWING PERSONAL PROTECTIVE EQUIPMENT DURING MIXING/LOADING, REPAIR AND CLEANING OF MIXING/LOADING EQUIPMENT, OR DISPOSAL OF THE PESTICIDE: Protective suit of one or two pieces covering all parts of the body except head, hands, and feet; NIOSH or MSHA approved respiratory protection device; chemical-resistant gloves; chemical-resistant shoes (or chemical-resistant shoe coverings or chemical-resistant boots). In addition, mixer/loaders must wear a chemical-resistant apron. During equipment repair and cleaning, the protective suit and the respirator need not be worn.

IMPORTANT: If pesticide comes in contact with skin, wash off with soap and water and contact a physician immediately. Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or toileting.

AFTER WORK: Before removing gloves, wash them with soap and water. Take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job -- do not wear contaminated clothing. Personal and protective clothing worn during work must be laundered separately from household articles. Store protective clothing separately from personal clothing. Clean or launder protective clothing after each use. Protective clothing and equipment that becomes heavily contaminated or drenched must be destroyed according to State and local regulations. **HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED.**

Do not contaminate or store near food or food-stuffs. Keep animals and unprotected persons out of operational areas.
In case of spillage, decontaminate areas and equipment by washing with a dilute solution of alkali (less than 5%) and detergent and rinse with water.

BEST AVAILABLE COPY

Saline, atropine sulfate should be injected at 10 minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred.

Pralidoxime chloride (2-PAM chloride) may also be used as an effective antidote in addition to and while maintaining full atropinization. In adults, an initial dose of 1 gram of 2-PAM should be injected, preferably as an infusion in 250 cc of saline over a 15 to 30 minute period. If this is not practical, 2-PAM may be administered slowly by intravenous injection as a 5 percent solution in water over not less than two minutes. After about an hour, a second dose of 1 gram of 2-PAM will be indicated if muscle weakness has not been relieved. For infants and children the dose of 2-PAM is 0.25 grams.

Morphine is an improper treatment. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the Environmental Protection Agency.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is intended for use in the formulation of other mevinphos products. Products formulated from this product will require registration with the Environmental Protection Agency. Do not use this product to formulate end use products labeled for crops other than broccoli, Brussels sprouts, cabbage, cucumber, eggplant, kale, lettuce, melons, peppers, spinach, squash, strawberries or tomatoes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Open dumping is prohibited.

STORAGE: Do not store in or around the home. Store in a secure, dry, and temperate area. Store in original container. Keep away from heat and open flame. If spilled, avoid exposure. If significant spill, do not attempt to clean up, call CHEMTREC (800) 424-9300. Spill can be contained by covering with a sufficient amount of absorbent (sand, soil, sawdust, etc.) to collect all liquid. Collected waste must be disposed of according to pesticide disposal below. **CAUTION:** Wear a pesticide respirator and protective clothing.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinseate is a violation of Federal law. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency or Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and local procedures. **Do not reuse empty container.**

Open dumping is prohibited.

NOTICE ON CONDITIONS OF SALE

Our recommendations for use of this product are based upon tests believed to be relevant. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse or use in combination with other materials.

BEST AVAILABLE COPY