


GOWAN

(front panel)

ZIRAM 76

FUNGICIDE



Active Ingredient:		
Ziram (Zinc dimethyldithiocarbamate)		76.0%
Inert Ingredients		24.0%
Total		100.0%
Zinc expressed as metallic	16.25%	

KEEP OUT OF REACH OF CHILDREN DANGER—PELIGRO

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES, flush eyes with plenty of clear water for at least 15 minutes, and get medical attention.
IF ON SKIN, wash skin with soap and water.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Causes irreversible eye damage. Do not get in eyes. Wear goggles, face shield or safety glasses when handling. May be harmful if swallowed or inhaled. May cause irritation of nose, throat and skin. Avoid breathing dust or spray mist. Avoid contact with skin or clothing. Wash thoroughly after handling. Protective clothing (long pants, long-sleeve shirt, gloves, hat and boots) must be worn during mixing and unloading.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.
when disposing of equipment washwaters.

PHYSICAL AND CHEMICAL HAZARDS

Keep away from fire and sparks.

NET WEIGHT _____ POUNDS

GOWAN COMPANY

AGRICULTURAL CHEMICALS

(back panel)

2052

HOWAIN

~~PROKIL~~ ZIRAM 76

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written and oral warnings must include the following information: DANGER—Area treated with Ziram or (date of application). Do not enter without appropriate protective clothing until sprays have dried. In case of accidental exposure, follow instructions under Statement of Practical Treatment section.

Do not apply this product through any type of irrigation system.

STORAGE AND DISPOSAL
 DO NOT CONTAMINATE water, food or feed by storage or disposal.

PESTICIDE DISPOSAL Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

To mix, fill spray tank about 2/3 full of water. With agitator running, slowly add the required amount of ~~Gowex Ziram~~ WP. Finish filling tank with water. Continue mixing in the tank until thoroughly mixed before applying. Continue agitation and apply immediately. Use sufficient spray for thorough coverage. For plants difficult to wet, add spreader sticker in order to secure uniform coverage.

Use the lower rates on small plants and/or under mild disease conditions. Use the higher rates on large plants and/or under severe disease conditions.

This product may be applied by ground equipment or aircraft, depending upon local conditions. ~~Do not apply to vegetable crops in 5 to 25 gallons of water per acre.~~

Application Rates

Ground (Dilute Full Coverage Spray)—spray to runoff. Apply at specified poundage per 100 gallons. Do not apply more than 500 gallons per acre.

Concentrate Sprayers—apply at specified poundage per acre in not less than 50 gallons of water per acre. Special concentrate equipment needed for this application.

Air—Apply at specified poundage per acre in not less than 10 gallons of water per acre. Note to User: Good coverage is essential for effective disease control. Ground application is preferred.

RECOMMENDATIONS

ALMONDS: Brown Rot (Blossom and Twig Blight); Leaf Blight (Shot-hole Fungus)—Use 6-10 lbs per acre (1 1/2-2 pounds per 100 gallons of water) in prebloom, blossom and petal fall periods. Scab—Use 6-10 lbs per acre (1 1/2-2 pounds per 100 gallons of water for dilute full coverage

ground spray) at petal fall. For scab application up to 5 weeks after petal fall, do not use more than 8 pounds per acre.

NOTICE ON CONDITIONS OF SALE

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse or application in combination with other material.

rev/app

Insecticide or fungicides, Agricultural, NO IEN, DIF

BEST AVAILABLE COPY.