10163-189 /of3 Form Approved. OMB No. 2070-0060. Approval expires 2-28-95

Please read instructions on reverse before completing form.	Form A	pproved. OMB No. 2070-006	O. Approval expires 2-28-95		
SEPA Environmental Protection Washington, DC 20460	•	Registration Amendment X Other	OPP Identifier Number		
Application for Pesticide - Section I					
1. Company/Product Number 10163-189	2. EPA Product Ma	anager 3. Pr	oposed Classification  None Restricted		
4. Company/Product (Name) Botran 75W Fungicide	PM# 21	Λ	None Restricted		
5. Name and Address of Applicant (Include ZIP Code) Gowan Company P.O. Box 5569 Yuma, AZ 85366-5569  Check if this is a new address	(b)(i), my producto: EPA Reg. No. Product Name				
.,	Section - II	. 21			
Amendment - Explain below.  Resubmission in response to Agency letter dated  The Too" Application.  X Notification - Explain below.  Final printed labels in repsonse to Agency letter dated  "Me Too" Application.  Other - Explain below.					
Explanation: Use additional page(s) if necessary. (For section I and Section II.)  Notification of Water Soluble Packaging in compliance with PR Notice 94-8. Directions For Use of Water Soluble Bags paragraph added. Equivalents section modified to reflect WSP size.					
	Section - III				
Yes  No  Yes  No  If "Yes"  No. per	Water Soluble Packaging Yes No If "Yes" No. pe		. = =		
3. Location of Net Contents Information 4. Size(s) Retail  Label Container 5	Container Downes	5. Location of Label Direct			
6. Manner in Which Label is Affixed to Product  Lithograp Paper glu Stenciled	oh Ot	her			
Section - IV					
1. Contact Point (Complete items directly below for identification of		d, if necessary, to process thi	is applicatiee.)		
	<sub>tle</sub> Registration Spec		ne No. (Inciúde Area Code)		
Certification  I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.  I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.  3. Title					
	Registration Spec	cialist			
	Date 12 July 1995:		6 c 7 c 4 c		

# **BOTRAN** 75WSB

**Fungicide** 



P.O. Box 5569 Yuma, Arizona 85366-5569

EPA Reg. No. 10163-189 EPA Est. No. 67545-AZ-1

ACTIVE INGREDIENT:	% BY WT.
2, 6-dichloro-4-nitroaniline	75% w/w
INERT INGREDIENTS	25% w/w
Total	100% w/w

# **KEEP OUT OF REACH OF CHILDREN** CAUTION

## STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with soap and water.

IF IN EYES: Flush with water. If eye irritation persists, call a

physician.

IF SWALLOWED: Drink warm water-and induce vomiting bytouching back of the throat with finger and/or by administering syrup of ipecac. Follow with milk and a mild cathartic (Milk of Magnesia). Call a physician or Poison Control Center immediately. Never give fluids or induce vomiting if patient is unconscious or having convulsions.

#### **PRECAUTIONARY STATEMENTS** HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid inhalation of dust or spray mist. Avoid contact with skin or eyes.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

## **USER SAFETY RECOMMENDATIONS**

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets in-
- side. Then wash thoroughly and put on clean cloth-

#### **ENVIRONMENTAL HAZARDS**

Toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment washwaters.

DO NOT REUSE EMPTY CONTAINER. IN CASE OF FIRE, LEAKY OR DAMAGED CONTAINERS. OR OTHER EMERGENCY, REPORT AT ONCE BY TOLL-FREE TELEPHONE TO (800) 424-9300.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restrictedentry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours. Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Waterproof gloves
- Shoes plus socks

#### **CHEMIGATION STATEMENT**

Do not apply this product through any type of irrigation system except as described in the Special Local Need registrations' use directions.

#### **GENERAL USE DIRECTIONS**

EQUIVALENTS: One (1) level tables poonful per gallon equals one (1) pound per 100 gallons.

COMPATIBILITY: Botran 75WSB is compatible with wettable powder formulations of captan, Guthion, parathion, carbaryl and endosulfan. Normally Botran 75WSB can be mixed with other fungicides, insecticides or defoliants formulated as wettable powders. It is suggested that such combinations be used on a small number of plants before treating large areas. However, combination sprays of Botran 75WSB and miscible oil formulations of insecticides, particularly organic phosphorous compounds, may cause plant injury. Check for compatibility before large scale treatment.

DIRECTIONS FOR USE OF WATER SQLUBLE BAGS Packets containing Botran 75WSB Fungicide and water soluble. After opening outer bag, avoid exposing inner bags to invisture and do not allow to become wet pricr to adding to the spray tank. Do not handle inner bag with wet hands. Reseal outer bag in a manner that protects remaining packets from moisture. To prepare the spray mixture, drop the required number of unopened packets, as determined in the DIRECTIONS FOR ... USE below, into the splay tank while filling with water to the desired level. Whenever passible, direct the fill water over the top of the packets to increase the rate of solublity. Where '' dosages of Botran 75WSB Fungicide are expressed as fractions of pounds, prepare the tank mix load to the lower of the nearest whole pound. Operate the agitator while mixing. Do not allow spray mixture to stand. Depending on the water temperature and the degree of agitation, the packets should be completely dissolved within approximately three to five minutes from the time they were added to the spray tank. Once the packets have completely dissolved, add other chemicals following conventional mixing order practices (see section entitled COMPATIBILITY). Tank mix solutions containing boron will reduce the solubility of the water soluble film. When preparing tank mixes containing boron, add the correct amount of Botran 75WSB Fungicide to the spray tank first. Make sure that the water soluble packets are completely dissolved. Add boron preparations to the spray tank last.

#### **DIRECTIONS FOR USE ON TREE AND VINE CROPS**

Crop	Disease	Dosage <sup>1</sup> lbs. per 100 gals. of water	Use
Apricot	Fruit decay Monilinia brown rot Rhizopus rot	11/3	Apply 10 days prior to harvest.
Grape	Bunch rot Botrylis rot Storage rot	11/3	Apply 2-42/slbs. per acre of —Botran—75WSB Fungicide for control of Botrytis bunch rot (Botrytis bunch rot (Botrytis cinerea) and Botrytis stem rot. Begin applications when disease is anticipated. Repeat applications at 7-day intervals or as needed. Do not apply more than 51/s lbs. of Botran 75WSB Fungicide per season. Botran 75WSB Fungicide used in combination with sulfur products may cause marking to sensitive varieties such as Fiesta.  Note: Use is limited to grapes grown west of the Rocky Mountains only.
4			

Plum Prun

Swe Che

(leaf