



10163-232

02/28/2000

1/2

Mesuro[®] 2% Bait

For Homeowner Use
Insecticide - Molluscicide
For Control Of Slugs, Snails And Insects

ACTIVE INGREDIENTS: Methiocarb: (4-methylthio-3,5-xylylmethylcarbamate).....	% By Wt.
INERT INGREDIENTS.....	2.0%
	98.0%
	Total 100.0%

STOP - READ THE LABEL BEFORE USE KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

STATEMENTS OF PRACTICAL TREATMENT

N-Methyl Carbamate

IF SWALLOWED: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by a Poison Control Center or doctor.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a Poison Control Center or doctor for treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move victim to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice.

IN CASE OF EMERGENCY, CALL TOLL FREE 1-800-228-5635 EXT. 283.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and very highly toxic to birds and mammals. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters and rinsates.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the labeling. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

HOUSEHOLD: Do not reuse empty container. Securely wrap original container in several layers of newspaper and put in trash collection.

PESTICIDE DISPOSAL (Except Household): Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL (Except Household): Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

STORAGE: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Material that cannot be used as directed should be disposed of as directed above. In spill or leak incidents, keep unauthorized people away.

GENERAL PRECAUTIONS AND RESTRICTIONS

Important: Do not use around food crops. Do not use on plants grown for food. Do not put bait in piles. Scatter bait so that it is hardly visible on the ground. Must not be applied more than twice per year. Do not use on lawns or turf.

APPLICATION INSTRUCTIONS FOR PEST CONTROL

Mesuro[®] 2% Bait is very effective for the control of slugs, snails and sowbugs; and to aid in control of millipedes around the home and in flower gardens. The bait should be broadcast over plant foliage (except California) or applied to soil around plants.

Sprinkle 1 pound of Mesuro[®] 2% Bait uniformly over 1000 square feet of area to be treated. For best results lightly water the area to be treated before applying the bait. When making applications, special attention should be given to treating areas around flower beds and around building foundations.

Should not be applied more than twice per year.

NET CONTENTS _____ LBS.

**FOR 24-HOUR EMERGENCY ASSISTANCE (SPILL, LEAK, OR FIRE), CALL CHEMTREC® (800) 424-9300.
For other product information, contact Gowan Company or see Material Safety Data Sheet.**

NOTICE ON CONDITIONS OF SALE

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

® MesuroI is a registered trademark of Bayer

EPA Text Pending: MesuroI 2% Bat [HO] RED (to EPA 02-11-00) |